
Advancing Transgender and Gender Diverse People's Visibility and Inclusion towards Data Accuracy in Oncology

Juno Obedin-Maliver MD, MPH, MAS Stanford University Pronouns: she/her/hers

Ash B. Alpert MD, MFA
Brown University
Pronouns: they/them/theirs

Thank you

- Transgender Cancer Patient Advisory Board
- Jennifer J. Griggs MD MPH, University of Michigan Cancer Center
- KJ Jennings MD, Stanford University, Department of Obstetrics and Gynecology



Funding & Disclosures

JOM:

- National Institutes of Health (OT2 OD025276, K12 DK111028, R21 MD015878, R21 CA 237670)
- Patient-Centered Outcomes Research Institute (PPRN-1501-26848, EA-PPRN-00050)
- Society for Family Planning
- Consulting fees unrelated to information presented here: Sage Therapeutics, Hims Inc., Folx Inc., Ibis Reproductive Health

AA:

- Agency for Healthcare Research and Quality (T32HS000011)
- Conquer Cancer, the ASCO Foundation, 2020 Novartis Oncology Endowed Young Investigator Award in Health Disparities, "Cancer Prevalence in Incarcerated Transgender & Gender Diverse Populations & Tools for Future Data Collection"
- Wilmot Cancer Institute, Community Outreach and Engagement Pilot Funding Award, "Leveraging Rural/Urban Diversity to Identify a Molecular Role of Pesticides in Lymphomagenesis"

Objectives

Describe the exclusion of transgender and gender diverse (TGD)
people and the health sequelae of exclusion

 Describe conceptual frameworks (linguistic and systemic) to addressing health disparities by enhancing visibility and inclusion

 Identify some key steps for cancer centers to take towards inclusive care



What are the sequelae of erasure?

Nearly ½ of transgender people will attempt suicide in our lifetimes.

1 transgender person is murdered every 3 days.

James et al, The Report of the U.S. Transgender Survey, 2015 Balzer, Preliminary results of a new trans murder monitoring project shows more than 200 reported cases of murdered trans people from January 2008 to June 2009. 2009.



Systemic oppression -> Cancer disparities

Invisibility -> Data inaccuracies & substandard care

Stigma → Poor experiences & outcomes

Var Terminology

Non-binary

Key Terminology				
Term	Definition			
LGBTQ+	Lesbian, gay, bisexual, transgender, queer / questioning plus is often used as an umbrella term.			
Sexual and Gender Minorities (SGM)	Similar to LGBTQ+, sexual and gender minorities is used as an umbrella term meant to encompass all people who are not heterosexual or cisgender (see below).			
Transgender	Someone whose gender differs from that commonly associated with their sex-assigned-at-birth			
Cisgender	Someone whose gender is the same as is commonly associated with their sex-assigned-at-birth			
Transgender man	A man who is transgender			
Transgender woman	A woman who is transgender			

A person who is not simply a man or a woman


Key Concepts: Sex, Gender, & Sexual Orientation

- Sex-assigned-at-birth: Identification made by viewing the external genitalia of a baby. (Often...midwife, nurse, physician)
- Gender: Someone's sense of themselves as a man, woman, masculine, feminine, none of those, or more than one of them. This can include identity and expression.
- Sexual Orientation: Comprised of an individual's sexual attraction, identity, and behavior which may or may not align. Some are: asexual, bisexual, pansexual, gay, lesbian, and straight among others.

Sex-assigned-at-birth and gender are often mistakenly used interchangeably and inappropriately used to assume sexual orientation.

Epidemiology

- In the US: 7% of adults including 20% of Gen-Z are LGBTQ+, >20 million people
- 4% are bisexual
- 1% are gay
- 1% are lesbian



• 1% are transgender

Epidemiology

Americans' Self-Identified Sexua	Il Orientation and Gender Identity	by Generation and Gender
----------------------------------	------------------------------------	--------------------------

	Bisexual	Gay	Lesbian	Transgender	Other
	%	%	%	%	%
Generation					
Generation Z	15.0	2.5	2.0	2.1	1.2
Millennials	6.0	2.2	1.3	1.0	0.4
Generation X	1.7	1.1	0.8	0.6	<0.05
Baby boomers	0.7	1.0	0.7	0.1	0.1
Traditionalists	0.2	0.4	0.1	0.2	0.1
Gender					
Women	6.0	0.4	1.9	0.8	0.4
Men	2.0	2.5	0.1	0.6	0.2

⁻⁻Figures represent the percentage of all adult members of each demographic group who have that sexual orientation or gender identity.

GALLUP, 2021

TGD status is not unique to a particular age, race/ethnicity, income bracket, or education level.

~1% At least 1.8 Million 1 in 50 are (Gen Z)

⁻⁻Some respondents identify with multiple sexual orientations or gender identities.

⁻⁻Generation definitions are as follows: Generation Z, born 1997 to 2003; millennials, born 1981 to 1996; Generation X, born 1965 to 1980; baby boomers, born 1946 to 1964; traditionalists, born before 1946.

Transgender people experience violence which may increase cancer morbidity and mortality



Drop out



Incarceration



Unemployment



Homelessness



Poverty



Violence



Decreased health care access



Participation in underground economy



HIV



© Distress and mental illness

James et al, The Report of the National Transgender Survey, 2015 Becasen et al, Estimating the Prevalence of HIV and Sexual Behaviors Among the US Transgender Population: A Systematic Review and Meta-Analysis, AJPH, 2018 Reisner et al, Racial/Ethnic disparities in history of incarceration, experiences of victimization, and associated health indicators among transgender women in the U.S. Women and Health, 2014








Challenges Leading to Cancer Mortality




Transgender people face barriers to care including:

- 1 in 3 had negative experiences with physicians in the last year
- 1 in 4 avoided needed health care due to fear of mistreatment
- 1 in 3 could not afford health care




Conceptual Framework for Addressing Disparities






Guidelines Change Experiences and Outcomes



Policies Change Experiences and Outcomes



Movement Advancement Project. "Equality Maps: Healthcare Laws and Policies." https://www.lgbtmap.org/equality-maps/healthcare_laws_and_policies. Accessed 03/18/2022

Creating Welcoming Spaces

Question is: How can you signal to TGD people that you are a safe person with whom they can see and disclose their identity and experience?



Consider in your practice:

What happens when patients come in the door?
What happens behind closed doors?
What happens between the doors?
What happens to open doors?



Light & Obedin-Maliver. Opening the OB/GYN door for sexual and gender minority people. Contemp. OBGYN, Jan 2019.

What patients are seeing, will they be protected? Berrahou et al. Representation of Sexual and gender Minority People in Patient

Nondiscrimination Policies of Cancer Center s in the U.S., JNCCN, 2022



What are the experiences of transgender people with and without cancer?

Oncology facilities may be exclusive



Alpert, et al, I'm not putting on that floral gown: Enforcement and resistance of gender expectations for transgender people with cancer, Patient Education and Counseling, 2021







Oncologists' language may be exclusive



Alpert, et al, I'm not putting on that floral gown: Enforcement and resistance of gender expectations for transgender people with cancer, Patient Education and Counseling, 2021



Oncologists' language may be exclusive

Fix et al, Stakeholder Perceptions and Experiences Regarding Access to Contraception and Abortion for Transgender, Non-Binary, and Gender-Expansive Individuals Assigned Female at Birth in the U.S., Arch Sex Behav, 2020.

Oncologists may see anatomy & physiology as truth














Oncologists' language (in documentation) may erode relationships with patients

Alpert et al, Experiences of transgender people reviewing their electronic health records: Insights to avoid harm and improve patient-clinician relationships, a qualitative study, JGIM, in press

Goddu et al, Do Words Matter? Stigmatizing Language and the Transmission of Bias in the Medical Record JGIM, 2018



Oncology May be Missing the Mark



Does hormone therapy increase risk of breast cancer? We don't know but...



"Transgender women ... have a 47-fold higher risk for developing breast cancer..."

But, compared to whom?

Does hormone therapy decrease risk of prostate cancer? We don't know but...

Prostate Cancer Incidence under Androgen Deprivation: Nationwide Cohort Study in Trans Women Receiving Hormone Treatment

```
Iris de Nie, <sup>1,2</sup> Christel J.M. de Blok, <sup>1,2</sup> Tim M. van der Sluis, <sup>3</sup> Ellis Barbé, <sup>4</sup> Garry L.S. Pigot, <sup>2,3</sup> Chantal M. Wiepjes, <sup>1,2</sup> Nienke M. Nota, <sup>1,2</sup> Norah M. van Mello, <sup>2,5</sup> Noelle E. Valkenburg, <sup>1</sup> Judith Huirne, <sup>5</sup> Louis J.G. Gooren, <sup>1,2</sup> R. Jeroen A. van Moorselaar, <sup>3</sup> Koen M.A. Dreijerink, <sup>1,2</sup> and Martin den Heijer <sup>1,2</sup>
```

"...the prostate cancer risk was considerably lower than in Dutch cis males (SIR 0.20, CI 0.08-0.42)."

One study doesn't do2it.

Oncology May Be Missing the Mark: What are the lab targets for transgender people?



Research is often based on gender/sex

- Gender / sex are conflated for people assumed to be cisgender.
- Gender listed in patients' charts is related to registration and other logistical factors.

Roberts et al, Interpreting laboratory results in transgender patients on hormone therapy, Am J Med. 2014

Alpert et al, Experiences of transgender people reviewing their electronic health records: Insights to avoid harm and improve patient-clinician relationships, a qualitative study, JGIM, in press

Oncology May Be Missing the Mark: How do we dose carboplatin?


- Carboplatin dosing is based on research done by sex/gender on people assumed to be cisgender.
- Unclear how pharmacokinetics translate to transgender people.



SoRelle et al, Impact of Hormone Therapy on Laboratory Values in Transgender Patients, Clin Chem. 2019



Are systems supporting or hindering care for TGD people?



Screenshot of electronic medical record system preventing intrauterine device removal and cervical examination for a patient because their registered sex is male.


Moseson H, et al. The Imperative for Transgender and Gender Nonbinary Inclusion: Beyond Women's Health. Obstet Gynecol. 2020 PMID: 32282602; PMCID: PMC7170432.



Conceptual Frameworks – Individual Level

- Every person has a:
 - Set of organs
 - At birth
 - Currently
 - Gender identity
 - Sexual orientation





- Every person needs a consideration of:
 - PMH, PSH, Meds, Family Hx, Social Hx, Sexual Hx, OBGYN/Family Building
 - These impact prevention, diagnosis, survivorship

What are potential future steps we could take?

- Clinical Care
- Research
- Education
- Advocacy

What is the meaning of "sex" and "woman"?

	Abiraterone Acetator Undergoing Prosta estrogens for Exclusion Crite transition?
Male ≥ 18 years of age	Prior hormone therapy for prostate cancer including orchiectomy, antiandrogens, estrogens
Participants must agree to use a condom if having sex with a woman of childbearing potential	Current infection such as HIV Who is being
ECOG 0-1	Major surgery or radiatic excluded? 30 days

NCCN Ovarian Cancer Guidelines

• The word "women" appears 100 times, 41 of which are in citations.

The concern for risk-reducing salpingectomy alone is that women are still at risk for developing ovarian cancer. In addition, in premenopausal women, oophorectomy reduces the risk of developing breast cancer but the magnitude is uncertain(p. 4).

 The word "female" appears 7 times, all of which are in citations. WHO Classification of Tumours of Female Reproductive Organs (p. 31)







Robert Eads, died of ovarian cancer, age 54

Prostate Cancer Guidelines

• The word "men" appears 472 times. "ADT is the gold standard for men with metastatic prostate cancer(p. 44)."





The word "male" appears 12 times.

"Researchers estimate prostate cancer will account for 10.4% of male cancer deaths in the United States in 2020... (p. 56)"

How do these guidelines and images influence screening and care for women like Sally?





Sally Paynes, dx prostate cancer age 54

Potential Practical Alternatives

The concern for risk-reducing salpingectomy alone is that women people with at least one ovary are still at risk for developing ovarian cancer. In addition, in people who menstruate premenopausal women, oophorectomy reduces the risk of developing breast cancer but the magnitude is uncertain (p. 4).


ADT is the gold standard for men people with metastatic prostate cancer (p. 44).





Those with ovaries

Those who can have children pregnancy test before starting Cancer treatment can hurt the or get pregnant during treatme birth control to prevent pregna after treatment is recommended.



birth control may not be recommended, so ask your doctor about options.

Those with testicles

Cancer and cancer treatment can damage sperm. Therefore, use contraception (birth control) to prevent pregnancy during and after cancer treatment. If you think you want children in the future, talk to your doctor now. Sperm banking is an option.

Inclusive? Exclusive? Think: race/ethnicity, skin color, age, gender, ability, size...

Thought experiments in your setting

 What elements of the visuals in your clinical settings promote inclusion and in what domains? (race/ethnicity, skin color, age, gender, ability, size)

 What elements of images, decorations, signage etc. promote exclusion and in what domains? (race/ethnicity, skin color, age, gender, ability, size)

When we get it right...

"As soon as [a transman I know] talked about his gender experience with his gynecologist, they were very careful to not use gendered language during the exam. It was all very matter of fact and they actively took steps to minimize any chest exposure, referring to the chest tissue as "breasts," and things of that nature."

- Indigenous, queer, transgender man





ASCO Guidelines Methodology Manual, 2021 Eisen et al, Use of Adjuvant Bisphosphonate and Other Bone-Modifying Agents in Breast Cancer: ASCO-OH Guideline Update, JCO, 2022





Next Steps for Yale Cancer Center To Take?

- Provide SGM cultural humility training to oncology clinicians.
- Ensure non-discrimination policies cover gender identity.
- Make gender-neutral bathrooms available.
- Ensure gender-neutral clinics names, clothing, and wigs available
- Ensure patient-facing materials (educational pamphlets, website, etc) are gender-inclusive.
- Ensure clinical trial inclusion & exclusion criteria are inclusive
- Others???

EMR Best Practices

- Document name, gender, pronouns correctly and consistently.
- Avoid words like "preferred" or "identifies as" when describing a patient's gender, pronouns, or name.
- Avoid words or phrases like "disturbed" or "hostile," which may communicate stigma or blame.
- Avoid mentioning sex assignment or "biological sex."

Some Next Immediate Steps for Individuals

- 1. Introduce yourself using your name, pronouns (see homework slides, resources sheet)
- 2. Use gender neutral terminology clinically (e.g., person with breast cancer)
- 3. Take some of these free trainings:
 - Fenway Institute https://www.lgbthealtheducation.org/
 - UCSF Center of Excellence for Transgender Health
 https://prevention.ucsf.edu/transhealth/education
 - Resources sheet
- 4. Examine your intake forms, note templates, and patient instructions:
 - change she/her → patient & change women → people
 - use medically accurate terms, not "biological" mother versus, egg source/uterus source/sperm source (not "Father of the Baby", "Husband") etc.
- 5. Add your pronouns to your email signature
- 6. Take action in civic and political spaces, political influence health care and vice versa

Some Next Immediate Steps for Institutions

- 1. Board and Senior Management are Actively Engaged
- 2. Policies Reflect the Needs of SGM People
- 3. All Staff Receive Training on Culturally Affirming SGM Care
- 4. Processes & Forms Reflect the Diversity of SGM People & their Relationships
- 5. Data is Collected on Sexual Orientation & Gender Identity
- 6. All Patients Receive Routine Health Histories that reflect diversity in sexual orientation and gender identity
- 7. Clinical Care and Services Incorporate SGM Health Care Needs
- 8. The Physical Environment Welcomes and Includes SGM People
- 9. SGM Staff are Recruited and Retained
- 10. Outreach Efforts Engage SGM People in Your Community


Trainings & Resources

Colors Training: https://colorstraining.org
Welcoming Spaces: https://www.sgo.org/welcomingspaces
George Washington: <a href="https://cancercenter.gwu.edu/training-and-education/professional-education/team-together-and-education/professional-education/team-together-and-education/professional-education/team-together-and-education/

equitable-accessible-meaningful

National LGBT Cancer Network: https://cancer-network.org/

Primary Prevention Starts with Policy



Legislators in a <u>record 34 states introduced 147 anti-transgender bills in 2021</u>, focusing on discriminatory anti-equality measures to drive a wedge between their constituents and score short-term political points.

The Idaho House approved legislation 3/8/22 that makes it a felony for a doctor to provide age-appropriate, medically-necessary, best practice gender affirming care for transgender children. H.675 now heads to the Idaho Senate for further consideration.

The PRIDE Study



Population
Research in
Identity and
Disparities for
Equality

- National, online, longitudinal cohort study of LGBTQ+ people
- Designed for and by LGBT+Q people
- Web Based
- State-of-the-art participant management system
- 22,800+ participants since May2017

www.pridestudy.org

Questions?

Juno Obedin-Maliver MD MPH: junoom@stanford.edu Ash B. Alpert MD MFA: ash_alpert@brown.edu

Evaluation URL Link: https://tinyurl.com/4z7zdbtr



Homework & Resources

Creating Welcoming Spaces

Create a Welcoming Interpersonal Environment

Welcoming Interpersonal Environment

- Use chosen name, respect pronouns*
- Hire SGM staff*

* more detail on upcoming slides

- Avoid assumptions*
- Use participants' own terms
- Don't ask questions out of curiosity
 - Sex life, gender-affirming surgery plans
- Don't perform unnecessary examinations
- Explicitly give permission for participant to opt out of answering questions
- Acknowledge and apologize immediately for mistakes







Pronouns

We use pronouns every day to refer to others. Example pronouns sets:

he/him/his she/her/hers they/them/theirs



People use pronouns that may reflect their identities.

- Some use "they/them/theirs" because it does not have a typical feminine/masculine connotation like "hers" and "his."
- Some choose to use no pronouns and instead use their name. *Example*: "When is Mitch's birthday?" instead of "When is his birthday?"
- Pronouns are **not** the same as gender. Just because someone uses "he/him" pronouns doesn't mean that he identifies as a man.




Pronouns and Chosen Name

Always use chosen name and respect pronouns.

Chosen name may differ from legal name - system should shift, not people.

Just because someone 'looks' like a man doesn't mean they want to be addressed as "Mr. Gupta."







Sharing YOUR Pronouns

Share your own pronouns, then **invite** others to share!

"Thank you for coming in to our clinic today. My name is Juno, and I'll be helping you with registration today. I use the pronouns "she, her, and hers." Which pronouns to you use?"

- Remember that not everyone may feel comfortable sharing
- Remember that not everyone may understand what you are asking

Other Ways to Share Your Pronouns


- Wear a pronoun sticker or button to show that pronouns matter
- Include pronouns in your introduction in meetings/conference calls
- Include pronouns in e-mail signature







Include SGM People on Staff







Things to Avoid

- Do not use the word "transgender" as a noun, it is an adjective.
 - She is a transgender woman.
 Not: She is a transgender.
- Do not add "-ed" to "transgender." (Adding -ed creates a participle, which can only be done to verbs; "transgender" is an adjective.)
 - She is a transgender woman.
 Not: She is a transgender<u>ed</u> woman.
- Do not use the pronouns that you <u>think</u> someone uses based on their name, physical appearance, etc.
 - Ask instead.
- While trying to be supportive, avoid exclamations of surprise when people come out to you.
 - "Oh! I never would have known!"
 - "My barber's niece, I mean nephew, is also transgendered."
 - "My cousin is transgender too!"





Things to Do

- Thank SGM people for expressing interest/participating in your clinic.
- Provide comfort to SGM people who may be struggling with their identity. Know about local SGM resources.
- Recognize the sensitive nature of conversations about sexual orientation and gender identity that may come up clinical.
 - People accompanying participants to a clinical visits may be partners, family, friends, etc.
 - Participants may disclose their gender identity to clinical or administrative staff that may be different from their gender expression





Create a Welcoming Physical Environment




Welcoming Physical Environment

- Images
- Symbols of SGM communities
- SGM-competent forms





Represent the Communities in Images











SGM Symbols




LGBTQ+ Flag



Trans* Flag



Bisexual Flag



Asexual Flag







Pronoun Stickers









The Context

= 0,

The New York Times

SUBSCRIBE NOW

LOG IN

Wednesday, May 29, 2019

Today's Paper

World U.S. Politics N.Y. Business Opinion Tech Science Health Sports Arts Books Style Food Travel Magazine T Real Estate Video

M, F or X? Added Option Makes States Rethink Nature of Gender

- The expansive conception of gender that many teenagers recognize is being scrutinized on a new scale.
- Bills to add a nonbinary marker to driver's licenses are moving through multiple state legislatures in the U.S., bringing a fraught debate.

6h ago 100 comments



El Martinez, 17, at their home in Massachusetts. They wrote to their state representatives requesting a gender-neutral option for identity documents. Tony Luong for The New York Times





Culturally Competent Forms


Create Welcoming SGM forms

- Avoid using "gendered" terms
- Use blank for participants/patients to use their own words whenever possible
- Include items that will help you better interact with participants without damaging assumptions
 - What are your pronouns?
 - What name do you go by?
 - How would you like us to refer to you today?






Culturally Competent Forms and Information



What is your current gender identity? (Check ALL that apply)
☐ Male
☐ Female
☐ Transgender Male/Transman/FTM
☐ Transgender Female/Transwoman/MTF
☐ Gender Queer
☐ Additional category (please specify):
☐ Decline to answer
2. What sex were you assigned at birth? (Check one)
☐ Male
☐ Female
☐ Other
☐ Decline to answer



Oops!

This form is "gendered."

What about SGM people who don't identify as a "woman" or "man"?

Possible Solution

"These apply to everyone."





Create a Welcoming Telephone Environment

Welcoming Telephone Environment

- Similar to in-person interactions... but...
 - No forms to collect information
 - No body language
- Use chosen name and respect pronouns
- Avoid assumptions
- Do not use "ma'am" and "sir"
 - Especially based only on voice
 - Ask how caller prefers to be called
- Acknowledge and apologize immediately for mistakes
 - Harder to recognize mistakes








Scripts

Use Pre-Written Scripts to...

- Provide a uniform experience for all
- Gather information that can make your setting more welcoming to SGM people
 - Chosen name
 - Pronouns
 - How they wish to be called
- Ask questions that <u>you</u> may be uncomfortable asking







Video




- One-minute video demonstrating a largely positive experience checking in at front desk
 - While shown in a clinical setting (gynecology clinic), interaction principles of being welcoming, non-judgmental, and appropriate are applicable to other clinical and investigational settings.
 - Efforts to make sure participant feels comfortable





Being Welcoming









Video Debrief

- What factors contributed to the patient feeling welcomed by the receptionist?
- Are there other things that could have been done to make this patient feel welcomed?





Scenario 1: Misgendering

- A transgender woman named Michelle Smith comes in to enroll in your clinic
- Michelle's pronouns are she/her/hers.
- She has just started social transition. For her, this includes using the name Michelle and having a feminine gender expression (*i.e.*, the way she appears).
- She has not changed any legal documents or her medical record at the clinic. These still refer to her by her old name and have her gender listed as "male."







Scenario 1: Misgendering

- Sitting in the waiting room, the staff call out the name "Michael Smith." Michelle is embarrassed and reluctantly stands up to follow the staff member to the exam room.
- On the way to the exam room, the staff member says to another, "I'm just gonna get him settled in a room and then I'll return Dr. Pope's call."



Let's debrief this scenario...







Discussion

- What are some possible reasons that Michelle felt embarrassed?
- What things could have been done to make this experience more welcoming for transgender participants?







Discussion



In the exam room, Michelle reluctantly discloses that she is a transgender woman uses the name Michelle (not Michael), and her pronouns are she/her/hers.


What should the staff member do now?





HOMEWORK (So...how do you ask that?)

Comprehensive Asking: Assess This



"Sex is what's between your jeans/genes. Gender identity is what's between your ears."

Where to ask?

- In-person
 - Initial visit: getting to know the patient, living situation
 - Sexual history if appropriate to complaint
- Intake or Pre-appointment questionnaire
- Patient-reported into electronic health record






Particular Concerns to address?

- Should I Include it in the (electronic) medical record?
- Can I ensure confidentiality?
 - What if medical record is sent out to another facility?

Consider all the points where to ask.



How to ask? (1)

There is no CORRECT way to ask.

We provide only <u>examples</u> here.

Make NO assumptions.

Ask patient when/if appropriate.

Special Considerations

- Setting (e.g., inpatient, outpatient, ICU, home, SNFs)
- Acuity
- Age
- Condition
- Culture race/ethnicity
- Religion
- Family structure / third parties
- Institutional policies and state laws



How to ask? (2)

Gender Identity

- "I also talk to my patients about their gender identity.

 Do you know what I mean by that?"
- "Some people may feel like their physical bodies do not match with the gender they most identify. Knowing your gender identity also will allow me to care best for you."
- Ask about pronouns.





Documentation

•"Is it OK with you if I record this information in your medical record or would you prefer I not? It would be included in your record that other providers could see, including outside the hospital."

How to ask? Pronouns, we all have them (3)

Gender Pronouns

Please note that these are not the only pronouns. There are an infinite number of pronouns as new ones emerge in our language. Always ask someone for their pronouns.

Subjective	Objective	Possessive	Reflexive	Example
She	Her	Hers	Herself	She is speaking. I listened to her. The backpack is hers.
He	Him	His	Himself	He is speaking. I listened to him. The backpack is his.
They	Them	Theirs	Themself	They are speaking. I listened to them. The backpack is theirs.
Ze	Hir/Zir	Hirs/Zirs	Hirself/ Zirself	Ze is speaking. I listened to hir. The backpack is zirs.

t transstudent.tumblr.com

facebook.com/transstudent

twitter.com/transstudent

Design by Landyn Pan

For more information, go to transstudent.org/graphics



How to ask? (4)




- Use gender neutral language.
- "Tell me a little about your living situation." OR "Can you tell me a bit about your partner(s)?"
- "Are you in an intimate / sexual relationship?"
- Ask the patient how they would like to be referred to and/or how to refer to partner(s).
- Respect pronouns.





How to ask? (5)

• "Like the questions I asked about tobacco, alcohol, and other drugs, I would like to ask some more questions that I ask of all my patients. These ones are about your sexual activity, sexual health, and identity."





- "Are you sexually active?"
- "Are your partners men, women, or both?" vs. "What genders are your partners?" (this is preferred)
- "Knowing about your sexuality will help me better care for you..."

How to ask? (6)

Closing

• "Do you have any concerns or questions today?"







How to ask? Get comfortable with terms (6)

Body Part	Body Part	Term
Mouth	Vulva	Cunnilingus ("eating out")
Mouth	Penis	Fellatio ("blow job")
Mouth	Anus	Anilingus ("rim job")
Finger	Vagina	Fingering
Finger	Anus	Fingering
Vulva	Vulva	Scissoring ("polishing mirrors" "bumping fur")
Penis	Vagina	Intercourse
Penis	Anus	Anal intercourse







Specific Interview Tips

- Use language free of assumptions
 Instead of "How many I help you ma'am", "How may I help you?"
 Instead of: "Do you have a husband" or "What birth control do you use?"
 - Try: "Are you in a relationship?"
 - "[A]re you interested in becoming a parent someday?"
 - "[H]ave you thought about how you would like to become a parent?"
- Ask about **specific sexual activities** in a direct, non-judgmental manner to assess for high-risk behavior.
- Normalize discussion of often stigmatized content (e.g., "atypical" sex practices, gender identity and expression)
- Encourage patients to obtain legal documents that specify who can make medical and/or legal decisions for them in accordance with state laws

Components of History Forms (1)

- What is your current gender (check all that apply):
 - Woman
 - Man
 - TransFemale / Trans woman
 - TransMale / Trans man
 - Genderqueer / gender non-binary
 - Additional category (please specify): ______
 - Decline to State
- What sex were you assigned at birth:
 - Female
 - Male
 - Decline to State
- What is your preferred name and what pronouns do you prefer (e.g. she/her, he/him, they/their)?:



Components of History Forms (2)

•	Please describe your sexual orientation ?
Or	
•	Do you think of yourself as:
	 Lesbian, gay or homosexual Straight / heterosexual Bisexual Queer Additional category (please specify): Decline to State
•	Are you attracted to <i>(check all that apply)</i> : MenWomenTransgender MenTransgender WomenAnother (please describe)
•	Have you had sexual contact with (in the last 12 months) (check all that apply): MenWomenTransgender MenTransgender WomenAnother (please describe)
•	Please describe any sexual concerns you may have

Components of History Forms (3)

- When you have sexual contact, do you have (check all that apply):

 __ Oral-Genital Contact __ Genital-Genital Contact
 __ Genital-Anal Contact __ Oral-Anal Contact
- Do you use protective barriers (eg. condoms or dental dams) in the following sexual contact situations? Write in yes (Y) / no (N) / not applicable (N/A):
 - __ Oral-Genital Contact ___ Genital-Genital Contact ___ Oral-Anal Contact ___ Oral-Anal Contact
- What are the gender(s) of the people you are having sex with?
- How many sexual partners have you had in the last year?



ACOG Resources:

Developed by Dr. Stroumsa

Five videos (~15 mins each)

About 1 hour and 15 minutes TOTAL


- Great for personal development
- Staff, faculty, trainees




Additional Resources (Shameless Plug)


Enhanced DIGITAL VERSION


COMPREHENSIVE CARE OF THE TRANSGENDER PATIENT




- 1. Introduction to Gender Diversity
- Mental Health for the Adult Transgender Patient
- 3. Mental Health for the Child and Adolescent Transgender Patient
- 4. Disorders of sexual Development
- 5. Hormone Treatment for the Adult Transgender Patient
- 6. Overview of Surgery for Transgender Patients
- 7. Facial Feminization Surgery and Facial Gender Confirming Surgery
- Breast and Chest Surgery for Transgender Patients
- 9. Genital Gender Confirming Surgery for Patients Assigned Male at Birth
- 10. Genital Gender Confirming Surgery for Patients Assigned Female at Birth
- 11. Primary and Preventative Care for Transgender Patients
- 12. Gynecological Care for Transgender Patients
- 13. Hysterectomy for Transgender Men























transhealth.ucsf.edu/video/story.html