WEBVTT

NOTE duration: "00:29:27.1680000"

NOTE language:en-us

NOTE Confidence: 0.917529582977295

 $00:00:00.000 \longrightarrow 00:00:02.820$ But if you have additional questions,

NOTE Confidence: 0.917529582977295

 $00:00:02.820 \longrightarrow 00:00:06.540$ so let's now turn to our second Speaker.

NOTE Confidence: 0.917529582977295

 $00{:}00{:}06.540 \dashrightarrow 00{:}00{:}09.480$ Doctor Ellen foxman is assistant professor

NOTE Confidence: 0.917529582977295

 $00:00:09.480 \dashrightarrow 00:00:12.378$ of Laboratory Medison Ann Immunobiology and

NOTE Confidence: 0.917529582977295

 $00:00:12.378 \longrightarrow 00:00:15.834$ Ellen received her MD and PhD at Stanford.

NOTE Confidence: 0.917529582977295

00:00:15.840 --> 00:00:18.380 Her residency training in clinical

NOTE Confidence: 0.917529582977295

00:00:18.380 --> 00:00:20.920 pathology at Brigham and Women's

NOTE Confidence: 0.917529582977295

 $00:00:21.000 \longrightarrow 00:00:23.640$ Hospital before coming to yell and

NOTE Confidence: 0.917529582977295

 $00:00:23.640 \longrightarrow 00:00:26.540$ joining the faculty and Ellen is done.

NOTE Confidence: 0.917529582977295

 $00:00:26.540 \longrightarrow 00:00:28.765$ Extensive work now really understanding

NOTE Confidence: 0.917529582977295

 $00{:}00{:}28.765 \dashrightarrow 00{:}00{:}30.990$ the immune responses and natural

NOTE Confidence: 0.917529582977295

 $00:00:31.058 \longrightarrow 00:00:33.098$ responses to respiratory viruses.

NOTE Confidence: 0.917529582977295

 $00:00:33.100 \longrightarrow 00:00:34.670$ Which is certainly a very

NOTE Confidence: 0.917529582977295

 $00:00:34.670 \longrightarrow 00:00:35.926$ timely topic of research.

00:00:35.930 --> 00:00:36.842 Uh, in 2020?

NOTE Confidence: 0.917529582977295

 $00:00:36.842 \longrightarrow 00:00:39.355$ So we were really pleased that Alan could

NOTE Confidence: 0.917529582977295

 $00:00:39.355 \longrightarrow 00:00:42.208$ take the time to share her research with us.

NOTE Confidence: 0.917529582977295

 $00:00:42.210 \longrightarrow 00:00:43.462$ So Ellen, thank you.

NOTE Confidence: 0.917529582977295

 $00:00:43.462 \longrightarrow 00:00:44.400$ Thank you. I'm

NOTE Confidence: 0.926282286643982

 $00:00:44.400 \longrightarrow 00:00:45.636$ happy to be here.

NOTE Confidence: 0.926282286643982

00:00:45.636 --> 00:00:47.490 And now I'm going to hopefully

NOTE Confidence: 0.926282286643982

 $00:00:47.560 \longrightarrow 00:00:49.426$ share the screen and it will.

NOTE Confidence: 0.926282286643982

 $00:00:49.430 \longrightarrow 00:00:52.150$ All will go well. Um?

NOTE Confidence: 0.800285160541534 00:00:54.660 --> 00:00:55.580 All right? NOTE Confidence: 0.163235664367676

 $00:00:57.540 \longrightarrow 00:01:02.040$ Uh. So can you see the slides? Yes,

NOTE Confidence: 0.908503115177155

 $00:01:02.040 \longrightarrow 00:01:03.640$ OK, great. OK, well everyone,

NOTE Confidence: 0.908503115177155

 $00{:}01{:}03.640 \dashrightarrow 00{:}01{:}06.214$ I'm very happy to be here even though it's

NOTE Confidence: 0.908503115177155

 $00{:}01{:}06.214 \dashrightarrow 00{:}01{:}08.963$ by zoom an be able to participate in my

NOTE Confidence: 0.908503115177155

 $00{:}01{:}08.963 \dashrightarrow 00{:}01{:}11.350$ first Yale Cancer Center Grand rounds.

 $00:01:11.350 \longrightarrow 00:01:12.845$ This actually is not going

NOTE Confidence: 0.908503115177155

 $00:01:12.845 \longrightarrow 00:01:14.880$ to be a talk about cancer.

NOTE Confidence: 0.908503115177155

00:01:14.880 --> 00:01:17.448 It's going to be a talk about COVID-19,

NOTE Confidence: 0.908503115177155

 $00:01:17.450 \longrightarrow 00:01:20.369$ which is also a topic on everyone's.

NOTE Confidence: 0.908503115177155

 $00:01:20.370 \longrightarrow 00:01:21.930$ Uh, mind these days,

NOTE Confidence: 0.908503115177155

 $00:01:21.930 \longrightarrow 00:01:24.716$ so I'll tell you about some of

NOTE Confidence: 0.908503115177155

 $00:01:24.716 \longrightarrow 00:01:27.208$ the work our lab has been doing.

NOTE Confidence: 0.908503115177155

00:01:27.210 --> 00:01:29.345 Looking at host response based

NOTE Confidence: 0.908503115177155

00:01:29.345 --> 00:01:31.480 detection of respiratory virus an

NOTE Confidence: 0.908503115177155

 $00:01:31.552 \longrightarrow 00:01:34.088$ specifically applications to COVID-19.

NOTE Confidence: 0.908503115177155 00:01:34.090 --> 00:01:35.500 OK, so uh, NOTE Confidence: 0.908503115177155

 $00:01:35.500 \longrightarrow 00:01:38.790$ this is just a disclosure that I'm

NOTE Confidence: 0.908503115177155

 $00:01:38.900 \longrightarrow 00:01:43.499$ going to inventor on to patent applications.

NOTE Confidence: 0.908503115177155

 $00:01:43.500 \longrightarrow 00:01:46.076$ So today I'll be talking about why are

NOTE Confidence: 0.908503115177155

 $00:01:46.076 \longrightarrow 00:01:49.028$ we interested in studying the early host

NOTE Confidence: 0.908503115177155

 $00{:}01{:}49.028 \dashrightarrow 00{:}01{:}50.820$ responses against respiratory viruses,

 $00:01:50.820 \longrightarrow 00:01:53.130$ or in this case in particular.

NOTE Confidence: 0.908503115177155

00:01:53.130 --> 00:01:54.282 SARS coronavirus two,

NOTE Confidence: 0.908503115177155

 $00:01:54.282 \longrightarrow 00:01:56.586$ the virus that causes cobra 19.

NOTE Confidence: 0.908503115177155

00:01:56.590 --> 00:01:58.385 I'll give a brief overview

NOTE Confidence: 0.908503115177155

 $00:01:58.385 \longrightarrow 00:02:00.672$ on the basics of Cobra 19

NOTE Confidence: 0.908503115177155

00:02:00.672 --> 00:02:02.747 diagnostics an I'll talk about,

NOTE Confidence: 0.908503115177155

 $00:02:02.750 \longrightarrow 00:02:05.053$ then a project that we've been doing

NOTE Confidence: 0.908503115177155

 $00{:}02{:}05.053 \dashrightarrow 00{:}02{:}07.349$ since March on screening using host

NOTE Confidence: 0.908503115177155

00:02:07.349 --> 00:02:09.827 biomarkers for this disease and then

NOTE Confidence: 0.908503115177155

 $00:02:09.827 \longrightarrow 00:02:11.990$ future directions of the project.

NOTE Confidence: 0.902029097080231

 $00{:}02{:}14.060 \dashrightarrow 00{:}02{:}16.188$ So as I was preparing this talk,

NOTE Confidence: 0.902029097080231

 $00{:}02{:}16.190 \dashrightarrow 00{:}02{:}18.710$ I looked back at some of my previous

NOTE Confidence: 0.902029097080231

 $00{:}02{:}18.710 \dashrightarrow 00{:}02{:}21.219$ talks and this is actually an intro slide

NOTE Confidence: 0.902029097080231

 $00{:}02{:}21.219 \longrightarrow 00{:}02{:}24.466$ I had from a talk I gave at the end of

NOTE Confidence: 0.902029097080231

00:02:24.466 --> 00:02:26.222 November to the virology faculty group,

 $00:02:26.222 \longrightarrow 00:02:28.350$ and I thought it was kind of.

NOTE Confidence: 0.902029097080231

 $00{:}02{:}28.350 \dashrightarrow 00{:}02{:}30.345$ It looks so different in the lens

NOTE Confidence: 0.902029097080231

 $00:02:30.345 \longrightarrow 00:02:31.901$ of our current environment that

NOTE Confidence: 0.902029097080231

 $00:02:31.901 \longrightarrow 00:02:33.815$ I thought I would show it.

NOTE Confidence: 0.902029097080231

 $00:02:33.820 \longrightarrow 00:02:35.845$ So I I used to start my talk by

NOTE Confidence: 0.902029097080231

 $00:02:35.845 \longrightarrow 00:02:37.706$ convincing everyone of the importance

NOTE Confidence: 0.902029097080231

00:02:37.706 --> 00:02:39.286 of respiratory virus infections,

NOTE Confidence: 0.902029097080231

 $00:02:39.290 \longrightarrow 00:02:41.418$ which is a much easier sell now,

NOTE Confidence: 0.902029097080231

00:02:41.420 --> 00:02:42.026 but actually,

NOTE Confidence: 0.902029097080231

00:02:42.026 --> 00:02:43.238 even before this pandemic,

NOTE Confidence: 0.902029097080231

 $00:02:43.240 \longrightarrow 00:02:44.302$ these infections cause.

NOTE Confidence: 0.902029097080231

 $00:02:44.302 \longrightarrow 00:02:45.718$ Over 500 million infections

NOTE Confidence: 0.902029097080231

 $00:02:45.718 \longrightarrow 00:02:47.229$ per year in the US,

NOTE Confidence: 0.902029097080231

 $00:02:47.230 \longrightarrow 00:02:49.750$ so that's more than one per person and

NOTE Confidence: 0.902029097080231

 $00:02:49.750 \longrightarrow 00:02:52.429$ granted a lot of those are common colds,

NOTE Confidence: 0.902029097080231

 $00:02:52.430 \longrightarrow 00:02:54.050$ but some of those are

 $00:02:54.050 \longrightarrow 00:02:55.346$ serious illnesses such as.

NOTE Confidence: 0.902029097080231

 $00:02:55.350 \longrightarrow 00:02:57.074$ Influenza with hospitalization or

NOTE Confidence: 0.902029097080231

 $00:02:57.074 \longrightarrow 00:02:59.229$ hospitalization for asthma attack or

NOTE Confidence: 0.902029097080231

00:02:59.229 --> 00:03:01.414 CEO PD Exacerbation which are very

NOTE Confidence: 0.902029097080231

 $00{:}03{:}01.414 \dashrightarrow 00{:}03{:}03.525$ often caused by viruses and also

NOTE Confidence: 0.902029097080231

 $00:03:03.525 \longrightarrow 00:03:05.691$ there has been this emerging this

NOTE Confidence: 0.902029097080231

00:03:05.691 --> 00:03:07.162 lingering concern about emerging

NOTE Confidence: 0.902029097080231

 $00{:}03{:}07.162 \dashrightarrow 00{:}03{:}08.690$ in fections with good reason.

NOTE Confidence: 0.902029097080231

 $00:03:08.690 \longrightarrow 00:03:11.042$ As we know now and I usually put

NOTE Confidence: 0.902029097080231

 $00:03:11.042 \longrightarrow 00:03:13.332$ up this photo to describe that

NOTE Confidence: 0.902029097080231

00:03:13.332 --> 00:03:15.357 that's actually a picture of

NOTE Confidence: 0.902029097080231

00:03:15.357 --> 00:03:17.828 the SARS coronavirus from 2003.

NOTE Confidence: 0.902029097080231

 $00{:}03{:}17.830 \dashrightarrow 00{:}03{:}20.679$ But now when we see these pictures

NOTE Confidence: 0.902029097080231

 $00{:}03{:}20.679 \dashrightarrow 00{:}03{:}22.653$ it definitely conjures up something

NOTE Confidence: 0.902029097080231

 $00:03:22.653 \longrightarrow 00:03:24.687$ else in all of our minds,

 $00:03:24.690 \longrightarrow 00:03:28.137$ which is the 2nd SARS Coronavirus SARS Co V2.

NOTE Confidence: 0.902029097080231

 $00{:}03{:}28.140 \to 00{:}03{:}30.216$ Uh, which causes the disease cobra,

NOTE Confidence: 0.902029097080231

 $00:03:30.220 \longrightarrow 00:03:32.708$ 19 and I just checked on the Johns

NOTE Confidence: 0.902029097080231

00:03:32.708 --> 00:03:34.640 Hopkins Portal an at the moment

NOTE Confidence: 0.902029097080231

 $00:03:34.640 \longrightarrow 00:03:36.506$ there's over 7 million cases and

NOTE Confidence: 0.902029097080231

 $00:03:36.573 \longrightarrow 00:03:38.253$ over 400,000 deaths described

NOTE Confidence: 0.902029097080231

 $00:03:38.253 \longrightarrow 00:03:39.933$ globally from Cobra 19,

NOTE Confidence: 0.902029097080231

 $00:03:39.940 \longrightarrow 00:03:42.708$ so this is definitely having a high impact.

NOTE Confidence: 0.902029097080231

 $00:03:42.710 \longrightarrow 00:03:44.395$ It's impacting our seminar that

NOTE Confidence: 0.902029097080231

 $00:03:44.395 \longrightarrow 00:03:46.530$ were having if I zoom today,

NOTE Confidence: 0.902029097080231

 $00{:}03{:}46.530 \dashrightarrow 00{:}03{:}47.966$ it's impacting our work.

NOTE Confidence: 0.902029097080231

00:03:47.966 --> 00:03:50.120 It's impacting our economy and of

NOTE Confidence: 0.902029097080231

 $00{:}03{:}50.183 \dashrightarrow 00{:}03{:}52.223$ course our health and there's still

NOTE Confidence: 0.902029097080231

 $00:03:52.223 \longrightarrow 00:03:53.975$ a lot of unanswered challenges

NOTE Confidence: 0.902029097080231

 $00:03:53.975 \longrightarrow 00:03:56.250$ were right in the middle of it.

NOTE Confidence: 0.902029097080231

 $00:03:56.250 \longrightarrow 00:03:59.382$ Trying to figure out how to deal with it.

00:03:59.390 --> 00:04:01.973 Um, and even when this acute phase is over,

NOTE Confidence: 0.902029097080231

 $00:04:01.980 \longrightarrow 00:04:03.420$ there will be long-term impacts,

NOTE Confidence: 0.902029097080231

 $00{:}04{:}03.420 \dashrightarrow 00{:}04{:}05.478$ both on the health of the respiratory

NOTE Confidence: 0.902029097080231

 $00:04:05.478 \longrightarrow 00:04:08.039$ system in the patients who are recovering.

NOTE Confidence: 0.902029097080231

 $00:04:08.040 \longrightarrow 00:04:09.828$ Or have recovered and we also

NOTE Confidence: 0.902029097080231

 $00:04:09.828 \longrightarrow 00:04:11.980$ have to think what lessons can we

NOTE Confidence: 0.902029097080231

 $00:04:11.980 \longrightarrow 00:04:14.066$ learn from this that are going to

NOTE Confidence: 0.902029097080231

 $00{:}04{:}14.133 \dashrightarrow 00{:}04{:}16.059$ help us with the next pandemic.

NOTE Confidence: 0.902029097080231

 $00:04:16.060 \longrightarrow 00:04:18.886$ So this is sort of a just a screenshot

NOTE Confidence: 0.902029097080231

 $00:04:18.886 \longrightarrow 00:04:21.585$ of my labs homepage to remind me to

NOTE Confidence: 0.902029097080231

 $00:04:21.585 \longrightarrow 00:04:24.038$ tell you a little bit about what

NOTE Confidence: 0.902029097080231

 $00:04:24.038 \longrightarrow 00:04:26.438$ we do a little bit more broadly,

NOTE Confidence: 0.902029097080231

00:04:26.438 --> 00:04:28.406 we really focus on the lining

NOTE Confidence: 0.902029097080231

 $00:04:28.406 \longrightarrow 00:04:29.800$ of the respiratory tract,

NOTE Confidence: 0.902029097080231

 $00:04:29.800 \longrightarrow 00:04:32.806$ the airway mucosa as you see in this picture.

 $00:04:32.810 \longrightarrow 00:04:34.754$ This is actually what the epithelial

NOTE Confidence: 0.902029097080231

 $00:04:34.754 \longrightarrow 00:04:37.168$ layer in the upper airway looks like,

NOTE Confidence: 0.902029097080231

 $00:04:37.170 \longrightarrow 00:04:38.840$ and these are these cells.

NOTE Confidence: 0.902029097080231

 $00:04:38.840 \longrightarrow 00:04:40.700$ The epithelial cells are the target

NOTE Confidence: 0.902029097080231

 $00{:}04{:}40.700 \dashrightarrow 00{:}04{:}42.720$ cells of viral infection and viruses

NOTE Confidence: 0.902029097080231

 $00:04:42.720 \longrightarrow 00:04:44.530$ replicate all the various respiratory

NOTE Confidence: 0.902029097080231

 $00:04:44.530 \longrightarrow 00:04:46.289$ viruses replicate in these cells.

NOTE Confidence: 0.902029097080231

 $00{:}04{:}46.290 \dashrightarrow 00{:}04{:}48.733$ And these cells also are the first

NOTE Confidence: 0.902029097080231

 $00{:}04{:}48.733 \dashrightarrow 00{:}04{:}50.664$ line of defense that recognizes

NOTE Confidence: 0.902029097080231

 $00:04:50.664 \longrightarrow 00:04:53.094$ the infection and sends out signals

NOTE Confidence: 0.902029097080231

 $00{:}04{:}53.094 \dashrightarrow 00{:}04{:}55.651$ to the immune system to come to

NOTE Confidence: 0.902029097080231

 $00:04:55.651 \longrightarrow 00:04:57.980$ the area and also sends out turns

NOTE Confidence: 0.902029097080231

 $00:04:57.980 \longrightarrow 00:04:59.930$ on affecter mechanisms to try to

NOTE Confidence: 0.902029097080231

 $00:04:59.930 \longrightarrow 00:05:02.108$ stop the virus from replicating.

NOTE Confidence: 0.902029097080231

 $00:05:02.110 \longrightarrow 00:05:03.582$ So there are very.

NOTE Confidence: 0.902029097080231

 $00:05:03.582 \longrightarrow 00:05:05.790$ It's a very highly active tissue.

 $00:05:05.790 \longrightarrow 00:05:06.861$ The airway mucosa.

NOTE Confidence: 0.90692675113678

 $00:05:06.861 \longrightarrow 00:05:09.003$ Our lab is focused on these

NOTE Confidence: 0.90692675113678

 $00:05:09.003 \longrightarrow 00:05:10.948$ early steps of host defense,

NOTE Confidence: 0.90692675113678

 $00:05:10.950 \longrightarrow 00:05:13.146$ and we're also interested in repair.

NOTE Confidence: 0.90692675113678

 $00:05:13.150 \longrightarrow 00:05:14.490$ Actually, because after the.

NOTE Confidence: 0.90692675113678

 $00:05:14.490 \longrightarrow 00:05:16.500$ Their way isn't like the skin.

NOTE Confidence: 0.90692675113678

00:05:16.500 --> 00:05:17.700 It doesn't constantly regenerate,

NOTE Confidence: 0.90692675113678

 $00{:}05{:}17.700 \dashrightarrow 00{:}05{:}19.200$ but rather only when damage

NOTE Confidence: 0.90692675113678

 $00:05:19.200 \longrightarrow 00:05:20.410$ does it then regenerate,

NOTE Confidence: 0.90692675113678

 $00:05:20.410 \longrightarrow 00:05:22.384$ but it has the potential for these

NOTE Confidence: 0.90692675113678

 $00:05:22.384 \longrightarrow 00:05:24.310$ stem cells that you see here at

NOTE Confidence: 0.90692675113678

 $00:05:24.310 \longrightarrow 00:05:25.834$ the base of the epithelium to

NOTE Confidence: 0.90692675113678

 $00{:}05{:}25.895 \to 00{:}05{:}27.930$ proliferate and recreate that issue.

NOTE Confidence: 0.90692675113678

 $00{:}05{:}27.930 \dashrightarrow 00{:}05{:}29.508$ And one thing we're interested in

NOTE Confidence: 0.90692675113678

 $00:05:29.508 \longrightarrow 00:05:31.314$ is how come that sometimes goes

00:05:31.314 --> 00:05:33.044 right and sometimes goes wrong,

NOTE Confidence: 0.90692675113678

 $00{:}05{:}33.050 \dashrightarrow 00{:}05{:}34.898$ and sometimes when it goes wrong

NOTE Confidence: 0.90692675113678

 $00:05:34.898 \longrightarrow 00:05:37.000$ that leads to cancer and that I

NOTE Confidence: 0.90692675113678

 $00{:}05{:}37.000 \dashrightarrow 00{:}05{:}38.876$ hopefully I'll be able to come back

NOTE Confidence: 0.90692675113678

 $00:05:38.934 \longrightarrow 00:05:40.818$ for a different grounds and talk

NOTE Confidence: 0.90692675113678

 $00:05:40.818 \longrightarrow 00:05:42.608$ about that project at some point.

NOTE Confidence: 0.90692675113678

 $00:05:42.608 \longrightarrow 00:05:44.456$ But for today I'm going to focus

NOTE Confidence: 0.90692675113678

00:05:44.456 --> 00:05:46.349 on the upper respiratory tract.

NOTE Confidence: 0.90692675113678

 $00{:}05{:}46.350 \dashrightarrow 00{:}05{:}48.170$ As the gate keeper against infection,

NOTE Confidence: 0.90692675113678

 $00:05:48.170 \longrightarrow 00:05:50.276$ so most of the pathogens that

NOTE Confidence: 0.90692675113678

 $00{:}05{:}50.276 \dashrightarrow 00{:}05{:}52.487$ come into our airway come in

NOTE Confidence: 0.90692675113678

 $00:05:52.487 \longrightarrow 00:05:54.695$ through the nose and mouth throat,

NOTE Confidence: 0.90692675113678

 $00{:}05{:}54.700 \dashrightarrow 00{:}05{:}56.878$ and this includes viruses and bacteria.

NOTE Confidence: 0.90692675113678

 $00:05:56.880 \longrightarrow 00:05:58.698$ And often if that infection can

NOTE Confidence: 0.90692675113678

 $00:05:58.698 \longrightarrow 00:06:01.422$ be nipped in the Bud in the upper

NOTE Confidence: 0.90692675113678

 $00{:}06{:}01.422 \dashrightarrow 00{:}06{:}02.862$ respiratory tract that protects

 $00:06:02.862 \longrightarrow 00:06:04.888$ the rest of the respiratory

NOTE Confidence: 0.90692675113678

 $00:06:04.888 \longrightarrow 00:06:06.943$ system from that that infectious

NOTE Confidence: 0.90692675113678

 $00:06:06.943 \longrightarrow 00:06:09.066$ agent getting down to the lungs.

NOTE Confidence: 0.90692675113678

 $00:06:09.066 \longrightarrow 00:06:11.010$ So when these offense defenses are

NOTE Confidence: 0.90692675113678

 $00:06:11.073 \longrightarrow 00:06:13.575$ effective in the upper respiratory tract,

NOTE Confidence: 0.90692675113678

 $00:06:13.580 \longrightarrow 00:06:15.692$ it can really be the difference

NOTE Confidence: 0.90692675113678

 $00:06:15.692 \longrightarrow 00:06:17.620$ between miles or asymptomatic illness.

NOTE Confidence: 0.90692675113678

00:06:17.620 --> 00:06:18.944 Versus a serious illness.

NOTE Confidence: 0.90692675113678

00:06:18.944 --> 00:06:20.930 And we know that that's happening

NOTE Confidence: 0.90692675113678

00:06:20.990 --> 00:06:22.980 all the time, not just with SARS,

NOTE Confidence: 0.90692675113678 00:06:22.980 --> 00:06:23.610 Co V2, NOTE Confidence: 0.90692675113678

 $00:06:23.610 \longrightarrow 00:06:25.662$ but other viruses that often there

NOTE Confidence: 0.90692675113678

 $00{:}06{:}25.662 \longrightarrow 00{:}06{:}27.368$ cleared from the become their

NOTE Confidence: 0.90692675113678

 $00:06:27.368 \longrightarrow 00:06:29.279$ detectable in a way for a time.

NOTE Confidence: 0.90692675113678

 $00:06:29.280 \longrightarrow 00:06:30.144$ A short time.

 $00:06:30.144 \longrightarrow 00:06:32.160$ They and they are cleared without the

NOTE Confidence: 0.90692675113678

 $00:06:32.225 \longrightarrow 00:06:34.319$ patient knowing that they were there.

NOTE Confidence: 0.90692675113678

 $00:06:34.320 \longrightarrow 00:06:35.262$ That can happen,

NOTE Confidence: 0.90692675113678

00:06:35.262 --> 00:06:37.146 or you can have the opposite,

NOTE Confidence: 0.90692675113678

 $00:06:37.150 \longrightarrow 00:06:39.388$ where the patients in the ICU.

NOTE Confidence: 0.90692675113678

 $00:06:39.390 \longrightarrow 00:06:40.800$ So we're interested in factors

NOTE Confidence: 0.90692675113678

 $00:06:40.800 \longrightarrow 00:06:41.928$ that modulate those defenses,

NOTE Confidence: 0.90692675113678

 $00:06:41.930 \longrightarrow 00:06:43.802$ and we like to think of it as like

NOTE Confidence: 0.90692675113678

 $00{:}06{:}43.802 \dashrightarrow 00{:}06{:}45.538$ a marble sitting on a mountain

NOTE Confidence: 0.90692675113678

 $00:06:45.538 \longrightarrow 00:06:47.454$ where this is the very beginning

NOTE Confidence: 0.90692675113678

00:06:47.454 --> 00:06:48.978 of the immune response.

NOTE Confidence: 0.90692675113678

 $00{:}06{:}48.980 \dashrightarrow 00{:}06{:}50.425$ That's going to recruit certain

NOTE Confidence: 0.90692675113678

 $00{:}06{:}50.425 \dashrightarrow 00{:}06{:}51.870$ activate certain immune cells in

NOTE Confidence: 0.90692675113678

 $00{:}06{:}51.922 \dashrightarrow 00{:}06{:}53.464$ the respiratory system and sort of

NOTE Confidence: 0.90692675113678

 $00:06:53.464 \longrightarrow 00:06:55.180$ nudging that marble in One Direction.

NOTE Confidence: 0.90692675113678

 $00:06:55.180 \longrightarrow 00:06:57.441$ It will roll down the Hill one way,

 $00:06:57.441 \longrightarrow 00:06:59.408$ and you'll get one type of response,

NOTE Confidence: 0.90692675113678

00:06:59.410 --> 00:07:01.102 whereas if you nudge it in

NOTE Confidence: 0.90692675113678

 $00:07:01.102 \longrightarrow 00:07:01.948$ the other direction,

NOTE Confidence: 0.90692675113678

 $00:07:01.950 \longrightarrow 00:07:03.917$ it can have a very different outcome.

NOTE Confidence: 0.90692675113678

 $00:07:03.920 \longrightarrow 00:07:06.482$ So we're very interested in understanding

NOTE Confidence: 0.90692675113678

 $00:07:06.482 \longrightarrow 00:07:08.590$ the molecular basis of that.

NOTE Confidence: 0.90692675113678 00:07:08.590 --> 00:07:09.266 So, uhm, NOTE Confidence: 0.90692675113678

 $00:07:09.266 \longrightarrow 00:07:12.474$ this is a another picture of this as an

NOTE Confidence: 0.90692675113678

 $00{:}07{:}12.474 \dashrightarrow 00{:}07{:}15.048$ upper respiratory tract from a child,

NOTE Confidence: 0.90692675113678

 $00:07:15.050 \longrightarrow 00:07:17.366$ and so what's something that's kind

NOTE Confidence: 0.90692675113678

00:07:17.366 --> 00:07:19.338 of interesting about this anatomy

NOTE Confidence: 0.90692675113678

 $00:07:19.338 \longrightarrow 00:07:21.504$ is I actually just myself today.

NOTE Confidence: 0.90692675113678

 $00{:}07{:}21.510 \dashrightarrow 00{:}07{:}23.790$ Had a swab for this surveillance

NOTE Confidence: 0.90692675113678

 $00:07:23.790 \longrightarrow 00:07:24.930$ for the stars,

NOTE Confidence: 0.90692675113678

 $00{:}07{:}24.930 \dashrightarrow 00{:}07{:}27.618$ Kobe 2 and we all notice swab goes

00:07:27.618 --> 00:07:30.248 right in here in the nasopharynx,

NOTE Confidence: 0.90692675113678

 $00{:}07{:}30.250 \dashrightarrow 00{:}07{:}33.314$ and that swab also collect some of the

NOTE Confidence: 0.90692675113678

 $00:07:33.314 \longrightarrow 00:07:36.116$ patients own cells and some of the

NOTE Confidence: 0.90692675113678

 $00:07:36.116 \longrightarrow 00:07:38.900$ proteins made by the patient's own cells.

NOTE Confidence: 0.90692675113678

 $00:07:38.900 \longrightarrow 00:07:41.273$ And in a study with Marie Landry

NOTE Confidence: 0.90692675113678

00:07:41.273 --> 00:07:43.481 of the director of the clinical

NOTE Confidence: 0.90692675113678

00:07:43.481 --> 00:07:45.336 virology lab back in 2018,

NOTE Confidence: 0.90692675113678

 $00:07:45.340 \longrightarrow 00:07:47.434$ we showed that you can actually

NOTE Confidence: 0.90692675113678

 $00{:}07{:}47.434 \dashrightarrow 00{:}07{:}49.648$ detect the patterns of jeans and

NOTE Confidence: 0.90692675113678

 $00:07:49.648 \longrightarrow 00:07:51.898$ proteins being made in the respiratory

NOTE Confidence: 0.90692675113678

 $00{:}07{:}51.898 \dashrightarrow 00{:}07{:}54.060$ tract and the huge changes that

NOTE Confidence: 0.90692675113678

 $00:07:54.060 \longrightarrow 00:07:56.076$ occur in the rapid response to

NOTE Confidence: 0.92956819859418

 $00:07:56.080 \longrightarrow 00:07:58.426$ viral infection. And if you think

NOTE Confidence: 0.92956819859418

 $00{:}07{:}58.426 \dashrightarrow 00{:}08{:}00.400$ about the progression of SARS,

NOTE Confidence: 0.92956819859418

00:08:00.400 --> 00:08:02.528 Co V2, there's you probably have all

NOTE Confidence: 0.92956819859418

 $00{:}08{:}02.528 \dashrightarrow 00{:}08{:}04.728$ seen a figure something like this.

00:08:04.730 --> 00:08:07.386 And of course this will be refined overtime,

NOTE Confidence: 0.92956819859418

 $00{:}08{:}07.390 \dashrightarrow 00{:}08{:}09.422$ but the basic idea seems to be that

NOTE Confidence: 0.92956819859418

 $00:08:09.422 \longrightarrow 00:08:11.593$ at this early stage of infection

NOTE Confidence: 0.92956819859418

00:08:11.593 --> 00:08:13.598 we have upper respiratory tract

NOTE Confidence: 0.92956819859418

 $00:08:13.598 \longrightarrow 00:08:15.716$ replication and those kinds of symptoms.

NOTE Confidence: 0.92956819859418

 $00:08:15.720 \longrightarrow 00:08:17.582$ Then it moves to the long and

NOTE Confidence: 0.92956819859418

 $00:08:17.582 \longrightarrow 00:08:19.306$ then in severe cases there's

NOTE Confidence: 0.92956819859418

 $00{:}08{:}19.306 \dashrightarrow 00{:}08{:}21.038$ a host inflammatory response.

NOTE Confidence: 0.92956819859418

 $00:08:21.040 \longrightarrow 00:08:23.728$ It causes a lot of damage.

NOTE Confidence: 0.92956819859418 00:08:23.730 --> 00:08:24.970 Um so. NOTE Confidence: 0.92956819859418

 $00:08:24.970 \longrightarrow 00:08:27.450$ At this early stage,

NOTE Confidence: 0.92956819859418

 $00:08:27.450 \longrightarrow 00:08:29.704$ what we can find out using these

NOTE Confidence: 0.92956819859418

 $00{:}08{:}29.704 \longrightarrow 00{:}08{:}32.223$ respiratory swabs is what can we think

NOTE Confidence: 0.92956819859418

 $00:08:32.223 \longrightarrow 00:08:34.078$ about alternatives and additional things

NOTE Confidence: 0.92956819859418

00:08:34.078 --> 00:08:36.827 we can do for the best diagnosis an even,

 $00:08:36.830 \longrightarrow 00:08:38.870$ can we understand the difference

NOTE Confidence: 0.92956819859418

 $00{:}08{:}38.870 \dashrightarrow 00{:}08{:}41.333$ is an inflammatory response is the

NOTE Confidence: 0.92956819859418

00:08:41.333 --> 00:08:43.433 very beginning that dictate the way

NOTE Confidence: 0.92956819859418

 $00:08:43.433 \longrightarrow 00:08:45.719$ the illness is going to progress?

NOTE Confidence: 0.92956819859418

 $00:08:45.720 \longrightarrow 00:08:47.048$ So today I'm not.

NOTE Confidence: 0.92956819859418

 $00:08:47.048 \longrightarrow 00:08:49.320$ I'm not gonna talk about bullet .2,

NOTE Confidence: 0.92956819859418

00:08:49.320 --> 00:08:51.609 I'm gonna talk about bullet .1 today.

NOTE Confidence: 0.92956819859418

 $00:08:51.610 \longrightarrow 00:08:53.728$ The diagnosis end.

NOTE Confidence: 0.92956819859418

00:08:53.730 --> 00:08:56.338 So I'll just start with giving a brief

NOTE Confidence: 0.92956819859418

00:08:56.338 --> 00:08:58.948 overview on diagnostics for a SARS Co V2.

NOTE Confidence: 0.92956819859418

 $00{:}08{:}58.950 \dashrightarrow 00{:}09{:}01.127$ I know we have a diverse audience

NOTE Confidence: 0.92956819859418

 $00:09:01.127 \longrightarrow 00:09:03.507$ here an I gave a full length,

NOTE Confidence: 0.92956819859418

 $00:09:03.510 \longrightarrow 00:09:03.785 \text{ uh},$

NOTE Confidence: 0.92956819859418

 $00{:}09{:}03.785 \dashrightarrow 00{:}09{:}05.985$ detailed description of this stuff for one of

NOTE Confidence: 0.92956819859418

 $00:09:05.985 \longrightarrow 00:09:08.399$ the Deans workshops that's available online.

NOTE Confidence: 0.92956819859418

 $00:09:08.400 \longrightarrow 00:09:10.675$ That this is everything in a nutshell,

00:09:10.680 --> 00:09:12.731 so I'm going to describe the test

NOTE Confidence: 0.92956819859418

 $00:09:12.731 \longrightarrow 00:09:15.247$ that we are currently doing at Yale.

NOTE Confidence: 0.92956819859418

 $00:09:15.250 \longrightarrow 00:09:16.880$ New Haven for this virus.

NOTE Confidence: 0.92956819859418

 $00:09:16.880 \longrightarrow 00:09:18.830$ The first Test answers a question.

NOTE Confidence: 0.92956819859418

 $00:09:18.830 \longrightarrow 00:09:20.460$ Does the patient have the

NOTE Confidence: 0.92956819859418

 $00:09:20.460 \longrightarrow 00:09:21.438$ infection right now?

NOTE Confidence: 0.92956819859418

00:09:21.440 --> 00:09:23.806 And basically what you do for that?

NOTE Confidence: 0.92956819859418

 $00:09:23.810 \longrightarrow 00:09:27.194$ Is you do the swab isolate are an RNA.

NOTE Confidence: 0.92956819859418

00:09:27.200 --> 00:09:29.090 Do RT PCR and ask?

NOTE Confidence: 0.92956819859418

00:09:29.090 --> 00:09:31.370 Can you detect viral jeans from

NOTE Confidence: 0.92956819859418

 $00:09:31.370 \longrightarrow 00:09:33.696$ the viral genome in this patient

NOTE Confidence: 0.92956819859418

 $00:09:33.696 \longrightarrow 00:09:36.244$ sample an if the answer is yes,

NOTE Confidence: 0.92956819859418

 $00{:}09{:}36.250 \dashrightarrow 00{:}09{:}38.842$ it means a patient has the virus or

NOTE Confidence: 0.92956819859418

 $00{:}09{:}38.842 \dashrightarrow 00{:}09{:}41.088$ the viral RNA and their nasophary nx

NOTE Confidence: 0.92956819859418

 $00:09:41.088 \longrightarrow 00:09:43.864$ right now and that test is

00:09:43.864 --> 00:09:45.914 very specific because we're just

NOTE Confidence: 0.92956819859418

 $00:09:45.914 \longrightarrow 00:09:48.330$ looking at the genome of this

NOTE Confidence: 0.92956819859418

 $00:09:48.330 \longrightarrow 00:09:50.255$ virus and very specific regions.

NOTE Confidence: 0.92956819859418

00:09:50.260 --> 00:09:52.200 Sensitivity depends on when your

NOTE Confidence: 0.92956819859418

 $00:09:52.200 \longrightarrow 00:09:53.752$ sampling and sample collection

NOTE Confidence: 0.92956819859418

 $00:09:53.752 \longrightarrow 00:09:55.528$ and a few things like that,

NOTE Confidence: 0.92956819859418

 $00{:}09{:}55.530 \dashrightarrow 00{:}09{:}58.320$ but it's a highly specific test.

NOTE Confidence: 0.92956819859418

 $00:09:58.320 \longrightarrow 00:09:59.322$ The other question,

NOTE Confidence: 0.92956819859418 00:09:59.322 --> 00:09:59.990 of course,

NOTE Confidence: 0.92956819859418

 $00:09:59.990 \longrightarrow 00:10:02.314$ is did the patient had the infection?

NOTE Confidence: 0.92956819859418

 $00:10:02.320 \longrightarrow 00:10:04.312$ Is there evidence of past infection

NOTE Confidence: 0.92956819859418

 $00:10:04.312 \longrightarrow 00:10:05.308$ and that's serology?

NOTE Confidence: 0.92956819859418

 $00:10:05.310 \longrightarrow 00:10:07.522$ So that's asking has the patient formed

NOTE Confidence: 0.92956819859418

 $00{:}10{:}07.522 \dashrightarrow 00{:}10{:}09.220$ antibodies against the virus because

NOTE Confidence: 0.92956819859418

00:10:09.220 --> 00:10:10.965 they've already had the infection?

NOTE Confidence: 0.92956819859418

 $00{:}10{:}10{:}10{.}970 \dashrightarrow 00{:}10{:}12.888$ Usually for a minimum of two weeks

 $00:10:12.888 \longrightarrow 00:10:15.299$ to have an adaptive immune response.

NOTE Confidence: 0.92956819859418

 $00:10:15.300 \longrightarrow 00:10:17.852$ And kudos to our clinical lab for having

NOTE Confidence: 0.92956819859418

 $00:10:17.852 \longrightarrow 00:10:20.957$ both of these up and running for awhile now.

NOTE Confidence: 0.92956819859418

00:10:20.960 --> 00:10:22.958 Marie Landry in the virology lab,

NOTE Confidence: 0.92956819859418

 $00:10:22.960 \longrightarrow 00:10:24.312$ and, uh, Rick Tourism.

NOTE Confidence: 0.92956819859418

00:10:24.312 --> 00:10:25.664 The clinical immunology lab

NOTE Confidence: 0.92956819859418

 $00:10:25.664 \longrightarrow 00:10:27.689$ have set these up and they're

NOTE Confidence: 0.92956819859418

 $00:10:27.689 \longrightarrow 00:10:29.615$ available to order on the patients,

NOTE Confidence: 0.92956819859418

 $00:10:29.620 \longrightarrow 00:10:33.350$ and this is this is our go to test to know.

NOTE Confidence: 0.92956819859418

 $00{:}10{:}33.350 \dashrightarrow 00{:}10{:}35.555$ The server balance you know

NOTE Confidence: 0.92956819859418

 $00:10:35.555 \longrightarrow 00:10:37.760$ someone is infected right now.

NOTE Confidence: 0.92956819859418

 $00{:}10{:}37.760 \dashrightarrow 00{:}10{:}39.500$ But there are still challenges.

NOTE Confidence: 0.92956819859418

 $00{:}10{:}39.500 \dashrightarrow 00{:}10{:}41.922$ Are there still a lot of challenges

NOTE Confidence: 0.92956819859418

00:10:41.922 --> 00:10:43.679 that we're facing right now?

NOTE Confidence: 0.92956819859418

 $00:10:43.680 \longrightarrow 00:10:46.109$ One is how to expand testing capacity,

 $00:10:46.110 \longrightarrow 00:10:47.498$ and there's many different

NOTE Confidence: 0.92956819859418

00:10:47.498 --> 00:10:49.233 avenues this can go down.

NOTE Confidence: 0.92956819859418

 $00:10:49.240 \longrightarrow 00:10:52.021$ There is a group with Nate groove on an

NOTE Confidence: 0.92956819859418

 $00:10:52.021 \longrightarrow 00:10:54.459$ Wiley doing great stuff with saliva.

NOTE Confidence: 0.912440240383148

00:10:54.460 --> 00:10:55.712 Testing is one way,

NOTE Confidence: 0.912440240383148

 $00:10:55.712 \longrightarrow 00:10:57.590$ but there are there other ways

NOTE Confidence: 0.912440240383148

00:10:57.656 --> 00:10:59.798 we can be screening or expanding

NOTE Confidence: 0.912440240383148

 $00{:}10{:}59.798 \dashrightarrow 00{:}11{:}02.025$ testing capacity to help make sure

NOTE Confidence: 0.912440240383148

 $00:11:02.025 \longrightarrow 00:11:03.860$ we're not spreading this virus.

NOTE Confidence: 0.912440240383148

 $00:11:03.860 \longrightarrow 00:11:07.166$ Further, as we restart the economy.

NOTE Confidence: 0.912440240383148

00:11:07.170 --> 00:11:09.144 Another challenge is that some people

NOTE Confidence: 0.912440240383148

 $00:11:09.144 \longrightarrow 00:11:11.475$ who test positive by the PCR tests

NOTE Confidence: 0.912440240383148

 $00:11:11.475 \longrightarrow 00:11:13.383$ don't actually seem to be infectious

NOTE Confidence: 0.912440240383148

00:11:13.383 --> 00:11:15.466 based on a study from South Korea and

NOTE Confidence: 0.912440240383148

 $00:11:15.466 \longrightarrow 00:11:17.283$ a few other observations elsewhere of

NOTE Confidence: 0.912440240383148

 $00:11:17.283 \longrightarrow 00:11:19.449$ people who recovered and still test

00:11:19.449 --> 00:11:21.444 positive for a long time but don't seem

NOTE Confidence: 0.912440240383148

 $00:11:21.444 \longrightarrow 00:11:23.418$ to spread the virus to their Contacts.

NOTE Confidence: 0.912440240383148

 $00:11:23.420 \longrightarrow 00:11:25.732$ So how can we tell the difference there

NOTE Confidence: 0.912440240383148

00:11:25.732 --> 00:11:27.550 and then finally also very important

NOTE Confidence: 0.912440240383148

 $00:11:27.550 \longrightarrow 00:11:29.994$ is how do we find new viruses that

NOTE Confidence: 0.912440240383148

 $00:11:29.994 \longrightarrow 00:11:32.143$ are going to be the next pandemic

NOTE Confidence: 0.912440240383148

00:11:32.143 --> 00:11:34.245 that are going around and causing

NOTE Confidence: 0.912440240383148

 $00:11:34.245 \longrightarrow 00:11:36.759$ Ellis in our patient under our radar?

NOTE Confidence: 0.912440240383148

 $00:11:36.760 \longrightarrow 00:11:38.610$ And so this is one.

NOTE Confidence: 0.912440240383148

 $00{:}11{:}38.610 \dashrightarrow 00{:}11{:}41.498$ These kind of questions are why we got

NOTE Confidence: 0.912440240383148

 $00:11:41.498 \longrightarrow 00:11:43.788$ into looking at the host response.

NOTE Confidence: 0.912440240383148

 $00:11:43.790 \longrightarrow 00:11:45.640$ In addition to understanding pathogenesis.

NOTE Confidence: 0.912440240383148

 $00{:}11{:}45.640 \dashrightarrow 00{:}11{:}48.230$ But sort of on the practical side

NOTE Confidence: 0.912440240383148

 $00:11:48.230 \longrightarrow 00:11:51.590$ of how can it help us an once is

NOTE Confidence: 0.912440240383148

 $00:11:51.590 \longrightarrow 00:11:53.034$ to die for diagnosis.

 $00:11:53.040 \longrightarrow 00:11:54.890$ We're all familiar with them.

NOTE Confidence: 0.912440240383148

 $00{:}11{:}54.890 \dashrightarrow 00{:}11{:}58.220$ I mean the basic one for infection is fever.

NOTE Confidence: 0.912440240383148

 $00:11:58.220 \longrightarrow 00:12:00.070$ Fever is a host response

NOTE Confidence: 0.912440240383148

 $00:12:00.070 \longrightarrow 00:12:01.550$ to infection and fever.

NOTE Confidence: 0.912440240383148

 $00:12:01.550 \longrightarrow 00:12:02.660$ Is fever elevated?

NOTE Confidence: 0.912440240383148

00:12:02.660 --> 00:12:03.400 Leukocyte count?

NOTE Confidence: 0.912440240383148

 $00:12:03.400 \longrightarrow 00:12:05.644$ Those are signs that the patient

NOTE Confidence: 0.912440240383148

 $00:12:05.644 \longrightarrow 00:12:06.766$ has an infection.

NOTE Confidence: 0.912440240383148

 $00{:}12{:}06.770 \longrightarrow 00{:}12{:}08.226$ They're not terribly specific,

NOTE Confidence: 0.912440240383148

 $00:12:08.226 \longrightarrow 00:12:10.410$ but they are a host response

NOTE Confidence: 0.912440240383148

 $00{:}12{:}10.478 --> 00{:}12{:}12.274$ has been used for, you know,

NOTE Confidence: 0.912440240383148

00:12:12.274 --> 00:12:13.984 long time, hundreds of years,

NOTE Confidence: 0.912440240383148

 $00:12:13.990 \longrightarrow 00:12:15.182$ even the the fever.

NOTE Confidence: 0.912440240383148

00:12:15.182 --> 00:12:17.434 But now we can get more granular

NOTE Confidence: 0.912440240383148

 $00:12:17.434 \longrightarrow 00:12:19.762$ about it that we have much

NOTE Confidence: 0.912440240383148

 $00{:}12{:}19.762 \dashrightarrow 00{:}12{:}21.560$ better techniques to look at.

00:12:21.560 --> 00:12:22.844 Patterns of gene expression,

NOTE Confidence: 0.912440240383148

 $00:12:22.844 \longrightarrow 00:12:24.770$ patterns of protein expression using Multi

NOTE Confidence: 0.912440240383148

 $00:12:24.819 \longrightarrow 00:12:26.719$ Plex Technologies like transcriptomics an.

NOTE Confidence: 0.912440240383148

 $00:12:26.720 \longrightarrow 00:12:28.841$ The idea is if a patient comes

NOTE Confidence: 0.912440240383148

00:12:28.841 --> 00:12:30.510 in and is coughing,

NOTE Confidence: 0.912440240383148

00:12:30.510 --> 00:12:32.568 you don't know what's causing that,

NOTE Confidence: 0.912440240383148

 $00:12:32.570 \longrightarrow 00:12:35.234$ but if the if that's being caused by a

NOTE Confidence: 0.912440240383148

 $00:12:35.234 \longrightarrow 00:12:37.078$ respiratory virus that's replicating.

NOTE Confidence: 0.912440240383148

00:12:37.080 --> 00:12:37.694 That's activated,

NOTE Confidence: 0.912440240383148

00:12:37.694 --> 00:12:38.922 the immune system turned

NOTE Confidence: 0.912440240383148

 $00:12:38.922 \longrightarrow 00:12:40.150$ on antiviral defense is,

NOTE Confidence: 0.912440240383148

 $00{:}12{:}40.150 \dashrightarrow 00{:}12{:}41.605$ which are different then defenses

NOTE Confidence: 0.912440240383148

 $00{:}12{:}41.605 \dashrightarrow 00{:}12{:}43.755$ against an irritant or a bacteria or

NOTE Confidence: 0.912440240383148

 $00{:}12{:}43.755 \dashrightarrow 00{:}12{:}45.365$ other things that cause coughing.

NOTE Confidence: 0.912440240383148

00:12:45.370 --> 00:12:47.836 And if you look at the patterns of Gene

00:12:47.836 --> 00:12:50.276 and proteins that the body is making,

NOTE Confidence: 0.912440240383148

 $00{:}12{:}50.280 \dashrightarrow 00{:}12{:}53.392$ you can sort of interrogate the bodies own

NOTE Confidence: 0.912440240383148

 $00:12:53.392 \longrightarrow 00:12:55.977$ diagnosis and and know what's going on.

NOTE Confidence: 0.912440240383148 $00:12:55.980 \longrightarrow 00:12:56.730$ And so, NOTE Confidence: 0.912440240383148 $00:12:56.730 \longrightarrow 00:12:57.480$ uh, again,

 $00:12:57.480 \longrightarrow 00:13:00.650$ this is based on the study from 2018.

NOTE Confidence: 0.912440240383148

NOTE Confidence: 0.912440240383148

 $00:13:00.650 \longrightarrow 00:13:02.590$ A very simple question was,

NOTE Confidence: 0.912440240383148

 $00:13:02.590 \longrightarrow 00:13:05.656$ are there common patterns to all respiratory

NOTE Confidence: 0.912440240383148

 $00:13:05.656 \longrightarrow 00:13:08.428$ viruses that we can look at to say?

NOTE Confidence: 0.912440240383148

 $00:13:08.430 \longrightarrow 00:13:10.932$ Is this patient experiencing a respiratory

NOTE Confidence: 0.912440240383148

 $00{:}13{:}10.932 \dashrightarrow 00{:}13{:}13.100$ virus infection right now or not?

NOTE Confidence: 0.912440240383148

00:13:13.100 --> 00:13:15.428 Because you may not know this,

NOTE Confidence: 0.912440240383148

 $00{:}13{:}15.430 \dashrightarrow 00{:}13{:}18.083$ but in the winter seasons I'm not

NOTE Confidence: 0.912440240383148

 $00:13:18.083 \longrightarrow 00:13:20.468$ talking about this year but in

NOTE Confidence: 0.912440240383148

00:13:20.468 --> 00:13:22.423 in past years between December,

NOTE Confidence: 0.912440240383148

 $00:13:22.430 \longrightarrow 00:13:24.600$ March redo thousands of panels

00:13:24.600 --> 00:13:26.336 of symptomatic patients testing

NOTE Confidence: 0.912440240383148

 $00:13:26.336 \longrightarrow 00:13:28.267$ them for 15 viruses to see.

NOTE Confidence: 0.912440240383148

00:13:28.270 --> 00:13:28.636 Uh,

NOTE Confidence: 0.912440240383148

00:13:28.636 --> 00:13:30.832 which virus might be causing their

NOTE Confidence: 0.912440240383148

00:13:30.832 --> 00:13:32.949 respiratory symptoms and only about 1/3

NOTE Confidence: 0.912440240383148

 $00:13:32.949 \longrightarrow 00:13:35.182$ of them actually have a viral infection,

NOTE Confidence: 0.912440240383148

 $00:13:35.190 \longrightarrow 00:13:37.647$ so 2/3 of them may have some

NOTE Confidence: 0.912440240383148

00:13:37.647 --> 00:13:39.000 other process going on.

NOTE Confidence: 0.912440240383148

 $00:13:39.000 \longrightarrow 00:13:41.254$ So we asked whether we can look

NOTE Confidence: 0.912440240383148

 $00{:}13{:}41.254 \dashrightarrow 00{:}13{:}43.154$ at Biomarkers of the antiviral

NOTE Confidence: 0.912440240383148

00:13:43.154 --> 00:13:45.304 response to identify who those

NOTE Confidence: 0.912440240383148

 $00{:}13{:}45.304 \dashrightarrow 00{:}13{:}47.469$ patients with viral infection R.

NOTE Confidence: 0.912440240383148

 $00:13:47.470 \longrightarrow 00:13:49.690$ And this is to this is

NOTE Confidence: 0.912440240383148

 $00{:}13{:}49.690 \dashrightarrow 00{:}13{:}51.170$ published something to sum

NOTE Confidence: 0.884373486042023

00:13:51.253 --> 00:13:52.689 it up very quickly,

 $00:13:52.690 \longrightarrow 00:13:55.165$ but the idea is that we found that jeans

NOTE Confidence: 0.884373486042023

 $00{:}13{:}55.165 \dashrightarrow 00{:}13{:}57.826$ and proteins that are highly induced

NOTE Confidence: 0.884373486042023

 $00:13:57.826 \longrightarrow 00:14:00.141$ during the antiviral interferon response.

NOTE Confidence: 0.884373486042023

00:14:00.150 --> 00:14:02.754 If you detect those in the nasopharynx,

NOTE Confidence: 0.884373486042023

 $00:14:02.760 \longrightarrow 00:14:05.119$ it's a very good good indicator that

NOTE Confidence: 0.884373486042023

 $00:14:05.119 \longrightarrow 00:14:07.239$ there's a viral infection there,

NOTE Confidence: 0.884373486042023

 $00:14:07.240 \longrightarrow 00:14:10.216$ and this colored graph just shows kcil 10.

NOTE Confidence: 0.884373486042023

 $00:14:10.220 \longrightarrow 00:14:12.458$ This is actually one of these

NOTE Confidence: 0.884373486042023

 $00{:}14{:}12.458 \dashrightarrow 00{:}14{:}13.577$ interference stimulated jeans.

NOTE Confidence: 0.884373486042023

00:14:13.580 --> 00:14:14.351 It's a cytokine.

NOTE Confidence: 0.884373486042023

 $00{:}14{:}14.351 \dashrightarrow 00{:}14{:}16.150$ And it goes up many orders of

NOTE Confidence: 0.884373486042023

 $00{:}14{:}16.215 \dashrightarrow 00{:}14{:}17.865$ magnitude during viral infection and

NOTE Confidence: 0.884373486042023

00:14:17.865 --> 00:14:19.898 the level of it highly correlated

NOTE Confidence: 0.884373486042023

 $00:14:19.898 \longrightarrow 00:14:21.818$ to the presence of the virus.

NOTE Confidence: 0.884373486042023

 $00:14:21.820 \longrightarrow 00:14:24.770$ So this is like the level on a log scale,

NOTE Confidence: 0.884373486042023

 $00:14:24.770 \longrightarrow 00:14:26.570$ and then these bars indicate

 $00:14:26.570 \longrightarrow 00:14:28.370$ that there's a virus present.

NOTE Confidence: 0.884373486042023

 $00:14:28.370 \longrightarrow 00:14:30.603$ And we did two different studies at

NOTE Confidence: 0.884373486042023

00:14:30.603 --> 00:14:32.948 two different times of year with two

NOTE Confidence: 0.884373486042023

 $00:14:32.948 \longrightarrow 00:14:34.934$ different viruses circulating an in both

NOTE Confidence: 0.884373486042023

 $00:14:34.995 \longrightarrow 00:14:37.603$ of those are represented on these pie charts,

NOTE Confidence: 0.884373486042023

 $00:14:37.610 \longrightarrow 00:14:39.455$ which viruses were amongst the

NOTE Confidence: 0.884373486042023

00:14:39.455 --> 00:14:41.300 virus positives and it's basically

NOTE Confidence: 0.884373486042023

 $00:14:41.357 \longrightarrow 00:14:42.887$ any virus that we test for.

NOTE Confidence: 0.884373486042023

 $00{:}14{:}42.890 \to 00{:}14{:}45.870$ We could pick up in this way and So what

NOTE Confidence: 0.884373486042023

 $00:14:45.945 \longrightarrow 00:14:49.144$ are the potential applications for Koba 19?

NOTE Confidence: 0.884373486042023 00:14:49.150 --> 00:14:49.380 Well, NOTE Confidence: 0.884373486042023

 $00:14:49.380 \longrightarrow 00:14:51.915$ the first one is we want to know do these

NOTE Confidence: 0.884373486042023

00:14:51.915 --> 00:14:53.930 pan viral biomarkers pickup COVID-19.

NOTE Confidence: 0.884373486042023

00:14:53.930 --> 00:14:55.730 It's possible it could be different,

NOTE Confidence: 0.884373486042023 00:14:55.730 --> 00:14:56.522 and if so, NOTE Confidence: 0.884373486042023 00:14:56.522 --> 00:14:59.020 how can this help us fight the pandemic,

NOTE Confidence: 0.884373486042023

 $00:14:59.020 \longrightarrow 00:15:01.029$ so there's a lot of more ideas

NOTE Confidence: 0.884373486042023

 $00:15:01.029 \longrightarrow 00:15:02.865$ than answers that I have since

NOTE Confidence: 0.884373486042023

00:15:02.865 --> 00:15:04.695 this is a relatively new project,

NOTE Confidence: 0.884373486042023

 $00:15:04.700 \longrightarrow 00:15:06.860$ but I'll just share some of our early

NOTE Confidence: 0.884373486042023

00:15:06.860 --> 00:15:09.014 data and this project so far has

NOTE Confidence: 0.884373486042023

 $00:15:09.014 \longrightarrow 00:15:10.980$ been spearheaded by ready chi Marla,

NOTE Confidence: 0.884373486042023

 $00:15:10.980 \longrightarrow 00:15:13.196$ a postdoc in my lab who's been like

NOTE Confidence: 0.884373486042023

 $00:15:13.196 \longrightarrow 00:15:15.516$ side by side with me in the lab

NOTE Confidence: 0.884373486042023

 $00:15:15.516 \longrightarrow 00:15:17.559$ every day since this pandemic hit.

NOTE Confidence: 0.884373486042023

 $00{:}15{:}17.560 \dashrightarrow 00{:}15{:}20.040$ Trying to do the studies I'm going to.

NOTE Confidence: 0.884373486042023

 $00:15:20.040 \longrightarrow 00:15:22.216$ Tell you about and get them down the

NOTE Confidence: 0.884373486042023

 $00{:}15{:}22.216 \dashrightarrow 00{:}15{:}24.278$ road and I also wanted knowledge.

NOTE Confidence: 0.884373486042023

 $00:15:24.280 \longrightarrow 00:15:25.520$ The lab working group.

NOTE Confidence: 0.884373486042023

 $00:15:25.520 \longrightarrow 00:15:27.919$ I'll talk about them again at the end.

NOTE Confidence: 0.884373486042023

 $00:15:27.920 \longrightarrow 00:15:29.144$ Organized by Albert Cohen,

 $00:15:29.144 \longrightarrow 00:15:30.980$ the School of public health who

NOTE Confidence: 0.884373486042023

 $00:15:31.034 \longrightarrow 00:15:32.804$ helped us at the beginning all

NOTE Confidence: 0.884373486042023

 $00:15:32.804 \longrightarrow 00:15:34.630$ get organised together to get the

NOTE Confidence: 0.884373486042023

 $00:15:34.630 \longrightarrow 00:15:36.100$ PCR testing going for research.

NOTE Confidence: 0.884373486042023

 $00{:}15{:}36.100 \dashrightarrow 00{:}15{:}39.005$ You sent a support clinical use too.

NOTE Confidence: 0.884373486042023

00:15:39.010 --> 00:15:42.870 And so this is a graph of Cobra 19 Indiana,

NOTE Confidence: 0.884373486042023

 $00:15:42.870 \longrightarrow 00:15:44.800$ the country in our region.

NOTE Confidence: 0.884373486042023

 $00:15:44.800 \longrightarrow 00:15:46.344$ Green is the country.

NOTE Confidence: 0.884373486042023

 $00:15:46.344 \longrightarrow 00:15:48.660$ The first case was in January.

NOTE Confidence: 0.884373486042023

00:15:48.660 --> 00:15:50.640 But in our region of Connecticut,

NOTE Confidence: 0.884373486042023

00:15:50.640 --> 00:15:51.606 in New York,

NOTE Confidence: 0.884373486042023

00:15:51.606 --> 00:15:53.538 the first case was shown in

NOTE Confidence: 0.884373486042023

 $00:15:53.538 \longrightarrow 00:15:55.260$ the blue on March 2nd,

NOTE Confidence: 0.884373486042023

 $00:15:55.260 \longrightarrow 00:15:57.696$ Connecticut first case it was in

NOTE Confidence: 0.884373486042023

00:15:57.696 --> 00:15:59.670 Fairfield County on March 6th.

00:15:59.670 --> 00:16:02.106 And our testing began on March 13th,

NOTE Confidence: 0.884373486042023

 $00:16:02.110 \longrightarrow 00:16:03.860$ which is actually very fast.

NOTE Confidence: 0.884373486042023

 $00:16:03.860 \longrightarrow 00:16:05.732$ You may recall there is some

NOTE Confidence: 0.884373486042023

00:16:05.732 --> 00:16:08.196 snafus with the CDC test and they

NOTE Confidence: 0.884373486042023

 $00:16:08.196 \longrightarrow 00:16:10.111$ allowed high complexity in clinical

NOTE Confidence: 0.884373486042023

 $00:16:10.111 \longrightarrow 00:16:12.638$ labs like ours to do their own

NOTE Confidence: 0.884373486042023

00:16:12.638 --> 00:16:14.328 test starting on February 29th.

NOTE Confidence: 0.884373486042023

00:16:14.330 --> 00:16:16.622 Anna Marie Landry and the folks

NOTE Confidence: 0.884373486042023

 $00{:}16{:}16.622 \dashrightarrow 00{:}16{:}18.832$ in the clinical virology lab had

NOTE Confidence: 0.884373486042023

00:16:18.832 --> 00:16:20.953 it up and running by March 13th.

NOTE Confidence: 0.884373486042023

 $00{:}16{:}20.960 \dashrightarrow 00{:}16{:}22.700$ So very fast, but nonetheless,

NOTE Confidence: 0.884373486042023

 $00:16:22.700 \longrightarrow 00:16:25.150$ given the patterns that we see here,

NOTE Confidence: 0.884373486042023

 $00:16:25.150 \longrightarrow 00:16:25.780$ we wondered,

NOTE Confidence: 0.884373486042023

 $00:16:25.780 \longrightarrow 00:16:27.985$ did we miss any cases in those

NOTE Confidence: 0.884373486042023

 $00:16:27.985 \longrightarrow 00:16:30.100$ weeks before our testing started?

NOTE Confidence: 0.884373486042023

 $00{:}16{:}30.100 \dashrightarrow 00{:}16{:}32.263$ So we performed a screen of the

 $00:16:32.263 \longrightarrow 00:16:34.392$ about the two weeks before testing

NOTE Confidence: 0.884373486042023

 $00{:}16{:}34.392 \dashrightarrow 00{:}16{:}37.031$ started as shown on this Gray bar.

NOTE Confidence: 0.884373486042023

00:16:37.040 --> 00:16:38.099 And, uh, first,

NOTE Confidence: 0.884373486042023

 $00:16:38.099 \longrightarrow 00:16:40.570$ so during this time period a lot

NOTE Confidence: 0.895463764667511

 $00:16:40.650 \longrightarrow 00:16:43.380$ of people have been tested on that

NOTE Confidence: 0.895463764667511

 $00:16:43.380 \longrightarrow 00:16:45.843$ complete panel for 15 viruses and

NOTE Confidence: 0.895463764667511

 $00:16:45.843 \longrightarrow 00:16:47.868$ 376 patients who are symptomatic

NOTE Confidence: 0.895463764667511

 $00{:}16{:}47.868 \dashrightarrow 00{:}16{:}49.841$ and had suspected viral infection

NOTE Confidence: 0.895463764667511

 $00:16:49.841 \longrightarrow 00:16:51.776$ were negative for other viruses.

NOTE Confidence: 0.895463764667511

 $00:16:51.780 \longrightarrow 00:16:53.336$ So we thought, well,

NOTE Confidence: 0.895463764667511

00:16:53.336 --> 00:16:56.440 maybe some of those might have had SARS,

NOTE Confidence: 0.895463764667511

 $00:16:56.440 \longrightarrow 00:16:58.762$ Kobe 2 and we screened with

NOTE Confidence: 0.895463764667511

00:16:58.762 --> 00:16:59.923 the button marker.

NOTE Confidence: 0.895463764667511

 $00:16:59.930 \longrightarrow 00:17:02.394$ I mentioned CL 10 and out of

NOTE Confidence: 0.895463764667511

 $00:17:02.394 \longrightarrow 00:17:04.200$ all those negative patients,

 $00:17:04.200 \longrightarrow 00:17:06.664$ only about a tenth of them were

NOTE Confidence: 0.895463764667511

 $00{:}17{:}06.664 \dashrightarrow 00{:}17{:}08.530$ positive for the biomarker.

NOTE Confidence: 0.895463764667511

 $00:17:08.530 \longrightarrow 00:17:10.852$ So it seems a good setup like these are

NOTE Confidence: 0.895463764667511

 $00:17:10.852 \longrightarrow 00:17:13.298$ people who tested negative for other viruses,

NOTE Confidence: 0.895463764667511

 $00:17:13.300 \longrightarrow 00:17:14.284$ but there's symptomatic.

NOTE Confidence: 0.895463764667511

 $00:17:14.284 \longrightarrow 00:17:15.924$ It may have a biomarker

NOTE Confidence: 0.895463764667511

 $00:17:15.924 \longrightarrow 00:17:17.600$ that a viral infection,

NOTE Confidence: 0.895463764667511

 $00:17:17.600 \longrightarrow 00:17:19.520$ their bodies fighting a viral infection.

NOTE Confidence: 0.895463764667511

 $00:17:19.520 \longrightarrow 00:17:21.416$ So then we tested all these

NOTE Confidence: 0.895463764667511

 $00:17:21.416 \longrightarrow 00:17:23.360$ people for with the PCR test,

NOTE Confidence: 0.895463764667511

 $00:17:23.360 \longrightarrow 00:17:25.642$ and it turns out that among these

NOTE Confidence: 0.895463764667511

 $00:17:25.642 \longrightarrow 00:17:27.290$ biomarker positive people were four

NOTE Confidence: 0.895463764667511

00:17:27.290 --> 00:17:29.439 patients who had actually did have SARS,

NOTE Confidence: 0.895463764667511

00:17:29.440 --> 00:17:31.645 Co V2, including some surprises like an

NOTE Confidence: 0.895463764667511

00:17:31.645 --> 00:17:33.920 infant that was seen as an outpatient,

NOTE Confidence: 0.895463764667511

 $00:17:33.920 \longrightarrow 00:17:36.489$ that that was a bit of

 $00:17:36.489 \longrightarrow 00:17:38.580$ a surprise to find that.

NOTE Confidence: 0.895463764667511

 $00:17:38.580 \longrightarrow 00:17:39.300$ And unfortunately,

NOTE Confidence: 0.895463764667511

00:17:39.300 --> 00:17:40.740 being here at Yale,

NOTE Confidence: 0.895463764667511

 $00:17:40.740 \longrightarrow 00:17:42.900$ we have so many great collaborators

NOTE Confidence: 0.895463764667511

 $00:17:42.900 \longrightarrow 00:17:43.980$ with different expertise,

NOTE Confidence: 0.895463764667511

 $00{:}17{:}43.980 \dashrightarrow 00{:}17{:}46.108$ we were able to ask Nate Grubaugh

NOTE Confidence: 0.895463764667511

 $00:17:46.108 \longrightarrow 00:17:48.747$ slab in the school of public health

NOTE Confidence: 0.895463764667511

 $00{:}17{:}48.747 \dashrightarrow 00{:}17{:}50.812$ to sequence those for isolates.

NOTE Confidence: 0.895463764667511

 $00{:}17{:}50.820 \dashrightarrow 00{:}17{:}53.095$ This was a paper earlier published by

NOTE Confidence: 0.895463764667511

 $00:17:53.095 \longrightarrow 00:17:55.118$ the group lab showing using sequencing

NOTE Confidence: 0.895463764667511

 $00:17:55.118 \longrightarrow 00:17:58.296$ of the virus that a lot of the early

NOTE Confidence: 0.895463764667511

 $00{:}17{:}58.296 \dashrightarrow 00{:}18{:}00.371$ cases coming to Connecticut were

NOTE Confidence: 0.895463764667511

 $00{:}18{:}00.371 \dashrightarrow 00{:}18{:}02.340$ from transmission that were domestic

NOTE Confidence: 0.895463764667511

 $00:18:02.340 \longrightarrow 00:18:04.860$ rather than international an the four cases.

NOTE Confidence: 0.895463764667511

 $00:18:04.860 \longrightarrow 00:18:07.020$ I hope you can see this,

 $00:18:07.020 \longrightarrow 00:18:08.830$ but the four cases that.

NOTE Confidence: 0.895463764667511

00:18:08.830 --> 00:18:09.154 Uh,

NOTE Confidence: 0.895463764667511

 $00:18:09.154 \longrightarrow 00:18:11.746$ we had picked up in those early weeks.

NOTE Confidence: 0.895463764667511

 $00:18:11.750 \longrightarrow 00:18:13.370$ Kind of fit this pattern.

NOTE Confidence: 0.895463764667511

 $00:18:13.370 \longrightarrow 00:18:15.512$ Three of the case is shown

NOTE Confidence: 0.895463764667511

00:18:15.512 --> 00:18:17.859 with the sort of red lines.

NOTE Confidence: 0.895463764667511

 $00:18:17.860 \longrightarrow 00:18:20.348$ They do a track most closely with North

NOTE Confidence: 0.895463764667511

 $00:18:20.348 \longrightarrow 00:18:22.146$ American other isolates from North

NOTE Confidence: 0.895463764667511

 $00:18:22.146 \longrightarrow 00:18:24.372$ America as opposed to other countries.

NOTE Confidence: 0.895463764667511

 $00:18:24.380 \longrightarrow 00:18:26.828$ And then there was one that tracked most

NOTE Confidence: 0.895463764667511

 $00:18:26.828 \longrightarrow 00:18:29.180$ closest to strains from Western Europe.

NOTE Confidence: 0.895463764667511

 $00:18:29.180 \longrightarrow 00:18:31.588$ So this kind of fit the pattern will

NOTE Confidence: 0.895463764667511

 $00:18:31.588 \longrightarrow 00:18:33.978$ also is really interesting to me.

NOTE Confidence: 0.895463764667511

 $00:18:33.980 \longrightarrow 00:18:36.508$ Is that all these for patients that came

NOTE Confidence: 0.895463764667511

00:18:36.508 --> 00:18:38.945 within a couple of days the hospital

NOTE Confidence: 0.895463764667511

00:18:38.945 --> 00:18:41.106 none of their viruses were directly

 $00:18:41.106 \longrightarrow 00:18:43.584$ related were the same as the other,

NOTE Confidence: 0.895463764667511

 $00:18:43.590 \longrightarrow 00:18:44.958$ so this is independent

NOTE Confidence: 0.895463764667511

00:18:44.958 --> 00:18:45.984 introductions coming in,

NOTE Confidence: 0.895463764667511

 $00:18:45.990 \longrightarrow 00:18:48.454$ which was also probably says something about

NOTE Confidence: 0.895463764667511

00:18:48.454 --> 00:18:51.159 travel back and forth and things like that.

NOTE Confidence: 0.895463764667511

 $00:18:51.160 \longrightarrow 00:18:52.972$ So that was quite an interesting

NOTE Confidence: 0.895463764667511

00:18:52.972 --> 00:18:54.987 bonus of being a in collaboration

NOTE Confidence: 0.895463764667511

 $00:18:54.987 \longrightarrow 00:18:56.837$ with other folks at Yale.

NOTE Confidence: 0.895463764667511

 $00:18:56.840 \longrightarrow 00:18:58.600$ To find more information

NOTE Confidence: 0.895463764667511

 $00:18:58.600 \longrightarrow 00:18:59.920$ about those patients.

NOTE Confidence: 0.895463764667511 00:18:59.920 --> 00:19:00.256 Uhm, NOTE Confidence: 0.895463764667511

 $00:19:00.256 \longrightarrow 00:19:03.740$ but we also had an idea just looking at this.

NOTE Confidence: 0.895463764667511

00:19:03.740 --> 00:19:05.124 Well this is interesting.

NOTE Confidence: 0.895463764667511

 $00:19:05.124 \longrightarrow 00:19:06.854$ Like here we used up,

NOTE Confidence: 0.895463764667511

 $00:19:06.860 \longrightarrow 00:19:08.942$ you know 376 PCR test to

 $00:19:08.942 \longrightarrow 00:19:10.330$ test all these patients.

NOTE Confidence: 0.895463764667511

 $00:19:10.330 \dashrightarrow 00:19:13.003$ But really if we had only tested the 33

NOTE Confidence: 0.895463764667511

00:19:13.003 --> 00:19:15.540 that were positive for the biomarker,

NOTE Confidence: 0.895463764667511

 $00:19:15.540 \longrightarrow 00:19:18.308$ we still would have found all the cases.

NOTE Confidence: 0.895463764667511

 $00:19:18.310 \longrightarrow 00:19:20.122$ And so it suggested maybe this

NOTE Confidence: 0.895463764667511

00:19:20.122 --> 00:19:22.130 is a way of expanding,

NOTE Confidence: 0.895463764667511

00:19:22.130 --> 00:19:22.958 like conserving,

NOTE Confidence: 0.895463764667511

00:19:22.958 --> 00:19:24.614 testing capacity or directing

NOTE Confidence: 0.895463764667511

 $00{:}19{:}24.614 \dashrightarrow 00{:}19{:}26.946$ it towards people who really are

NOTE Confidence: 0.895463764667511

00:19:26.946 --> 00:19:28.466 high suspicion to be positive

NOTE Confidence: 0.895463764667511

 $00{:}19{:}28.466 \dashrightarrow 00{:}19{:}30.847$ and so we tried that so far just.

NOTE Confidence: 0.895463764667511

 $00:19:30.850 \longrightarrow 00:19:31.831$ Piloted one day.

NOTE Confidence: 0.895463764667511

00:19:31.831 --> 00:19:33.793 We picked one day in March

NOTE Confidence: 0.895463764667511

 $00:19:33.793 \longrightarrow 00:19:36.143$ where we were able to get all

NOTE Confidence: 0.895463764667511

 $00:19:36.143 \longrightarrow 00:19:37.447$ the residual samples from

NOTE Confidence: 0.881870329380035

00:19:37.523 --> 00:19:39.388 testing went 144 patients were

00:19:39.388 --> 00:19:41.954 tested that day for SARS, Co V2.

NOTE Confidence: 0.881870329380035

 $00:19:41.954 \dashrightarrow 00:19:44.730$ And did the biomarker test an what you

NOTE Confidence: 0.881870329380035

00:19:44.811 --> 00:19:47.899 can see is again as a smaller proportion

NOTE Confidence: 0.881870329380035

 $00:19:47.899 \longrightarrow 00:19:50.908$ of people were positive than negative.

NOTE Confidence: 0.881870329380035

 $00:19:50.910 \longrightarrow 00:19:53.339$ And then we compared this to the

NOTE Confidence: 0.881870329380035

 $00:19:53.339 \longrightarrow 00:19:55.852$ results from the PCR testing and it

NOTE Confidence: 0.881870329380035

00:19:55.852 --> 00:19:58.357 turned out that 17 people were PCR

NOTE Confidence: 0.881870329380035

 $00:19:58.357 \dashrightarrow 00:20:00.779$ positive for SARS Kobe to that day.

NOTE Confidence: 0.881870329380035

 $00:20:00.780 \longrightarrow 00:20:02.760$ And 16 of them were among

NOTE Confidence: 0.881870329380035

 $00:20:02.760 \longrightarrow 00:20:03.750$ the biomarker positive,

NOTE Confidence: 0.881870329380035

 $00:20:03.750 \longrightarrow 00:20:05.822$ but one wasn't one was did not

NOTE Confidence: 0.881870329380035

 $00:20:05.822 \longrightarrow 00:20:07.380$ have the biomarker expressed,

NOTE Confidence: 0.881870329380035

 $00{:}20{:}07.380 \dashrightarrow 00{:}20{:}08.970$ and that patient also happened

NOTE Confidence: 0.881870329380035

 $00:20:08.970 \longrightarrow 00:20:11.340$ to have a very low viral load,

NOTE Confidence: 0.881870329380035

 $00:20:11.340 \longrightarrow 00:20:12.990$ which is kind of something

 $00:20:12.990 \longrightarrow 00:20:14.310$ we're following up on.

NOTE Confidence: 0.881870329380035

 $00:20:14.310 \longrightarrow 00:20:17.280$ So if we had had all 17 up here,

NOTE Confidence: 0.881870329380035

 $00:20:17.280 \longrightarrow 00:20:18.930$ we could have said are

NOTE Confidence: 0.881870329380035

 $00:20:18.930 \longrightarrow 00:20:19.920$ negative predictive value.

NOTE Confidence: 0.881870329380035

00:20:19.920 --> 00:20:21.900 If you're negative on this biomarker,

NOTE Confidence: 0.881870329380035

 $00:20:21.900 \longrightarrow 00:20:24.210$ you don't have the virus is 100%,

NOTE Confidence: 0.881870329380035

 $00:20:24.210 \longrightarrow 00:20:26.190$ but we can't say that we

NOTE Confidence: 0.881870329380035

 $00:20:26.190 \longrightarrow 00:20:28.340$ have to say 99% because of.

NOTE Confidence: 0.881870329380035

00:20:28.340 --> 00:20:31.660 This this one patient out of out of

NOTE Confidence: 0.881870329380035

 $00{:}20{:}31.757 \dashrightarrow 00{:}20{:}35.117$ the 144 that were screened and tested.

NOTE Confidence: 0.881870329380035

 $00{:}20{:}35.120 \dashrightarrow 00{:}20{:}38.192$ Um, so we that got us interested in

NOTE Confidence: 0.881870329380035

 $00:20:38.192 \longrightarrow 00:20:40.429$ biological variables and how they

NOTE Confidence: 0.881870329380035

 $00:20:40.429 \longrightarrow 00:20:42.759$ impact this biomarker that's induces

NOTE Confidence: 0.881870329380035

 $00{:}20{:}42.759 \to 00{:}20{:}45.185$ approaching that's induced by viral

NOTE Confidence: 0.881870329380035

00:20:45.185 --> 00:20:47.077 replication within the epithelial

NOTE Confidence: 0.881870329380035

 $00{:}20{:}47.077 \dashrightarrow 00{:}20{:}49.212$ cells and possibly infiltrating cells.

 $00{:}20{:}49.212 \dashrightarrow 00{:}20{:}51.704$ And we looked at all the positive

NOTE Confidence: 0.881870329380035

00:20:51.704 --> 00:20:53.330 patients in our initial study,

NOTE Confidence: 0.881870329380035

 $00:20:53.330 \longrightarrow 00:20:54.306$ which was 59 patients.

NOTE Confidence: 0.881870329380035

00:20:54.306 --> 00:20:56.147 If you look at their age distribution

NOTE Confidence: 0.881870329380035

00:20:56.147 --> 00:20:58.415 there mostly in the older age groups,

NOTE Confidence: 0.881870329380035

00:20:58.420 --> 00:21:01.250 and if you look at the symptoms by age group,

NOTE Confidence: 0.881870329380035

 $00:21:01.250 \longrightarrow 00:21:02.834$ the people in the older age

NOTE Confidence: 0.881870329380035

 $00{:}21{:}02.834 \dashrightarrow 00{:}21{:}04.360$ groups had more serious illness.

NOTE Confidence: 0.881870329380035

 $00{:}21{:}04.360 \dashrightarrow 00{:}21{:}06.446$ As you might expect much more likely

NOTE Confidence: 0.881870329380035

 $00{:}21{:}06.446 {\:{\circ}{\circ}{\circ}}> 00{:}21{:}08.442$ to be hospitalised and have things

NOTE Confidence: 0.881870329380035

00:21:08.442 --> 00:21:09.834 like pneumonia and hypoxemia.

NOTE Confidence: 0.881870329380035 00:21:09.840 --> 00:21:10.522 So, uhm, NOTE Confidence: 0.881870329380035

 $00{:}21{:}10.522 \dashrightarrow 00{:}21{:}12.227$ So what about the correlation

NOTE Confidence: 0.881870329380035

 $00:21:12.227 \longrightarrow 00:21:13.250$ with the biomarker?

NOTE Confidence: 0.881870329380035

00:21:13.250 --> 00:21:15.301 Well, if you look at, uh,

00:21:15.301 --> 00:21:17.347 if you look at viral load

NOTE Confidence: 0.881870329380035

00:21:17.347 --> 00:21:18.370 versus the biomarker,

NOTE Confidence: 0.881870329380035

 $00:21:18.370 \longrightarrow 00:21:19.730$ there's a positive correlation.

NOTE Confidence: 0.881870329380035

 $00:21:19.730 \longrightarrow 00:21:21.090$ As you might expect.

NOTE Confidence: 0.881870329380035

00:21:21.090 --> 00:21:22.550 Because, as I mentioned,

NOTE Confidence: 0.881870329380035

 $00:21:22.550 \longrightarrow 00:21:24.740$ the trigger for production of this

NOTE Confidence: 0.881870329380035

 $00{:}21{:}24.802 \dashrightarrow 00{:}21{:}26.718$ biomarker is viral replication.

NOTE Confidence: 0.881870329380035

 $00:21:26.720 \longrightarrow 00:21:27.053$ Um,

NOTE Confidence: 0.881870329380035

00:21:27.053 --> 00:21:28.718 interesting if you look at

NOTE Confidence: 0.881870329380035

 $00:21:28.718 \longrightarrow 00:21:30.050$ age versus the biomarker,

NOTE Confidence: 0.881870329380035

 $00{:}21{:}30.050 \dashrightarrow 00{:}21{:}31.526$ there's a negative correlation

NOTE Confidence: 0.881870329380035

 $00:21:31.526 \longrightarrow 00:21:33.740$ where this biomarker is lower and

NOTE Confidence: 0.881870329380035

 $00:21:33.804 \longrightarrow 00:21:35.708$ the people with the older age is.

NOTE Confidence: 0.881870329380035

 $00:21:35.710 \longrightarrow 00:21:38.090$ But there doesn't seem to be a

NOTE Confidence: 0.881870329380035

00:21:38.090 --> 00:21:39.492 clear correlation between agent

NOTE Confidence: 0.881870329380035

 $00:21:39.492 \longrightarrow 00:21:41.370$ viral load in this same group,

 $00:21:41.370 \longrightarrow 00:21:43.040$ so we're still investigating this.

NOTE Confidence: 0.881870329380035

 $00:21:43.040 \longrightarrow 00:21:45.175$ So we actually struck up a collaboration

NOTE Confidence: 0.881870329380035

00:21:45.175 --> 00:21:46.700 with the Pediatrics Department,

NOTE Confidence: 0.881870329380035

00:21:46.700 --> 00:21:48.695 including Tom Murray and Danielle

NOTE Confidence: 0.881870329380035

00:21:48.695 --> 00:21:51.069 Pediatrics to delve into this further

NOTE Confidence: 0.881870329380035

00:21:51.069 --> 00:21:53.549 and see if we can figure out what's

NOTE Confidence: 0.881870329380035

 $00:21:53.549 \longrightarrow 00:21:55.766$ going on with this age correlation.

NOTE Confidence: 0.881870329380035

 $00{:}21{:}55.770 \dashrightarrow 00{:}22{:}00.063$ I so finally I just want to mention um,

NOTE Confidence: 0.881870329380035

00:22:00.070 --> 00:22:02.700 what's ahead for this project?

NOTE Confidence: 0.881870329380035

 $00{:}22{:}02.700 \dashrightarrow 00{:}22{:}04.470$ I mentioned from these headlines

NOTE Confidence: 0.881870329380035

 $00:22:04.470 \longrightarrow 00:22:06.900$ some of the challenges and we would

NOTE Confidence: 0.881870329380035

 $00{:}22{:}06.900 \dashrightarrow 00{:}22{:}08.400$ like to know Kenneth biomarker

NOTE Confidence: 0.881870329380035

 $00{:}22{:}08.400 \dashrightarrow 00{:}22{:}11.010$ help us to the question of who has

NOTE Confidence: 0.881870329380035

 $00:22:11.010 \longrightarrow 00:22:12.991$ live infectious virus versus is a

NOTE Confidence: 0.881870329380035

 $00:22:12.991 \longrightarrow 00:22:14.977$ persistent PCR positive but not infectious.

 $00:22:14.980 \longrightarrow 00:22:16.978$ Anna question everyone always asked me.

NOTE Confidence: 0.881870329380035

 $00{:}22{:}16.980 \to 00{:}22{:}18.966$ I'm just going to preempt it.

NOTE Confidence: 0.881870329380035

 $00:22:18.970 \longrightarrow 00:22:21.426$ It would be great to know what this

NOTE Confidence: 0.881870329380035

00:22:21.426 --> 00:22:23.948 this type of biomarker an in general,

NOTE Confidence: 0.881870329380035

 $00:22:23.950 \longrightarrow 00:22:25.936$ what the host response to infection,

NOTE Confidence: 0.881870329380035

00:22:25.940 --> 00:22:28.022 how it's changing overtime during the

NOTE Confidence: 0.881870329380035

 $00:22:28.022 \longrightarrow 00:22:30.590$ course of what can be a long illness.

NOTE Confidence: 0.881870329380035

00:22:30.590 --> 00:22:33.257 And so we're actively looking at that

NOTE Confidence: 0.881870329380035

 $00{:}22{:}33.257 \dashrightarrow 00{:}22{:}36.006$ right now. And I just want to finish.

NOTE Confidence: 0.898455262184143

00:22:36.010 --> 00:22:38.530 I just want to nod my head to a

NOTE Confidence: 0.898455262184143

 $00{:}22{:}38.530 \dashrightarrow 00{:}22{:}40.376$ project that actually was going

NOTE Confidence: 0.898455262184143

 $00:22:40.376 \longrightarrow 00:22:42.980$ on a lab before the pandemic hit.

NOTE Confidence: 0.898455262184143

 $00:22:42.980 \longrightarrow 00:22:44.051$ Briefly got pause.

NOTE Confidence: 0.898455262184143

 $00:22:44.051 \longrightarrow 00:22:46.550$ Dan is getting restarted now of trying

NOTE Confidence: 0.898455262184143

00:22:46.618 --> 00:22:48.574 to find the next pandemic virus

NOTE Confidence: 0.898455262184143

 $00{:}22{:}48.574 \dashrightarrow 00{:}22{:}50.820$ before it hits using this strategy.

00:22:50.820 --> 00:22:52.860 And this was spearheaded by Amelia

NOTE Confidence: 0.898455262184143

 $00:22:52.860 \longrightarrow 00:22:55.334$ Hammer in a Yale School of Public

NOTE Confidence: 0.898455262184143

 $00{:}22{:}55.334 \dashrightarrow 00{:}22{:}57.069$ Health Masters student who is

NOTE Confidence: 0.898455262184143

 $00:22:57.069 \longrightarrow 00:22:59.568$ in my lab but graduated in 2019.

NOTE Confidence: 0.898455262184143

 $00:22:59.570 \longrightarrow 00:23:01.754$ And our idea there was the same

NOTE Confidence: 0.898455262184143

 $00:23:01.754 \longrightarrow 00:23:04.515$ idea of let's look at people who

NOTE Confidence: 0.898455262184143

00:23:04.515 --> 00:23:06.263 their doctors suspected viral

NOTE Confidence: 0.898455262184143

 $00:23:06.263 \longrightarrow 00:23:07.839$ infection sent the test.

NOTE Confidence: 0.898455262184143

 $00{:}23{:}07.840 \dashrightarrow 00{:}23{:}09.586$ They tested negative for all the

NOTE Confidence: 0.898455262184143

00:23:09.586 --> 00:23:11.750 viruses on our panel and see if we

NOTE Confidence: 0.898455262184143

 $00:23:11.750 \longrightarrow 00:23:13.531$ can find people who who looks like

NOTE Confidence: 0.898455262184143

00:23:13.531 --> 00:23:15.373 their body was fighting a viral

NOTE Confidence: 0.898455262184143

 $00{:}23{:}15.373 \dashrightarrow 00{:}23{:}17.071$ in fection and maybe they have a

NOTE Confidence: 0.898455262184143

00:23:17.071 --> 00:23:18.613 viral infection that we don't know

NOTE Confidence: 0.898455262184143

00:23:18.613 --> 00:23:20.726 of so we can find out what other

00:23:20.726 --> 00:23:22.195 viruses are causing disease in

NOTE Confidence: 0.898455262184143

 $00{:}23{:}22.195 \to 00{:}23{:}23.795$ our patient population that were

NOTE Confidence: 0.898455262184143

 $00:23:23.795 \longrightarrow 00:23:25.570$ not catching with our panel.

NOTE Confidence: 0.898455262184143

00:23:25.570 --> 00:23:28.405 And so Amelia just took one week

NOTE Confidence: 0.898455262184143

 $00:23:28.405 \longrightarrow 00:23:31.458$ of January 2017 and screens 250.

NOTE Confidence: 0.898455262184143

 $00:23:31.460 \longrightarrow 00:23:33.992$ One negative samples with our biomarker

NOTE Confidence: 0.898455262184143

 $00:23:33.992 \longrightarrow 00:23:36.319$ that we talked about here CL.

NOTE Confidence: 0.898455262184143

 $00:23:36.320 \longrightarrow 00:23:39.434$ 10 and she had 60 of them that were

NOTE Confidence: 0.898455262184143

 $00{:}23{:}39.434 \dashrightarrow 00{:}23{:}42.206$ had high levels of the biomarker

NOTE Confidence: 0.898455262184143 00:23:42.206 --> 00:23:43.604 at that time.

NOTE Confidence: 0.898455262184143

00:23:43.610 --> 00:23:45.848 We were not doing testing for

NOTE Confidence: 0.898455262184143

 $00:23:45.848 \longrightarrow 00:23:47.340$ the seasonal coronaviruses or

NOTE Confidence: 0.898455262184143

00:23:47.412 --> 00:23:48.870 parrot influenza virus.

NOTE Confidence: 0.898455262184143

 $00{:}23{:}48.870 \dashrightarrow 00{:}23{:}52.515$ 4 so she did that testing an interesting Lee.

NOTE Confidence: 0.898455262184143

 $00:23:52.520 \longrightarrow 00:23:54.650$ Half of these patients had

NOTE Confidence: 0.898455262184143

 $00{:}23{:}54.650 {\: -->\:} 00{:}23{:}55.928$ seasonal coronaviruses and

00:23:55.928 --> 00:23:57.800 that actually tipped our hat.

NOTE Confidence: 0.898455262184143

 $00{:}23{:}57.800 \dashrightarrow 00{:}23{:}59.468$ Let us know that seasonal Corona

NOTE Confidence: 0.898455262184143

00:23:59.468 --> 00:24:01.216 viruses are circulating in our patient

NOTE Confidence: 0.898455262184143

00:24:01.216 --> 00:24:02.676 population and actually Marie Landry

NOTE Confidence: 0.898455262184143

 $00:24:02.676 \longrightarrow 00:24:04.876$ has now added that to the clinical panel.

NOTE Confidence: 0.898455262184143

 $00:24:04.880 \longrightarrow 00:24:06.488$ So now that is those four

NOTE Confidence: 0.898455262184143

00:24:06.488 --> 00:24:07.990 viruses are on our panel,

NOTE Confidence: 0.898455262184143

 $00{:}24{:}07.990 \dashrightarrow 00{:}24{:}10.014$ but this also as a proof of concept

NOTE Confidence: 0.898455262184143

 $00{:}24{:}10.014 \dashrightarrow 00{:}24{:}12.308$ that our strategy works of picking up

NOTE Confidence: 0.898455262184143

 $00:24:12.308 \longrightarrow 00:24:14.790$ viral infections that we're not testing for.

NOTE Confidence: 0.898455262184143

00:24:14.790 --> 00:24:15.340 Um, Interestingly,

NOTE Confidence: 0.898455262184143

 $00:24:15.340 \longrightarrow 00:24:16.990$ we also have half the samples

NOTE Confidence: 0.898455262184143

 $00:24:16.990 \longrightarrow 00:24:17.930$ where we didn't.

NOTE Confidence: 0.898455262184143

00:24:17.930 --> 00:24:19.415 We still don't know exact

NOTE Confidence: 0.898455262184143

 $00:24:19.415 \longrightarrow 00:24:21.350$ well for some of them we do,

 $00:24:21.350 \longrightarrow 00:24:23.888$ but many of them we don't know what what

NOTE Confidence: 0.898455262184143

 $00{:}24{:}23.888 \rightarrow 00{:}24{:}25.619$ in fectious agents are in the sample,

NOTE Confidence: 0.898455262184143

00:24:25.620 --> 00:24:27.330 and we're working that up and

NOTE Confidence: 0.898455262184143

00:24:27.330 --> 00:24:28.470 finding some interesting things,

NOTE Confidence: 0.898455262184143

 $00:24:28.470 \longrightarrow 00:24:31.035$ and we hope this will be a good strategy.

NOTE Confidence: 0.898455262184143

 $00:24:31.040 \longrightarrow 00:24:33.280$ Going forward to get an even more

NOTE Confidence: 0.898455262184143

 $00:24:33.280 \longrightarrow 00:24:34.929$ comprehensive view of the viruses

NOTE Confidence: 0.898455262184143

 $00:24:34.929 \longrightarrow 00:24:37.127$ that are circulating so we can be

NOTE Confidence: 0.898455262184143

 $00{:}24{:}37.127 \dashrightarrow 00{:}24{:}39.188$ prepared for ones that we aren't

NOTE Confidence: 0.898455262184143

00:24:39.188 --> 00:24:40.873 necessarily testing for right now.

NOTE Confidence: 0.898455262184143

00:24:40.880 --> 00:24:43.100 So, just to summarize, um,

NOTE Confidence: 0.898455262184143

00:24:43.100 --> 00:24:43.501 uh,

NOTE Confidence: 0.898455262184143

 $00:24:43.501 \longrightarrow 00:24:45.907$ we're interested in studying the host

NOTE Confidence: 0.898455262184143

 $00{:}24{:}45.907 \dashrightarrow 00{:}24{:}48.409$ response to fight coronavirus today.

NOTE Confidence: 0.898455262184143

 $00:24:48.410 \longrightarrow 00:24:50.700$ I talked about diagnostic applications

NOTE Confidence: 0.898455262184143

 $00:24:50.700 \longrightarrow 00:24:53.579$ were also really interested in getting

 $00:24:53.579 \longrightarrow 00:24:56.179$ insights into early stage pathogenesis.

NOTE Confidence: 0.898455262184143

 $00:24:56.180 \longrightarrow 00:24:58.436$ And how this differs among people

NOTE Confidence: 0.898455262184143

00:24:58.436 --> 00:24:59.940 who have different outcomes.

NOTE Confidence: 0.898455262184143 00:24:59.940 --> 00:25:00.328 Uhm, NOTE Confidence: 0.898455262184143

00:25:00.328 --> 00:25:03.044 I talked about a host response based

NOTE Confidence: 0.898455262184143

00:25:03.044 --> 00:25:05.759 screening test that we've been working on,

NOTE Confidence: 0.898455262184143

 $00:25:05.760 \longrightarrow 00:25:08.310$ which allowed us to identify for

NOTE Confidence: 0.898455262184143

 $00{:}25{:}08.310 \dashrightarrow 00{:}25{:}10.450$ undiagnosed cases from early March

NOTE Confidence: 0.898455262184143

 $00:25:10.450 \longrightarrow 00:25:12.664$ and we're looking at other utilities

NOTE Confidence: 0.898455262184143

 $00:25:12.664 \longrightarrow 00:25:15.620$ to sort of fill in the gaps in

NOTE Confidence: 0.898455262184143

00:25:15.620 --> 00:25:17.395 some of our testing strategies,

NOTE Confidence: 0.898455262184143

 $00:25:17.400 \longrightarrow 00:25:19.596$ and hopefully I'll be able to

NOTE Confidence: 0.898455262184143

 $00{:}25{:}19.596 \dashrightarrow 00{:}25{:}23.132$ update you in a future talk on our

NOTE Confidence: 0.898455262184143

 $00:25:23.132 \longrightarrow 00:25:25.617$ undiagnosed viruses project as well.

NOTE Confidence: 0.898455262184143

 $00:25:25.620 \longrightarrow 00:25:27.560$ I saw with that before,

00:25:27.560 --> 00:25:31.034 I conclude I'd like to thank all the many,

NOTE Confidence: 0.898455262184143

 $00{:}25{:}31.040 {\:{\circ}{\circ}{\circ}}>00{:}25{:}33.356$ many people in this Yale environment

NOTE Confidence: 0.898455262184143

00:25:33.356 --> 00:25:34.900 have contributed to projects

NOTE Confidence: 0.896027147769928

 $00:25:34.966 \longrightarrow 00:25:36.454$ on COVID-19. Definitely could

NOTE Confidence: 0.896027147769928

 $00:25:36.454 \longrightarrow 00:25:38.776$ have been done in a silo.

NOTE Confidence: 0.896027147769928

 $00:25:38.780 \longrightarrow 00:25:41.587$ It was very great to have lots

NOTE Confidence: 0.896027147769928

 $00:25:41.587 \longrightarrow 00:25:43.839$ of collaborators an it still is.

NOTE Confidence: 0.896027147769928

00:25:43.840 --> 00:25:46.290 I want to acknowledge my my lab

NOTE Confidence: 0.896027147769928

00:25:46.290 --> 00:25:47.980 members including ready tomorrow.

NOTE Confidence: 0.896027147769928

 $00:25:47.980 \longrightarrow 00:25:50.230$ I mentioned who spearheaded the project.

NOTE Confidence: 0.896027147769928

 $00{:}25{:}50.230 \dashrightarrow 00{:}25{:}52.491$ I talked about as well as Marie

NOTE Confidence: 0.896027147769928

00:25:52.491 --> 00:25:55.119 Landry on the clinical virology lab,

NOTE Confidence: 0.896027147769928

00:25:55.120 --> 00:25:57.376 especially Marino in and Robin Garner,

NOTE Confidence: 0.896027147769928

 $00:25:57.380 \longrightarrow 00:25:59.260$ who really helped us alot.

NOTE Confidence: 0.896027147769928

00:25:59.260 --> 00:26:01.135 Dezhen Zou, who's been helping

NOTE Confidence: 0.896027147769928

00:26:01.135 --> 00:26:02.260 with our bioinformatics,

00:26:02.260 --> 00:26:04.899 I didn't really talk about that today,

NOTE Confidence: 0.896027147769928

 $00:26:04.900 \longrightarrow 00:26:08.275$ but he's been a great help the whole group,

NOTE Confidence: 0.896027147769928

 $00:26:08.280 \longrightarrow 00:26:11.104$ all lab and Nate grew bath for their

NOTE Confidence: 0.896027147769928

00:26:11.104 --> 00:26:12.692 constant participation and help

NOTE Confidence: 0.896027147769928

00:26:12.692 --> 00:26:14.328 with the molecular Epidemiology.

NOTE Confidence: 0.896027147769928

00:26:14.330 --> 00:26:17.146 As well as lab working group depicted here

NOTE Confidence: 0.896027147769928

00:26:17.146 --> 00:26:20.108 from March 2nd which includes Albert Konate,

NOTE Confidence: 0.896027147769928

 $00{:}26{:}20.110 --> 00{:}26{:}22.798$ grew Bhasa Domer Akiko Isaki Marie Landreau.

NOTE Confidence: 0.896027147769928

 $00:26:22.800 \longrightarrow 00:26:24.075$ That's me actually.

NOTE Confidence: 0.896027147769928

 $00{:}26{:}24.075 \dashrightarrow 00{:}26{:}27.050$ And this was back when there's only

NOTE Confidence: 0.896027147769928

 $00:26:27.135 \longrightarrow 00:26:29.685 45,000$ global cases on March 2nd.

NOTE Confidence: 0.896027147769928

 $00:26:29.690 \longrightarrow 00:26:30.762$ Uh, so with that?

NOTE Confidence: 0.896027147769928

 $00{:}26{:}30.762 \dashrightarrow 00{:}26{:}32.906$ Uhm, I think I made up some time.

NOTE Confidence: 0.896027147769928

00:26:32.910 --> 00:26:34.779 Uh, in in speaking a little quickly,

NOTE Confidence: 0.896027147769928

 $00:26:34.780 \longrightarrow 00:26:36.388$ but hopefully you're able to follow.

 $00:26:36.390 \longrightarrow 00:26:38.208$ And if there's any questions I

NOTE Confidence: 0.896027147769928

00:26:38.208 --> 00:26:40.499 would be happy to answer them now.

NOTE Confidence: 0.896027147769928 00:26:40.500 --> 00:26:41.150 Thank you NOTE Confidence: 0.932004988193512

 $00:26:41.150 \longrightarrow 00:26:43.112$ Ellen. Thank you and congratulations to

NOTE Confidence: 0.932004988193512

 $00:26:43.112 \longrightarrow 00:26:45.616$ you and your entire research group on that

NOTE Confidence: 0.932004988193512

00:26:45.616 --> 00:26:47.739 impressive body of work in a relatively

NOTE Confidence: 0.932004988193512

 $00{:}26{:}47.739 \dashrightarrow 00{:}26{:}49.929$ short time to address the pandemic.

NOTE Confidence: 0.932004988193512

 $00:26:49.930 \longrightarrow 00:26:51.898$ and I know we're just about

NOTE Confidence: 0.932004988193512

 $00:26:51.898 \longrightarrow 00:26:54.148$ the top of the hour or so,

NOTE Confidence: 0.932004988193512

 $00:26:54.150 \longrightarrow 00:26:56.100$ and if folks can submit questions,

NOTE Confidence: 0.932004988193512

 $00{:}26{:}56.100 \dashrightarrow 00{:}26{:}58.700$ but let me just offer up a couple.

NOTE Confidence: 0.932004988193512

 $00:26:58.700 \longrightarrow 00:26:59.678$ One is specifically.

NOTE Confidence: 0.932004988193512

00:26:59.678 --> 00:27:01.848 I mean, I think the work you're doing

NOTE Confidence: 0.932004988193512

 $00:27:01.848 \longrightarrow 00:27:04.116$ on sort of the biomarkers is really

NOTE Confidence: 0.932004988193512

00:27:04.116 --> 00:27:06.498 interesting in terms of testing strategy,

NOTE Confidence: 0.932004988193512

 $00:27:06.500 \longrightarrow 00:27:08.125$ and you mentioned that you're

00:27:08.125 --> 00:27:09.750 anticipating one of my questions,

NOTE Confidence: 0.932004988193512

 $00:27:09.750 \longrightarrow 00:27:11.634$ which was, how does it change

NOTE Confidence: 0.932004988193512

 $00:27:11.634 \longrightarrow 00:27:13.749$ over the course of the illness?

NOTE Confidence: 0.932004988193512

00:27:13.750 --> 00:27:14.647 But I'm curious,

NOTE Confidence: 0.932004988193512

 $00{:}27{:}14.647 \dashrightarrow 00{:}27{:}17.153$ do we have a sense of biomarkers that

NOTE Confidence: 0.932004988193512

00:27:17.153 --> 00:27:19.241 might predict the severity of illness

NOTE Confidence: 0.932004988193512

 $00:27:19.241 \longrightarrow 00:27:21.375$ that is almost to predict who's

NOTE Confidence: 0.932004988193512

 $00{:}27{:}21.375 \dashrightarrow 00{:}27{:}23.427$ more likely to need more intensive

NOTE Confidence: 0.932004988193512

 $00:27:23.427 \longrightarrow 00:27:25.440$ care at the time of diagnosis?

NOTE Confidence: 0.932838261127472

 $00:27:26.140 \longrightarrow 00:27:28.336$ Yeah, that that's very interesting people.

NOTE Confidence: 0.932838261127472

 $00{:}27{:}28.340 \dashrightarrow 00{:}27{:}30.804$ There's been a some work already published

NOTE Confidence: 0.932838261127472

 $00:27:30.804 \longrightarrow 00:27:33.360$ about blood like cytokines in the blood

NOTE Confidence: 0.932838261127472

 $00:27:33.360 \longrightarrow 00:27:35.150$ that could be indicated indicative

NOTE Confidence: 0.932838261127472

 $00:27:35.150 \longrightarrow 00:27:37.486$ of that we're looking even earlier.

NOTE Confidence: 0.932838261127472

 $00:27:37.490 \longrightarrow 00:27:40.289$ I mean it at the at the early stage

 $00:27:40.289 \longrightarrow 00:27:42.234$ of infection, the nasopharynx.

NOTE Confidence: 0.932838261127472

00:27:42.234 --> 00:27:44.406 And that's one reason why we're

NOTE Confidence: 0.932838261127472

00:27:44.406 --> 00:27:46.278 really interested in this potential

NOTE Confidence: 0.932838261127472

 $00:27:46.278 \longrightarrow 00:27:48.093$ difference between adults and kids.

NOTE Confidence: 0.932838261127472

 $00:27:48.100 \longrightarrow 00:27:49.186$ Because, you know,

NOTE Confidence: 0.932838261127472

 $00:27:49.186 \longrightarrow 00:27:51.358$ kids are seem relatively protected from

NOTE Confidence: 0.932838261127472

 $00:27:51.358 \longrightarrow 00:27:53.220$ pulmonary disease compared to adults,

NOTE Confidence: 0.932838261127472 00:27:53.220 --> 00:27:53.850 older adults.

NOTE Confidence: 0.932838261127472

 $00:27:53.850 \longrightarrow 00:27:55.740$ So that's one reason why we

NOTE Confidence: 0.932838261127472

 $00:27:55.740 \longrightarrow 00:27:57.727$ struck up this collaboration with

NOTE Confidence: 0.932838261127472

 $00:27:57.727 \longrightarrow 00:27:59.887$ Pediatrics to try to understand.

NOTE Confidence: 0.932838261127472

 $00:27:59.890 \longrightarrow 00:28:02.046$ Is there some difference in the robustness

NOTE Confidence: 0.932838261127472

 $00:28:02.046 \longrightarrow 00:28:04.350$ of that initial response that could you

NOTE Confidence: 0.932838261127472

00:28:04.350 --> 00:28:06.330 know that could possibly explain this?

NOTE Confidence: 0.932838261127472

 $00:28:06.330 \longrightarrow 00:28:07.293$ There's many explanations,

NOTE Confidence: 0.932838261127472

 $00:28:07.293 \longrightarrow 00:28:08.256$ but that's one,

 $00:28:08.260 \longrightarrow 00:28:10.339$ so that's that's the kind of thing

NOTE Confidence: 0.932838261127472

00:28:10.339 --> 00:28:12.448 we're going to we're looking into,

NOTE Confidence: 0.932838261127472

 $00:28:12.450 \longrightarrow 00:28:14.697$ but I don't have the answer yet.

NOTE Confidence: 0.932838261127472

00:28:14.700 --> 00:28:17.902 This is it's very rare to give a talk on a

NOTE Confidence: 0.932838261127472

00:28:17.902 --> 00:28:20.499 project that started like two months ago,

NOTE Confidence: 0.932838261127472

 $00:28:20.500 \longrightarrow 00:28:22.796$ but so that's why there's a more

NOTE Confidence: 0.932838261127472

00:28:22.796 --> 00:28:24.678 questions than answers at this point,

NOTE Confidence: 0.932838261127472

 $00:28:24.680 \longrightarrow 00:28:26.934$ but we hope to find that out.

NOTE Confidence: 0.932838261127472

 $00:28:26.940 \longrightarrow 00:28:28.550$ We're looking at the whole.

NOTE Confidence: 0.932838261127472

 $00:28:28.550 \longrightarrow 00:28:30.536$ The entire pattern of gene expression.

NOTE Confidence: 0.932838261127472

00:28:30.540 --> 00:28:33.177 Um and not just this one biomarker to try

NOTE Confidence: 0.932838261127472

 $00:28:33.177 \longrightarrow 00:28:35.973$ to get it that in some specific groups

NOTE Confidence: 0.932838261127472

 $00{:}28{:}35.973 \dashrightarrow 00{:}28{:}38.350$ of patients with different outcomes.

NOTE Confidence: 0.908663034439087

 $00:28:38.940 \longrightarrow 00:28:41.604$ So you know just to follow up on that.

NOTE Confidence: 0.908663034439087

 $00:28:41.610 \longrightarrow 00:28:43.991$ So do we think that, uh, I mean,

 $00:28:43.991 \longrightarrow 00:28:45.179$ likely the airway response.

NOTE Confidence: 0.908663034439087

00:28:45.180 --> 00:28:46.665 It is before the subsequent

NOTE Confidence: 0.908663034439087

 $00{:}28{:}46.665 \dashrightarrow 00{:}28{:}48.150$ sort of larger immune response.

NOTE Confidence: 0.908663034439087

 $00:28:48.150 \longrightarrow 00:28:49.630$ The airway response is likely

NOTE Confidence: 0.908663034439087

00:28:49.630 --> 00:28:50.814 very different across ages.

NOTE Confidence: 0.908663034439087

 $00:28:50.820 \longrightarrow 00:28:52.731$ And you think that could be one

NOTE Confidence: 0.908663034439087

00:28:52.731 --> 00:28:54.715 of the major explanations why age

NOTE Confidence: 0.908663034439087

 $00:28:54.715 \longrightarrow 00:28:56.911$ is such a strong predictor for

NOTE Confidence: 0.908663034439087

00:28:56.911 --> 00:28:58.710 outcome in this illness. Possibly

NOTE Confidence: 0.879945635795593

00:28:58.710 --> 00:29:00.612 possibly, I'd like to have the

NOTE Confidence: 0.879945635795593

00:29:00.612 --> 00:29:02.790 data to answer you definitively,

NOTE Confidence: 0.879945635795593

 $00:29:02.790 \longrightarrow 00:29:04.278$ so hopefully will have

NOTE Confidence: 0.879945635795593

 $00:29:04.280 \longrightarrow 00:29:05.768$ that soon. Yeah, well,

NOTE Confidence: 0.879945635795593

 $00{:}29{:}05.768 \dashrightarrow 00{:}29{:}08.000$ it sounds like more to follow.

NOTE Confidence: 0.879945635795593

00:29:08.000 --> 00:29:10.345 Well, channel and for two really superb

NOTE Confidence: 0.879945635795593

 $00{:}29{:}10.345 \dashrightarrow 00{:}29{:}12.560$ talks and the work that they do.

00:29:12.560 --> 00:29:14.849 Thank you all for joining us today.

NOTE Confidence: 0.879945635795593

 $00{:}29{:}14.850 \dashrightarrow 00{:}29{:}17.554$ I know a lot of folks also watch

NOTE Confidence: 0.879945635795593

 $00{:}29{:}17.554 \dashrightarrow 00{:}29{:}20.570$ online as we as the labs reopened but.

NOTE Confidence: 0.879945635795593

00:29:20.570 --> 00:29:22.397 Enjoy the rest of your day and

NOTE Confidence: 0.879945635795593

 $00:29:22.397 \longrightarrow 00:29:23.936$ thank you all for your work.

NOTE Confidence: 0.879945635795593

 $00:29:23.936 \longrightarrow 00:29:24.970$ Thank you very much.