WEBVTT

00:00:00.000 --> 00:00:01.895 Funding for Yale Cancer Answers

NOTE Confidence: 0.851100281428572

 $00{:}00{:}01.895 \dashrightarrow 00{:}00{:}03.790$ is provided by Smilow Cancer

NOTE Confidence: 0.851100281428572

 $00:00:03.856 \longrightarrow 00:00:05.500$ Hospital and Astra Zeneca.

NOTE Confidence: 0.852915634166667

 $00:00:07.900 \longrightarrow 00:00:10.042$ Welcome to Yale Cancer Answers with

NOTE Confidence: 0.852915634166667

 $00:00:10.042 \longrightarrow 00:00:12.260$ your host doctor Anees Chagpar.

NOTE Confidence: 0.852915634166667

00:00:12.260 --> 00:00:13.956 Yale Cancer Answers features the

NOTE Confidence: 0.852915634166667

00:00:13.956 --> 00:00:16.020 latest information on cancer care by

NOTE Confidence: 0.852915634166667

 $00:00:16.074 \longrightarrow 00:00:17.470$ welcoming oncologists and specialists

NOTE Confidence: 0.852915634166667

 $00:00:17.470 \longrightarrow 00:00:19.901$ who are on the forefront of the

NOTE Confidence: 0.852915634166667

00:00:19.901 --> 00:00:21.730 battle to fight cancer. This week

NOTE Confidence: 0.852915634166667

 $00:00:21.730 \longrightarrow 00:00:23.860$ it's a conversation about liver cancer

NOTE Confidence: 0.852915634166667

 $00:00:23.860 \dashrightarrow 00:00:26.289$ with doctors Amy Justice and Tamar Taddei.

NOTE Confidence: 0.852915634166667

 $00{:}00{:}26.290 \to 00{:}00{:}27.960$ Dr Justice is the CNH

NOTE Confidence: 0.852915634166667

 $00{:}00{:}27.960 \dashrightarrow 00{:}00{:}30.192$ Long professor of Medicine and Doctor

NOTE Confidence: 0.852915634166667

00:00:30.192 --> 00:00:32.045 Taddei is associate professor of

00:00:32.045 --> 00:00:34.166 medicine at the Yale School of Medicine,

NOTE Confidence: 0.852915634166667

00:00:34.170 --> 00:00:35.935 where Doctor Chagpar is a

NOTE Confidence: 0.852915634166667

 $00:00:35.935 \longrightarrow 00:00:37.347$ professor of surgical oncology.

NOTE Confidence: 0.77744365375

00:00:38.540 --> 00:00:42.276 So maybe I'll start with you doctor Taddei,

NOTE Confidence: 0.77744365375

 $00:00:42.280 \longrightarrow 00:00:44.450$ tell us a little bit more about

NOTE Confidence: 0.77744365375

 $00:00:44.450 \longrightarrow 00:00:45.889$ yourself and what you do.

NOTE Confidence: 0.909573086896552

 $00:00:46.200 \longrightarrow 00:00:48.902$ So I'm a hepatologist and my research

NOTE Confidence: 0.909573086896552

 $00{:}00{:}48.902 \dashrightarrow 00{:}00{:}51.082$ focuses on outcomes in liver disease

NOTE Confidence: 0.909573086896552

 $00:00:51.082 \longrightarrow 00:00:53.308$ and liver cancer as well as in

NOTE Confidence: 0.909573086896552

 $00:00:53.379 \longrightarrow 00:00:55.215$ clinical trials and prevention

NOTE Confidence: 0.909573086896552

 $00{:}00{:}55.215 \dashrightarrow 00{:}00{:}57.510$ and detection of liver cancer.

NOTE Confidence: 0.909573086896552

 $00:00:57.510 \longrightarrow 00:00:59.118$ So that's sort of me in a nutshell.

NOTE Confidence: 0.913868376666667

00:00:59.750 --> 00:01:02.096 OK, what about you doctor Justice?

NOTE Confidence: 0.928514091538461

 $00:01:02.830 \longrightarrow 00:01:05.056$ So I'm a clinical epidemiologist and

NOTE Confidence: 0.928514091538461

00:01:05.056 --> 00:01:07.619 I have spent my career harnessing

NOTE Confidence: 0.928514091538461

 $00{:}01{:}07.619 \dashrightarrow 00{:}01{:}09.568$ the national electronic health

 $00:01:09.568 \longrightarrow 00:01:12.011$ record system that the VA has to

NOTE Confidence: 0.928514091538461

 $00:01:12.011 \longrightarrow 00:01:14.274$ try to study important clinical

NOTE Confidence: 0.928514091538461

 $00:01:14.274 \longrightarrow 00:01:16.118$ phenomenon like liver cancer.

NOTE Confidence: 0.928514091538461

00:01:16.120 --> 00:01:17.508 Also, HIV, hepatitis C,

NOTE Confidence: 0.928514091538461

 $00:01:17.508 \longrightarrow 00:01:19.590$ and a number of other conditions

NOTE Confidence: 0.928514091538461

 $00:01:19.653 \longrightarrow 00:01:21.449$ using that national database.

NOTE Confidence: 0.926695552142857

 $00:01:22.410 \longrightarrow 00:01:25.170$ And so I mean, it seems like the two of

NOTE Confidence: 0.926695552142857

 $00:01:25.249 \longrightarrow 00:01:27.658$ you would have obvious research synergy,

NOTE Confidence: 0.926695552142857

 $00{:}01{:}27.658 \dashrightarrow 00{:}01{:}30.626$ but one of the things that's always

NOTE Confidence: 0.926695552142857

 $00:01:30.626 \longrightarrow 00:01:33.370$ exciting and interesting to me is to see

NOTE Confidence: 0.926695552142857

 $00:01:33.370 \longrightarrow 00:01:36.189$ how people from arguably different fields.

NOTE Confidence: 0.926695552142857

 $00:01:36.190 \longrightarrow 00:01:38.975$ One an epidemiologist 1A hepatologist

NOTE Confidence: 0.926695552142857

 $00{:}01{:}38.975 \dashrightarrow 00{:}01{:}43.131$ kind of collide to come up with

NOTE Confidence: 0.926695552142857

 $00{:}01{:}43.131 \dashrightarrow 00{:}01{:}45.048$ interesting research ideas.

NOTE Confidence: 0.926695552142857

00:01:45.050 --> 00:01:47.241 So Doctor Daddy tell us a little

 $00:01:47.241 \longrightarrow 00:01:50.208$ bit more about how you met and about

NOTE Confidence: 0.926695552142857

 $00{:}01{:}50.208 \dashrightarrow 00{:}01{:}51.776$ how this collaboration started.

NOTE Confidence: 0.92282362

 $00{:}01{:}52.620 \dashrightarrow 00{:}01{:}54.818$ So I wouldn't call it a collision.

NOTE Confidence: 0.92282362

 $00:01:54.820 \longrightarrow 00:01:57.445$ I actively. I actively sought

NOTE Confidence: 0.92282362

 $00:01:57.445 \longrightarrow 00:02:00.070$ Amy's mentorship so Amy has

NOTE Confidence: 0.92282362

 $00:02:00.164 \longrightarrow 00:02:03.146$ more than 20 year history of

NOTE Confidence: 0.92282362

 $00{:}02{:}03.146 \to 00{:}02{:}06.059$ developing cohorts in the VA in VA.

NOTE Confidence: 0.92282362

00:02:06.060 --> 00:02:08.744 Data to carefully develop

NOTE Confidence: 0.92282362

 $00{:}02{:}08.744 \dashrightarrow 00{:}02{:}11.428$ clinical phenotypes of disease

NOTE Confidence: 0.92282362

00:02:11.428 --> 00:02:14.099 specifically around HIV and aging,

NOTE Confidence: 0.92282362

 $00{:}02{:}14.100 \dashrightarrow 00{:}02{:}15.848$ and many other diseases.

NOTE Confidence: 0.92282362

 $00:02:15.848 \longrightarrow 00:02:18.470$ Because a lot of this work

NOTE Confidence: 0.92282362

 $00:02:18.557 \longrightarrow 00:02:20.697$ in HIV patients has also,

NOTE Confidence: 0.92282362

00:02:20.700 --> 00:02:22.100 you know HIV patients commonly

NOTE Confidence: 0.92282362

 $00:02:22.100 \longrightarrow 00:02:23.710$ have hepatitis C, for example.

NOTE Confidence: 0.92282362

 $00:02:23.710 \longrightarrow 00:02:25.635$ They commonly have metabolic disorders.

 $00:02:25.640 \longrightarrow 00:02:29.490$ And so she's really built a research

NOTE Confidence: 0.92282362

 $00:02:29.490 \longrightarrow 00:02:32.239$ environment that can study systems

NOTE Confidence: 0.92282362

 $00:02:32.239 \longrightarrow 00:02:35.353$ related diseases in a way that

NOTE Confidence: 0.92282362

 $00:02:35.353 \longrightarrow 00:02:37.479$ was incredibly intriguing to me.

NOTE Confidence: 0.92282362

 $00{:}02{:}37.480 \dashrightarrow 00{:}02{:}40.119$ As a young person who wanted to

NOTE Confidence: 0.92282362

00:02:40.119 --> 00:02:42.666 develop a cohort of patients with

NOTE Confidence: 0.92282362

 $00:02:42.666 \longrightarrow 00:02:45.336$ cirrhosis at risk of liver cancer.

NOTE Confidence: 0.92282362

 $00:02:45.340 \longrightarrow 00:02:47.140$ And so I sought her advice,

NOTE Confidence: 0.92282362

 $00:02:47.140 \longrightarrow 00:02:50.986$ and this was in somewhere around 2011, 2012.

NOTE Confidence: 0.92282362

 $00:02:50.986 \longrightarrow 00:02:53.420$ I asked to meet with her and I said,

NOTE Confidence: 0.92282362

 $00{:}02{:}53.420 \dashrightarrow 00{:}02{:}54.980$ look, you know, I've I've seen your work.

NOTE Confidence: 0.92282362

 $00:02:54.980 \longrightarrow 00:02:56.804$ I want to know how to do this.

NOTE Confidence: 0.92282362

 $00{:}02{:}56.810 \dashrightarrow 00{:}02{:}58.434$ I think I'm going to need a

NOTE Confidence: 0.92282362

 $00:02:58.434 \longrightarrow 00:02:59.130$ lot of handholding,

NOTE Confidence: 0.92282362

 $00:02:59.130 \longrightarrow 00:03:01.790$ and there began a decade of a

00:03:01.790 --> 00:03:03.210 phenomenal mentorship for me,

NOTE Confidence: 0.92282362

 $00:03:03.210 \longrightarrow 00:03:05.780$ so that's that's how we met.

NOTE Confidence: 0.858066166470588

 $00:03:05.780 \longrightarrow 00:03:07.802$ And doctor Justice tell us a

NOTE Confidence: 0.858066166470588

 $00:03:07.802 \longrightarrow 00:03:09.956$ little bit more about kind of

NOTE Confidence: 0.858066166470588

 $00:03:09.956 \longrightarrow 00:03:11.786$ the ideas that were generated.

NOTE Confidence: 0.858066166470588

00:03:11.790 --> 00:03:13.710 The projects that you've designed,

NOTE Confidence: 0.858066166470588

 $00:03:13.710 \longrightarrow 00:03:16.874$ and what the Genesis was of that.

NOTE Confidence: 0.892311204

00:03:18.080 --> 00:03:20.490 Well, I'm a general internist,

NOTE Confidence: 0.892311204

 $00{:}03{:}20.490 --> 00{:}03{:}21.714$ so I think broadly,

NOTE Confidence: 0.892311204

 $00:03:21.714 \longrightarrow 00:03:23.550$ which is sort of complementary to

NOTE Confidence: 0.892311204

 $00:03:23.615 \longrightarrow 00:03:25.870$ and being an epidemiologist because

NOTE Confidence: 0.892311204

 $00:03:25.870 \longrightarrow 00:03:28.125$ epidemiologists also think fairly broadly.

NOTE Confidence: 0.892311204

 $00:03:28.130 \longrightarrow 00:03:29.852$ But I realized early on that I

NOTE Confidence: 0.892311204

 $00:03:29.852 \longrightarrow 00:03:31.795$ could not be an expert in every

NOTE Confidence: 0.892311204

 $00:03:31.795 \longrightarrow 00:03:33.511$ one of the conditions that were

NOTE Confidence: 0.892311204

00:03:33.572 --> 00:03:35.518 worthy of study using the VA data,

 $00:03:35.520 \longrightarrow 00:03:37.950$ so I've always had my eyes out for a

NOTE Confidence: 0.892311204

 $00{:}03{:}37.950 \to 00{:}03{:}40.292$ young promising people who want to be

NOTE Confidence: 0.892311204

 $00:03:40.292 \longrightarrow 00:03:42.616$ the experts in those particular domains

NOTE Confidence: 0.892311204

 $00:03:42.616 \longrightarrow 00:03:45.364$ and tomorrow absolutely fit that Bill.

NOTE Confidence: 0.892311204

 $00:03:45.370 \longrightarrow 00:03:47.602$ And part of what I think is really

NOTE Confidence: 0.892311204

 $00:03:47.602 \longrightarrow 00:03:49.267$ exciting about doing this work is

NOTE Confidence: 0.892311204

 $00:03:49.267 \longrightarrow 00:03:50.994$ that there are a number of cores

NOTE Confidence: 0.892311204

 $00:03:50.994 \longrightarrow 00:03:52.569$ and work groups affiliated with the

NOTE Confidence: 0.892311204

 $00:03:52.569 \longrightarrow 00:03:53.929$ cohort studies that I've created,

NOTE Confidence: 0.892311204

 $00{:}03{:}53.930 \dashrightarrow 00{:}03{:}55.680$ and each one of those cores in

NOTE Confidence: 0.892311204

00:03:55.680 --> 00:03:57.076 workgroups has greater depth and

NOTE Confidence: 0.892311204

 $00:03:57.076 \longrightarrow 00:03:58.561$ understanding of the clinical questions

NOTE Confidence: 0.892311204

 $00{:}03{:}58.561 \dashrightarrow 00{:}04{:}00.497$ that they are looking at than I do.

NOTE Confidence: 0.892311204

 $00:04:00.500 \longrightarrow 00:04:02.446$ But what Ioffer is sort of the

NOTE Confidence: 0.892311204

 $00:04:02.446 \longrightarrow 00:04:03.929$ connectivity among those groups so that

 $00:04:03.929 \longrightarrow 00:04:05.708$ we can learn how to do a phenotype

NOTE Confidence: 0.892311204

 $00{:}04{:}05.708 \dashrightarrow 00{:}04{:}07.084$ once somebody develops diabetes

NOTE Confidence: 0.892311204

 $00:04:07.084 \longrightarrow 00:04:09.304$ in the endocrine group and we can

NOTE Confidence: 0.892311204

 $00:04:09.304 \longrightarrow 00:04:11.033$ use it in the liver group without

NOTE Confidence: 0.892311204

 $00:04:11.033 \longrightarrow 00:04:13.033$ having to recreate another wheel so

NOTE Confidence: 0.892311204

 $00:04:13.033 \longrightarrow 00:04:15.714$ that we are definitely more as a.

NOTE Confidence: 0.892311204

 $00:04:15.720 \longrightarrow 00:04:18.060$ We are more than the sum of our parts

NOTE Confidence: 0.892311204

 $00:04:18.060 \longrightarrow 00:04:19.820$ and I find that exciting and a lot

NOTE Confidence: 0.892311204

00:04:19.820 --> 00:04:21.768 of fun coming into work every day.

NOTE Confidence: 0.877957699545455

 $00:04:22.700 \longrightarrow 00:04:25.017$ So just for people who are not

NOTE Confidence: 0.877957699545455

00:04:25.017 --> 00:04:27.304 familiar with your work when you're

NOTE Confidence: 0.877957699545455

 $00:04:27.304 \longrightarrow 00:04:29.334$ talking about these different cores

NOTE Confidence: 0.877957699545455

 $00:04:29.334 \longrightarrow 00:04:31.952$ and and kind of spanning research

NOTE Confidence: 0.877957699545455

00:04:31.952 --> 00:04:34.476 phenomena across different groups,

NOTE Confidence: 0.877957699545455

 $00:04:34.480 \longrightarrow 00:04:37.768$ tell us more about how that exactly works.

NOTE Confidence: 0.877957699545455

 $00:04:37.770 \longrightarrow 00:04:40.213$ Can you contextualize that for us and

00:04:40.213 --> 00:04:43.270 maybe give us a specific example? Sure,

NOTE Confidence: 0.882717808333333

 $00{:}04{:}43.580 \dashrightarrow 00{:}04{:}45.422$ so I'll talk about tomorrow's work

NOTE Confidence: 0.882717808333333

 $00{:}04{:}45.422 \dashrightarrow 00{:}04{:}47.090$ because that's most relevant to this.

NOTE Confidence: 0.882717808333333

00:04:47.090 --> 00:04:49.938 Call so when Tamar came to me initially

NOTE Confidence: 0.882717808333333

 $00:04:49.938 \longrightarrow 00:04:52.290$ she wanted to create her own cohort study,

NOTE Confidence: 0.882717808333333

 $00:04:52.290 \longrightarrow 00:04:54.030$ which she did with a plomb.

NOTE Confidence: 0.882717808333333

00:04:54.030 --> 00:04:54.982 But then, over time,

NOTE Confidence: 0.882717808333333

 $00:04:54.982 \longrightarrow 00:04:56.729$ she realized that she could also benefit

NOTE Confidence: 0.882717808333333

 $00{:}04{:}56.729 \dashrightarrow 00{:}04{:}58.584$ from doing some analysis with some of

NOTE Confidence: 0.882717808333333

 $00{:}04{:}58.584 \dashrightarrow 00{:}05{:}00.069$ the databases that we had created.

NOTE Confidence: 0.882717808333333

 $00:05:00.070 \longrightarrow 00:05:02.016$ The cohorts we created that were a

NOTE Confidence: 0.882717808333333

 $00:05:02.016 \longrightarrow 00:05:03.855$ little bit more generic than only

NOTE Confidence: 0.882717808333333

 $00{:}05{:}03.855 \dashrightarrow 00{:}05{:}05.745$ people who had cirrhosis per say.

NOTE Confidence: 0.882717808333333

 $00:05:05.750 \longrightarrow 00:05:07.486$ Not to mention that we had other

NOTE Confidence: 0.882717808333333

 $00:05:07.486 \longrightarrow 00:05:09.605$ data that we had merged into our

 $00:05:09.605 \longrightarrow 00:05:11.255$ cohort studies that wasn't yet

NOTE Confidence: 0.882717808333333

 $00{:}05{:}11.255 \dashrightarrow 00{:}05{:}13.075$ available to her in the other study.

NOTE Confidence: 0.882717808333333

 $00:05:13.080 \longrightarrow 00:05:14.658$ So she wrote up a proposal,

NOTE Confidence: 0.882717808333333

 $00:05:14.660 \longrightarrow 00:05:16.140$ which was a brief, suggest,

NOTE Confidence: 0.882717808333333

 $00:05:16.140 \longrightarrow 00:05:18.756$ brief outline of what she wanted to do.

NOTE Confidence: 0.882717808333333

00:05:18.760 --> 00:05:19.492 I reviewed it,

NOTE Confidence: 0.882717808333333

00:05:19.492 --> 00:05:20.712 thought it had the critical

NOTE Confidence: 0.882717808333333

 $00:05:20.712 \longrightarrow 00:05:21.790$ information that we needed it,

NOTE Confidence: 0.882717808333333

 $00:05:21.790 \longrightarrow 00:05:24.014$ and then it went to the liver core,

NOTE Confidence: 0.882717808333333

 $00:05:24.020 \longrightarrow 00:05:25.928$ which is a standing group of

NOTE Confidence: 0.882717808333333

 $00{:}05{:}25.928 {\:\dashrightarrow\:} 00{:}05{:}27.988$ people who are very interested in

NOTE Confidence: 0.882717808333333

 $00:05:27.988 \longrightarrow 00:05:30.383$ liver research in the VA data bin.

NOTE Confidence: 0.882717808333333

 $00:05:30.383 \longrightarrow 00:05:32.154$ Lorry is the head of that core,

NOTE Confidence: 0.882717808333333

00:05:32.160 --> 00:05:33.344 along with Jan Tate,

NOTE Confidence: 0.882717808333333

 $00:05:33.344 \longrightarrow 00:05:34.824$ who is the Methodologist Ben

NOTE Confidence: 0.882717808333333

 $00{:}05{:}34.824 \dashrightarrow 00{:}05{:}36.258$ Larae being the clinician.

 $00:05:36.260 \longrightarrow 00:05:37.196$ They reviewed it.

NOTE Confidence: 0.882717808333333

 $00{:}05{:}37.196 \dashrightarrow 00{:}05{:}38.756$ They made suggestions to her.

NOTE Confidence: 0.882717808333333

 $00{:}05{:}38.760 \longrightarrow 00{:}05{:}40.320$ Several people in the course said

NOTE Confidence: 0.882717808333333

 $00:05:40.320 \longrightarrow 00:05:41.675$ they were interested in participating

NOTE Confidence: 0.882717808333333

00:05:41.675 --> 00:05:43.795 and signed on to be on the writing

NOTE Confidence: 0.882717808333333

 $00:05:43.795 \longrightarrow 00:05:45.270$ committee and we went from there.

NOTE Confidence: 0.880041051739131

00:05:46.670 --> 00:05:49.091 And and so doctor Taty tell us a little

NOTE Confidence: 0.880041051739131

 $00{:}05{:}49.091 \dashrightarrow 00{:}05{:}51.502$ bit more about the questions that you

NOTE Confidence: 0.880041051739131

 $00{:}05{:}51.502 \dashrightarrow 00{:}05{:}54.138$ were trying to answer with these studies.

NOTE Confidence: 0.83483079

00:05:55.330 --> 00:05:58.222 So the first question was really

NOTE Confidence: 0.83483079

 $00:05:58.222 \longrightarrow 00:06:00.690$ how to understand via data.

NOTE Confidence: 0.83483079

 $00:06:00.690 \longrightarrow 00:06:04.227$ So where do you go to develop a cohort?

NOTE Confidence: 0.83483079

 $00:06:04.230 \longrightarrow 00:06:08.164$ How is it housed within the you

NOTE Confidence: 0.83483079

 $00:06:08.164 \longrightarrow 00:06:11.690$ know V8 computing infrastructure?

NOTE Confidence: 0.83483079

 $00:06:11.690 \longrightarrow 00:06:13.489$ How do you actually look at that

 $00:06:13.489 \longrightarrow 00:06:15.635$ data in a way that makes sense

NOTE Confidence: 0.83483079

 $00{:}06{:}15.635 \dashrightarrow 00{:}06{:}17.270$ and ask the right question?

NOTE Confidence: 0.83483079

00:06:17.270 --> 00:06:20.434 So just having the data doesn't really

NOTE Confidence: 0.83483079

 $00:06:20.440 \longrightarrow 00:06:22.066$ lead you to the right endpoint.

NOTE Confidence: 0.83483079

 $00:06:22.070 \longrightarrow 00:06:23.852$ You have to actually start with

NOTE Confidence: 0.83483079

 $00{:}06{:}23.852 \dashrightarrow 00{:}06{:}25.582$ a good question and sometimes.

NOTE Confidence: 0.83483079

 $00{:}06{:}25.582 \dashrightarrow 00{:}06{:}27.662$ Good questions actually require a

NOTE Confidence: 0.83483079

 $00:06:27.662 \longrightarrow 00:06:30.624$ lot of effort to actually be able

NOTE Confidence: 0.83483079

 $00{:}06{:}30.624 \dashrightarrow 00{:}06{:}32.674$ to define your population properly,

NOTE Confidence: 0.83483079

 $00:06:32.680 \longrightarrow 00:06:34.162$ and so in the beginning when

NOTE Confidence: 0.83483079

 $00{:}06{:}34.162 \dashrightarrow 00{:}06{:}36.219$ we set up the cirrhosis cohort,

NOTE Confidence: 0.83483079

 $00:06:36.220 \longrightarrow 00:06:38.230$ which is called the vocal cohort,

NOTE Confidence: 0.83483079

 $00:06:38.230 \longrightarrow 00:06:39.970$ I did this with my colleague

NOTE Confidence: 0.83483079

 $00:06:39.970 \longrightarrow 00:06:41.130$ Dave Kaplan at Upenn.

NOTE Confidence: 0.83483079

 $00:06:41.130 \longrightarrow 00:06:42.980$ There's a lot of parallels

NOTE Confidence: 0.83483079

 $00:06:42.980 \longrightarrow 00:06:44.418$ between Upenn and Yale,

 $00:06:44.418 \longrightarrow 00:06:46.910$ a lot of collaboration going on there,

NOTE Confidence: 0.83483079

 $00{:}06{:}46.910 \dashrightarrow 00{:}06{:}49.422$ and so we actually had to really define

NOTE Confidence: 0.83483079

 $00:06:49.422 \longrightarrow 00:06:51.910$ severity of liver disease in that cohort,

NOTE Confidence: 0.83483079

 $00:06:51.910 \longrightarrow 00:06:53.070$ which is hard to do,

NOTE Confidence: 0.83483079

 $00{:}06{:}53.070 \dashrightarrow 00{:}06{:}56.040$ and we took a lot of advice from from.

NOTE Confidence: 0.83483079

 $00:06:56.040 \longrightarrow 00:06:59.270$ Amy and from then and how to do that and

NOTE Confidence: 0.83483079

00:06:59.360 --> 00:07:02.760 and so since the inception of that cohort,

NOTE Confidence: 0.83483079

 $00:07:02.760 \longrightarrow 00:07:05.840$ we set that cohort cohort up in 2012.

NOTE Confidence: 0.83483079

 $00:07:05.840 \longrightarrow 00:07:08.264$ We've published some probably 25 papers

NOTE Confidence: 0.83483079

 $00{:}07{:}08.264 \dashrightarrow 00{:}07{:}10.974$ now on cirrhosis and outcomes in

NOTE Confidence: 0.83483079

 $00:07:10.974 \longrightarrow 00:07:13.534$ cirrhosis from everything to important

NOTE Confidence: 0.83483079

 $00:07:13.534 \longrightarrow 00:07:16.291$ clinical questions around the use of

NOTE Confidence: 0.83483079

 $00{:}07{:}16.291 \dashrightarrow 00{:}07{:}18.211$ anticoagulants in these patients to

NOTE Confidence: 0.83483079

 $00:07:18.211 \longrightarrow 00:07:21.140$ the burden of cost of liver cancer.

NOTE Confidence: 0.83483079

 $00:07:21.140 \longrightarrow 00:07:22.876$ Care to you know,

 $00:07:22.876 \longrightarrow 00:07:25.046$ all kinds of different questions

NOTE Confidence: 0.83483079

 $00:07:25.046 \longrightarrow 00:07:26.589$ that are that are.

NOTE Confidence: 0.83483079

 $00:07:26.590 \longrightarrow 00:07:29.176$ Well answered in a large cohort,

NOTE Confidence: 0.83483079

 $00:07:29.180 \longrightarrow 00:07:31.280$ but I think one of the issues

NOTE Confidence: 0.83483079

 $00:07:31.280 \longrightarrow 00:07:33.234$ that's very important is that when

NOTE Confidence: 0.83483079

 $00{:}07{:}33.234 \dashrightarrow 00{:}07{:}34.889$ you develop a population cohort,

NOTE Confidence: 0.83483079

 $00:07:34.890 \longrightarrow 00:07:36.542$ you make a lot of assumptions, right?

NOTE Confidence: 0.83483079

00:07:36.542 --> 00:07:37.118 You say, well,

NOTE Confidence: 0.83483079

 $00{:}07{:}37.118 \dashrightarrow 00{:}07{:}38.603$ I'm going to be looking at people

NOTE Confidence: 0.83483079

00:07:38.603 --> 00:07:39.760 with cirrhosis, right?

NOTE Confidence: 0.83483079

 $00{:}07{:}39.760 \dashrightarrow 00{:}07{:}43.180$ And yet, cirrhosis happens over decades.

NOTE Confidence: 0.83483079

 $00:07:43.180 \longrightarrow 00:07:44.680$ There are many risk factors

NOTE Confidence: 0.83483079

 $00:07:44.680 \longrightarrow 00:07:45.880$ that lead to cirrhosis,

NOTE Confidence: 0.83483079

 $00:07:45.880 \longrightarrow 00:07:47.415$ and while cirrhosis is the

NOTE Confidence: 0.83483079

00:07:47.415 --> 00:07:48.643 single most important risk

NOTE Confidence: 0.83483079

 $00:07:48.643 \longrightarrow 00:07:50.237$ factor leading to liver cancer,

 $00:07:50.240 \longrightarrow 00:07:52.118$ I wanted to have a better

NOTE Confidence: 0.83483079

 $00{:}07{:}52.118 \dashrightarrow 00{:}07{:}54.344$ idea of what happens to people

NOTE Confidence: 0.83483079

 $00:07:54.344 \longrightarrow 00:07:56.156$ before they develop cirrhosis.

NOTE Confidence: 0.83483079

 $00:07:56.160 \longrightarrow 00:07:59.254$ And are we missing upstream risk factors?

NOTE Confidence: 0.83483079

 $00{:}07{:}59.260 \dashrightarrow 00{:}08{:}01.870$ Perhaps by selecting pre selecting

NOTE Confidence: 0.83483079

 $00:08:01.870 \longrightarrow 00:08:03.958$ this population and because

NOTE Confidence: 0.83483079

 $00:08:03.958 \longrightarrow 00:08:06.300$ I'm not an epidemiologist,

NOTE Confidence: 0.83483079

 $00:08:06.300 \longrightarrow 00:08:09.606$ I really rely heavily on Amy's

NOTE Confidence: 0.83483079

00:08:09.606 --> 00:08:11.288 Broadview because you know,

NOTE Confidence: 0.83483079

 $00{:}08{:}11.288 \to 00{:}08{:}12.733$ the more specialized you become

NOTE Confidence: 0.83483079

 $00:08:12.733 \longrightarrow 00:08:13.600$ in in medicine.

NOTE Confidence: 0.83483079

 $00{:}08{:}13.600 \dashrightarrow 00{:}08{:}15.574$ The more blinders you have and and

NOTE Confidence: 0.83483079

 $00{:}08{:}15.574 \dashrightarrow 00{:}08{:}17.497$ sometimes you need somebody to sort of

NOTE Confidence: 0.83483079

00:08:17.497 --> 00:08:19.460 shock you into saying wait a second,

NOTE Confidence: 0.83483079

 $00:08:19.460 \longrightarrow 00:08:20.076$ you know,

 $00:08:20.076 \longrightarrow 00:08:21.616$ don't look at that population.

NOTE Confidence: 0.83483079

 $00{:}08{:}21.620 \dashrightarrow 00{:}08{:}23.570$ Look at the whole population and

NOTE Confidence: 0.83483079

 $00:08:23.570 \longrightarrow 00:08:25.580$ let's think about this rationally.

NOTE Confidence: 0.83483079

 $00:08:25.580 \longrightarrow 00:08:27.722$ And so in in more recent work

NOTE Confidence: 0.83483079

 $00:08:27.722 \longrightarrow 00:08:29.686$ we've been looking at the whole

NOTE Confidence: 0.83483079

00:08:29.686 --> 00:08:31.636 VA population to look at upstream

NOTE Confidence: 0.83483079

 $00{:}08{:}31.636 \dashrightarrow 00{:}08{:}33.449$ risk factors for liver cancer

NOTE Confidence: 0.897395271666667

00:08:34.100 --> 00:08:36.926 and what was important about that was

NOTE Confidence: 0.897395271666667

 $00:08:36.926 \longrightarrow 00:08:39.348$ the realization that if you only if

NOTE Confidence: 0.897395271666667

00:08:39.348 --> 00:08:41.774 you looked at cirrhosis and put that

NOTE Confidence: 0.897395271666667

 $00:08:41.774 \longrightarrow 00:08:44.421$ in as the risk factor, it washed out.

NOTE Confidence: 0.897395271666667

00:08:44.421 --> 00:08:46.056 All the factors that occurred

NOTE Confidence: 0.897395271666667

 $00:08:46.056 \longrightarrow 00:08:47.250$ before cirrhosis occurred,

NOTE Confidence: 0.897395271666667

 $00:08:47.250 \longrightarrow 00:08:49.860$ yet cirrhosis is hard to reverse

NOTE Confidence: 0.897395271666667

 $00:08:49.860 \longrightarrow 00:08:52.010$ whereas fatty liver diabetes can

NOTE Confidence: 0.897395271666667

 $00:08:52.010 \longrightarrow 00:08:53.690$ be addressed more effectively.

00:08:53.690 --> 00:08:55.216 So it was very important to look

NOTE Confidence: 0.897395271666667

 $00{:}08{:}55.216 \dashrightarrow 00{:}08{:}56.868$ at the whole population and begin

NOTE Confidence: 0.897395271666667

 $00{:}08{:}56.868 {\:\raisebox{--}{\text{--}}}{\:\raisebox{--}{\text{--}}}{\:\raisebox{--}{\text{--}}} 00{:}08{:}58.443$ to look at upstream phenomenon

NOTE Confidence: 0.897395271666667

00:08:58.443 --> 00:08:59.999 like tomorrow was talking about.

NOTE Confidence: 0.871489265217391

 $00:09:00.750 \longrightarrow 00:09:03.627$ Yeah, I mean, it seems that there's

NOTE Confidence: 0.871489265217391

00:09:03.627 --> 00:09:05.332 a very heterogeneous population

NOTE Confidence: 0.871489265217391

 $00:09:05.332 \longrightarrow 00:09:08.104$ that kind of all leads to the

NOTE Confidence: 0.871489265217391

 $00{:}09{:}08.104 \dashrightarrow 00{:}09{:}10.148$ same endpoint of of cirrhosis.

NOTE Confidence: 0.871489265217391

00:09:10.150 --> 00:09:12.166 So tomorrow maybe you can tell

NOTE Confidence: 0.871489265217391

 $00:09:12.166 \longrightarrow 00:09:14.390$ us a little bit more about.

NOTE Confidence: 0.871489265217391

00:09:14.390 --> 00:09:16.695 The epidemiology of of cirrhosis

NOTE Confidence: 0.871489265217391

 $00:09:16.695 \longrightarrow 00:09:18.895$ and of liver cancer. How?

NOTE Confidence: 0.871489265217391

 $00{:}09{:}18.895 \to 00{:}09{:}20.670$ How common is this anyways?

NOTE Confidence: 0.673556138333333

 $00{:}09{:}21.680 \to 00{:}09{:}25.880$ So cirrhosis is actually quite common.

NOTE Confidence: 0.673556138333333

 $00:09:25.880 \longrightarrow 00:09:28.118$ And liver disease in the general

00:09:28.118 --> 00:09:30.140 population is also quite common,

NOTE Confidence: 0.673556138333333

 $00:09:30.140 \longrightarrow 00:09:32.642$ so there's at least thirty million

NOTE Confidence: 0.673556138333333

00:09:32.642 --> 00:09:34.808 Americans living living with liver

NOTE Confidence: 0.673556138333333

 $00:09:34.808 \longrightarrow 00:09:36.958$ disease with known liver disease.

NOTE Confidence: 0.673556138333333

 $00:09:36.960 \longrightarrow 00:09:38.445$ And there's probably many more

NOTE Confidence: 0.673556138333333

 $00{:}09{:}38.445 \dashrightarrow 00{:}09{:}40.261$ millions that are at risk for

NOTE Confidence: 0.673556138333333

00:09:40.261 --> 00:09:41.899 liver disease and don't know it.

NOTE Confidence: 0.673556138333333

 $00:09:41.900 \longrightarrow 00:09:45.104$ OK, so the major risk factors

NOTE Confidence: 0.673556138333333

 $00:09:45.104 \longrightarrow 00:09:48.096$ for liver disease are viral,

NOTE Confidence: 0.673556138333333

00:09:48.096 --> 00:09:51.520 hepatitis, hepatitis, B&C, alcohol,

NOTE Confidence: 0.673556138333333

 $00:09:51.520 \longrightarrow 00:09:55.492$ excessive or unhealthy alcohol use and then.

NOTE Confidence: 0.673556138333333

 $00:09:55.492 \longrightarrow 00:09:58.888$ What we call fatty liver disease,

NOTE Confidence: 0.673556138333333

 $00:09:58.890 \longrightarrow 00:10:01.236$ which can be alcohol associated and

NOTE Confidence: 0.673556138333333

 $00:10:01.236 \longrightarrow 00:10:03.548$ non alcohol associated and that's

NOTE Confidence: 0.673556138333333

 $00:10:03.548 \longrightarrow 00:10:05.588$ part of a bigger metabolic syndrome

NOTE Confidence: 0.673556138333333

 $00{:}10{:}05.588 \dashrightarrow 00{:}10{:}08.045$ that we actually see being sort of

 $00:10:08.045 \longrightarrow 00:10:10.158$ a canonical risk factor for cancers.

NOTE Confidence: 0.673556138333333

00:10:10.158 --> 00:10:12.606 All kinds of cancers in fact,

NOTE Confidence: 0.673556138333333

 $00:10:12.610 \longrightarrow 00:10:15.052$ and our epidemiology in in liver

NOTE Confidence: 0.673556138333333

 $00:10:15.052 \longrightarrow 00:10:17.140$ disease and liver cancer is

NOTE Confidence: 0.673556138333333

00:10:17.140 --> 00:10:19.035 shifting fairly quickly because we

NOTE Confidence: 0.673556138333333

 $00:10:19.035 \longrightarrow 00:10:21.768$ now have a cure for hepatitis C.

NOTE Confidence: 0.673556138333333

 $00:10:21.770 \longrightarrow 00:10:24.426$ And so while hepatitis C dominated as a

NOTE Confidence: 0.673556138333333

 $00{:}10{:}24.426 \dashrightarrow 00{:}10{:}26.918$ risk factor in the US for many decades.

NOTE Confidence: 0.673556138333333

 $00:10:26.920 \longrightarrow 00:10:28.480$ We're able to cure it now,

NOTE Confidence: 0.673556138333333

 $00:10:28.480 \longrightarrow 00:10:31.504$ and we're actually seeing more obesity

NOTE Confidence: 0.673556138333333

 $00:10:31.504 \longrightarrow 00:10:34.018$ and alcohol associated liver disease

NOTE Confidence: 0.673556138333333

 $00:10:34.018 \longrightarrow 00:10:36.916$ and liver cancer coming to the fore.

NOTE Confidence: 0.673556138333333

 $00{:}10{:}36.920 \dashrightarrow 00{:}10{:}41.444$ So these are major public health

NOTE Confidence: 0.673556138333333

 $00:10:41.444 \longrightarrow 00:10:43.485$ issues that that really need to

NOTE Confidence: 0.673556138333333

 $00:10:43.485 \longrightarrow 00:10:45.144$ be addressed at at a national

 $00:10:45.144 \longrightarrow 00:10:47.004$ at a federal and state level.

NOTE Confidence: 0.905813465714286

 $00:10:48.130 \longrightarrow 00:10:51.396$ And so Amy, when you think about you,

NOTE Confidence: 0.905813465714286

 $00:10:51.396 \longrightarrow 00:10:55.638$ know fatty liver and obesity and alcoholism.

NOTE Confidence: 0.905813465714286

 $00:10:55.640 \longrightarrow 00:10:58.824$ What proportion would you say of the VA

NOTE Confidence: 0.905813465714286

00:10:58.824 --> 00:11:01.784 cohorts or of the cohorts in general

NOTE Confidence: 0.905813465714286

00:11:01.784 --> 00:11:04.945 that you've looked at are at risk of one

NOTE Confidence: 0.905813465714286

 $00:11:04.945 \longrightarrow 00:11:07.375$ of these such that you really wanted

NOTE Confidence: 0.905813465714286

00:11:07.375 --> 00:11:10.180 to look at the global population? At

NOTE Confidence: 0.901081652

00:11:10.190 --> 00:11:12.278 least 1/4 I'm depending on and

NOTE Confidence: 0.901081652

00:11:12.278 --> 00:11:14.732 depending on how you define it more

NOTE Confidence: 0.901081652

00:11:14.732 --> 00:11:16.760 than 1/4, possibly even up to half

NOTE Confidence: 0.882790828235294

 $00:11:17.330 \longrightarrow 00:11:19.580$ and and for all of those

NOTE Confidence: 0.882790828235294

 $00:11:19.580 \longrightarrow 00:11:22.031$ people is the mechanism and the

NOTE Confidence: 0.882790828235294

 $00:11:22.031 \longrightarrow 00:11:24.206$ endpoint of cirrhosis the same?

NOTE Confidence: 0.882790828235294

 $00:11:24.210 \longrightarrow 00:11:28.095$ In other words, both from a molecular

NOTE Confidence: 0.882790828235294

 $00{:}11{:}28.095 \dashrightarrow 00{:}11{:}30.736$ standpoint that you know there

 $00:11:30.736 \longrightarrow 00:11:33.347$ is some sort of liver injury that

NOTE Confidence: 0.882790828235294

 $00:11:33.347 \longrightarrow 00:11:35.527$ essentially then results in cirrhosis.

NOTE Confidence: 0.882790828235294

 $00:11:35.530 \longrightarrow 00:11:37.498$ As well as the degree and

NOTE Confidence: 0.882790828235294

00:11:37.498 --> 00:11:38.810 the type of cirrhosis,

NOTE Confidence: 0.882790828235294

 $00:11:38.810 \longrightarrow 00:11:41.589$ are those of the same whether you

NOTE Confidence: 0.882790828235294

 $00:11:41.589 \longrightarrow 00:11:44.329$ happen to have gotten to that

NOTE Confidence: 0.882790828235294

00:11:44.329 --> 00:11:46.281 endpoint through obesity versus

NOTE Confidence: 0.882790828235294

00:11:46.281 --> 00:11:49.320 a hepatite E versus alcoholism.

NOTE Confidence: 0.855481735625

 $00{:}11{:}49.940 \dashrightarrow 00{:}11{:}51.501$ I'm going to let tomorrow address that

NOTE Confidence: 0.855481735625

 $00{:}11{:}51.501 \dashrightarrow 00{:}11{:}53.068$ 'cause she spent a lot of time on that

NOTE Confidence: 0.72570625

 $00{:}11{:}53.080 \dashrightarrow 00{:}11{:}55.510$ and it's a beautiful question.

NOTE Confidence: 0.72570625

 $00:11:55.510 \longrightarrow 00:11:57.076$ So I think the question is,

NOTE Confidence: 0.72570625

 $00:11:57.080 \longrightarrow 00:11:59.012$ do you want to make things sound

NOTE Confidence: 0.72570625

00:11:59.012 --> 00:12:01.349 simple or do you want to just

NOTE Confidence: 0.72570625

00:12:01.349 --> 00:12:03.154 embrace the complexity that's there?

 $00:12:03.160 \longrightarrow 00:12:04.558$ You know Amy's always telling me.

NOTE Confidence: 0.72570625

00:12:04.560 --> 00:12:06.500 Just embrace complexity, right?

NOTE Confidence: 0.72570625

00:12:06.500 --> 00:12:07.955 And it's true.

NOTE Confidence: 0.72570625

 $00:12:07.960 \longrightarrow 00:12:10.618$ I think cirrhosis is a final

NOTE Confidence: 0.72570625

00:12:10.618 --> 00:12:13.400 common pathway of all of the

NOTE Confidence: 0.72570625

 $00:12:13.400 \longrightarrow 00:12:16.160$ Cascades that lead to liver injury

NOTE Confidence: 0.72570625

 $00:12:16.160 \longrightarrow 00:12:18.950$ and repair and aberrant repair.

NOTE Confidence: 0.72570625

00:12:18.950 --> 00:12:20.828 You know, Yep, you can call

NOTE Confidence: 0.72570625

 $00{:}12{:}20.828 \dashrightarrow 00{:}12{:}22.610$ cirrhosis the final common pathway,

NOTE Confidence: 0.72570625

 $00:12:22.610 \longrightarrow 00:12:25.042$ but that tells you very little about all

NOTE Confidence: 0.72570625

00:12:25.042 --> 00:12:27.920 of the Cascades that happen to get there,

NOTE Confidence: 0.72570625

 $00:12:27.920 \longrightarrow 00:12:29.896$ and I think actually we need to look

NOTE Confidence: 0.72570625

 $00{:}12{:}29.896 \dashrightarrow 00{:}12{:}31.995$ at liver disease and liver cancer

NOTE Confidence: 0.72570625

 $00:12:31.995 \longrightarrow 00:12:33.535$ from an ideological standpoint.

NOTE Confidence: 0.72570625

 $00:12:33.540 \longrightarrow 00:12:34.812$ Meaning what is it?

NOTE Confidence: 0.72570625

 $00:12:34.812 \longrightarrow 00:12:36.402$ What's the etiology or the

00:12:36.402 --> 00:12:38.100 'cause that brought you here?

NOTE Confidence: 0.72570625

 $00:12:38.100 \longrightarrow 00:12:41.080$ Because there are different molecular

NOTE Confidence: 0.72570625

00:12:41.080 --> 00:12:44.098 sort of biologies of those pathways

NOTE Confidence: 0.72570625

 $00:12:44.098 \longrightarrow 00:12:46.838$ and then the cancers themselves.

NOTE Confidence: 0.72570625

00:12:46.840 --> 00:12:47.330 You know,

NOTE Confidence: 0.72570625

 $00:12:47.330 \longrightarrow 00:12:48.555$ even though we think about

NOTE Confidence: 0.72570625

 $00:12:48.555 \longrightarrow 00:12:49.810$ two sort of dominant.

NOTE Confidence: 0.72570625

 $00:12:49.810 \longrightarrow 00:12:52.030$ Primary liver cancers.

NOTE Confidence: 0.72570625

 $00:12:52.030 \longrightarrow 00:12:55.206$ The 90% of these liver cancers

NOTE Confidence: 0.72570625

 $00{:}12{:}55.206 \dashrightarrow 00{:}12{:}56.902$ are are termed hepatocellular

NOTE Confidence: 0.72570625

 $00:12:56.902 \longrightarrow 00:12:59.164$ cancer and they arise from the

NOTE Confidence: 0.72570625

 $00{:}12{:}59.164 \dashrightarrow 00{:}13{:}00.707$ liver cell from the hepatocyte.

NOTE Confidence: 0.72570625

 $00{:}13{:}00.707 \dashrightarrow 00{:}13{:}02.152$ But they look totally different

NOTE Confidence: 0.72570625

 $00:13:02.152 \longrightarrow 00:13:03.290$ under the microscope.

NOTE Confidence: 0.72570625

 $00:13:03.290 \longrightarrow 00:13:04.890$ So that begs the question,

 $00:13:04.890 \longrightarrow 00:13:06.654$ are we dealing with so much

NOTE Confidence: 0.72570625

00:13:06.654 --> 00:13:08.180 heterogeneity here that we're just

NOTE Confidence: 0.72570625

 $00:13:08.180 \longrightarrow 00:13:09.950$ lumping these things into one name?

NOTE Confidence: 0.72570625

 $00:13:09.950 \longrightarrow 00:13:10.820$ Liver cancer?

NOTE Confidence: 0.930582894285714

00:13:12.080 --> 00:13:14.936 Yeah, so you know I I really want

NOTE Confidence: 0.930582894285714

 $00{:}13{:}14.936 \dashrightarrow 00{:}13{:}17.737$ to dive more into liver cancer.

NOTE Confidence: 0.930582894285714

 $00:13:17.740 \longrightarrow 00:13:19.576$ The different types of liver cancer.

NOTE Confidence: 0.930582894285714

 $00{:}13{:}19.580 \dashrightarrow 00{:}13{:}21.310$ Whether the etiologies of these

NOTE Confidence: 0.930582894285714

 $00:13:21.310 \longrightarrow 00:13:23.422$ cancers actually play a role in

NOTE Confidence: 0.930582894285714

00:13:23.422 --> 00:13:25.360 terms of prognosis and treatment and

NOTE Confidence: 0.930582894285714

 $00{:}13{:}25.360 \dashrightarrow 00{:}13{:}27.538$ where things are going in the future.

NOTE Confidence: 0.930582894285714

 $00:13:27.540 \longrightarrow 00:13:29.364$ But right now we have to take a

NOTE Confidence: 0.930582894285714

 $00{:}13{:}29.364 \dashrightarrow 00{:}13{:}30.987$ short break for a medical minute.

NOTE Confidence: 0.859932672777778

00:13:31.560 --> 00:13:33.415 Funding for Yale Cancer answers

NOTE Confidence: 0.859932672777778

 $00:13:33.415 \longrightarrow 00:13:35.270$ comes from Smilow Cancer Hospital

NOTE Confidence: 0.859932672777778

 $00:13:35.333 \longrightarrow 00:13:37.273$ where integrative medicine services

00:13:37.273 --> 00:13:39.213 help patients navigate physical,

NOTE Confidence: 0.859932672777778

 $00{:}13{:}39.220 \dashrightarrow 00{:}13{:}41.052$ mental and spiritual Wellness

NOTE Confidence: 0.859932672777778

 $00:13:41.052 \longrightarrow 00:13:43.342$ during and after cancer therapy.

NOTE Confidence: 0.859932672777778

 $00:13:43.350 \longrightarrow 00:13:45.120$ To learn more,

NOTE Confidence: 0.859932672777778

 $00:13:45.120 \longrightarrow 00:13:48.980$ visit yalecancercenter.org integrative.

NOTE Confidence: 0.859932672777778

 $00:13:48.980 \longrightarrow 00:13:51.872$ The American Cancer Society estimates that

NOTE Confidence: 0.859932672777778

 $00:13:51.872 \longrightarrow 00:13:54.346$ over 200.000 cases of Melanoma will be

NOTE Confidence: 0.859932672777778

 $00:13:54.346 \longrightarrow 00:13:56.719$ diagnosed in the United States this year,

NOTE Confidence: 0.859932672777778

00:13:56.720 --> 00:13:59.828 with over 1000 patients in Connecticut alone.

NOTE Confidence: 0.859932672777778

 $00{:}13{:}59.830 \to 00{:}14{:}02.165$ While Melanoma accounts for only

NOTE Confidence: 0.859932672777778

00:14:02.165 --> 00:14:04.712 about 1\% of skin cancer cases,

NOTE Confidence: 0.859932672777778

00:14:04.712 --> 00:14:07.750 it causes the most skin cancer deaths,

NOTE Confidence: 0.859932672777778

00:14:07.750 --> 00:14:09.158 but when detected early,

NOTE Confidence: 0.859932672777778

 $00{:}14{:}09.158 \dashrightarrow 00{:}14{:}11.840$ it is easily treated and highly curable.

NOTE Confidence: 0.859932672777778

 $00:14:11.840 \longrightarrow 00:14:14.280$ Clinical trials are currently underway

00:14:14.280 --> 00:14:16.232 at federally designated Comprehensive

NOTE Confidence: 0.859932672777778

 $00{:}14{:}16.232 \dashrightarrow 00{:}14{:}18.394$ cancer centers such as Yale Cancer

NOTE Confidence: 0.859932672777778

 $00{:}14{:}18.394 \dashrightarrow 00{:}14{:}20.600$ Center and at Smilow Cancer Hospital.

NOTE Confidence: 0.859932672777778

 $00:14:20.600 \longrightarrow 00:14:22.810$ To test innovative new treatments

NOTE Confidence: 0.859932672777778

 $00:14:22.810 \longrightarrow 00:14:23.694$ for Melanoma,

NOTE Confidence: 0.859932672777778

 $00:14:23.700 \longrightarrow 00:14:25.932$ the goal of the specialized programs

NOTE Confidence: 0.859932672777778

00:14:25.932 --> 00:14:27.813 of research excellence and Skin

NOTE Confidence: 0.859932672777778

 $00{:}14{:}27.813 \dashrightarrow 00{:}14{:}29.799$ Cancer Grant is to better understand

NOTE Confidence: 0.859932672777778

 $00:14:29.799 \longrightarrow 00:14:31.559$ the biology of skin cancer.

NOTE Confidence: 0.859932672777778

 $00:14:31.560 \longrightarrow 00:14:33.215$ With a focus on discovering

NOTE Confidence: 0.859932672777778

 $00{:}14{:}33.215 \dashrightarrow 00{:}14{:}35.452$ targets that will lead to improved

NOTE Confidence: 0.859932672777778

 $00:14:35.452 \longrightarrow 00:14:36.997$ diagnosis and treatment.

NOTE Confidence: 0.859932672777778

 $00{:}14{:}37.000 \dashrightarrow 00{:}14{:}40.060$ More information is available at

NOTE Confidence: 0.859932672777778

 $00{:}14{:}40.060 \dashrightarrow 00{:}14{:}41.350$ yalecancercenter.org you're listening

NOTE Confidence: 0.859932672777778

 $00{:}14{:}41.350 \dashrightarrow 00{:}14{:}43.070$ to Connecticut Public Radio.

NOTE Confidence: 0.865436773333333

 $00{:}14{:}45.330 \dashrightarrow 00{:}14{:}47.430$ Welcome back to Yale Cancer answers.

00:14:47.430 --> 00:14:49.173 This is doctor a nice check part

NOTE Confidence: 0.865436773333333

00:14:49.173 --> 00:14:51.088 and I'm joined to night by my guests,

NOTE Confidence: 0.865436773333333

00:14:51.090 --> 00:14:53.700 doctor, Amy Justice and Tamar Taddei.

NOTE Confidence: 0.865436773333333

 $00:14:53.700 \longrightarrow 00:14:55.152$ We're learning about liver

NOTE Confidence: 0.865436773333333

00:14:55.152 --> 00:14:56.604 cancer treatments and research,

NOTE Confidence: 0.865436773333333

 $00:14:56.610 \longrightarrow 00:14:59.114$ and before the break we were talking a

NOTE Confidence: 0.865436773333333

 $00:14:59.114 \longrightarrow 00:15:01.823$ little bit about cirrhosis and the different

NOTE Confidence: 0.865436773333333

 $00:15:01.823 \longrightarrow 00:15:03.929$ pathways that people can get cirrhosis.

NOTE Confidence: 0.865436773333333

00:15:03.930 --> 00:15:06.594 But I thought maybe we'd start

NOTE Confidence: 0.865436773333333

 $00:15:06.594 \longrightarrow 00:15:08.370$ first with thinking about,

NOTE Confidence: 0.865436773333333

 $00:15:08.370 \longrightarrow 00:15:10.434$ you know, doctor Justice.

NOTE Confidence: 0.865436773333333

00:15:10.434 --> 00:15:13.530 Do all cirrhotics get liver cancer,

NOTE Confidence: 0.865436773333333

 $00{:}15{:}13.530 \dashrightarrow 00{:}15{:}15.245$ and does all liver cancer

NOTE Confidence: 0.865436773333333

00:15:15.245 --> 00:15:16.274 come from cirrhosis?

NOTE Confidence: 0.868064910909091

 $00:15:17.410 \longrightarrow 00:15:20.420$ So the answer is that not all

00:15:20.420 --> 00:15:22.350 cirrhotics develop liver cancer,

NOTE Confidence: 0.868064910909091

 $00:15:22.350 \longrightarrow 00:15:24.961$ but cirrhosis by itself has a pretty

NOTE Confidence: 0.868064910909091

 $00:15:24.961 \longrightarrow 00:15:26.630$ poor prognosis associated with it.

NOTE Confidence: 0.868064910909091

 $00:15:26.630 \longrightarrow 00:15:28.875$ So you want to avoid

NOTE Confidence: 0.868064910909091

 $00:15:28.875 \longrightarrow 00:15:31.120$ cirrhosis if at all possible.

NOTE Confidence: 0.868064910909091

 $00:15:31.120 \longrightarrow 00:15:33.490$ And it is possible to develop

NOTE Confidence: 0.868064910909091

 $00:15:33.490 \longrightarrow 00:15:35.070$ liver cancer without cirrhosis.

NOTE Confidence: 0.868064910909091

00:15:35.070 --> 00:15:35.966 Most classically,

NOTE Confidence: 0.868064910909091

 $00{:}15{:}35.966 \dashrightarrow 00{:}15{:}39.102$ if you have hepatitis B viral infection,

NOTE Confidence: 0.868064910909091

 $00:15:39.110 \longrightarrow 00:15:41.679$ you can go directly to liver cancer

NOTE Confidence: 0.868064910909091

 $00:15:41.679 \longrightarrow 00:15:43.470$ without passing through cirrhosis.

NOTE Confidence: 0.868064910909091

00:15:43.470 --> 00:15:45.588 But more typically the vast majority

NOTE Confidence: 0.868064910909091

 $00:15:45.588 \longrightarrow 00:15:47.669$ of people who develop liver cancer

NOTE Confidence: 0.868064910909091

00:15:47.669 --> 00:15:50.101 or at least have had a cellular liver

NOTE Confidence: 0.868064910909091

00:15:50.165 --> 00:15:52.818 cancer have had cirrhosis previously

NOTE Confidence: 0.793683275

 $00:15:53.830 \longrightarrow 00:15:56.494$ and and doctor Taty.

00:15:56.494 --> 00:15:59.158 If you have cirrhosis.

NOTE Confidence: 0.793683275

 $00:15:59.160 \longrightarrow 00:16:00.908$ How is cirrhosis diagnosed

NOTE Confidence: 0.870694422

 $00:16:01.040 \longrightarrow 00:16:03.734$ so cirrhosis has to be suspected

NOTE Confidence: 0.870694422

 $00:16:03.734 \longrightarrow 00:16:05.530$ and that's the problem.

NOTE Confidence: 0.870694422

 $00:16:05.530 \longrightarrow 00:16:07.468$ So your liver is your largest

NOTE Confidence: 0.870694422

 $00:16:07.468 \longrightarrow 00:16:09.640$ solid organ and it regenerates,

NOTE Confidence: 0.870694422

 $00:16:09.640 \longrightarrow 00:16:10.789$ which is marvelous.

NOTE Confidence: 0.870694422

00:16:10.789 --> 00:16:12.704 But it doesn't tell you

NOTE Confidence: 0.870694422

00:16:12.704 --> 00:16:14.698 it's sick until it's very,

NOTE Confidence: 0.870694422

 $00:16:14.700 \longrightarrow 00:16:17.316$ very sick, and that's a problem.

NOTE Confidence: 0.870694422

 $00:16:17.320 \longrightarrow 00:16:20.344$ So we would love to detect cirrhosis in

NOTE Confidence: 0.870694422

 $00:16:20.344 \longrightarrow 00:16:23.528$ that early stage where patients don't feel

NOTE Confidence: 0.870694422

 $00{:}16{:}23.528 \dashrightarrow 00{:}16{:}26.939$ any different and their counts are still OK,

NOTE Confidence: 0.870694422

 $00:16:26.940 \longrightarrow 00:16:29.278$ and there's still more or less healthy.

NOTE Confidence: 0.870694422

 $00:16:29.280 \longrightarrow 00:16:30.560$ But more often than not,

 $00:16:30.560 \longrightarrow 00:16:34.116$ we detect cirrhosis when people present with.

NOTE Confidence: 0.870694422

 $00:16:34.120 \longrightarrow 00:16:35.700$ Signs of early liver failure,

NOTE Confidence: 0.870694422

 $00:16:35.700 \longrightarrow 00:16:37.580$ like jaundice or bleeding or

NOTE Confidence: 0.870694422

 $00:16:37.580 \longrightarrow 00:16:39.084$ very low platelet counts.

NOTE Confidence: 0.870694422

 $00:16:39.090 \longrightarrow 00:16:40.082$ This is already very,

NOTE Confidence: 0.870694422

00:16:40.082 --> 00:16:42.317 very advanced and it very much limits what we

NOTE Confidence: 0.870694422

 $00:16:42.317 \longrightarrow 00:16:44.480$ can offer that patient in terms of treatment.

NOTE Confidence: 0.870694422

 $00:16:44.480 \longrightarrow 00:16:46.888$ If they do have a liver cancer.

NOTE Confidence: 0.870694422

 $00{:}16{:}46.890 \dashrightarrow 00{:}16{:}49.035$ All patients with cirrhosis should

NOTE Confidence: 0.870694422

00:16:49.035 --> 00:16:51.918 have screening for liver cancer in the

NOTE Confidence: 0.870694422

 $00{:}16{:}51.918 \dashrightarrow 00{:}16{:}54.242$ form of an ultrasound every six months.

NOTE Confidence: 0.870694422

 $00:16:54.250 \longrightarrow 00:16:56.602$ And it's really important to talk to

NOTE Confidence: 0.870694422

 $00:16:56.602 \longrightarrow 00:16:59.170$ patients about the fact that your body may

NOTE Confidence: 0.870694422

 $00{:}16{:}59.170 \dashrightarrow 00{:}17{:}01.589$ have problems even if you don't feel it.

NOTE Confidence: 0.870694422

00:17:01.590 --> 00:17:03.788 And I think this is something that

NOTE Confidence: 0.870694422

 $00:17:03.790 \longrightarrow 00:17:06.191$ people have a hard time wrapping their

00:17:06.191 --> 00:17:08.780 head around that you could actually be

NOTE Confidence: 0.870694422

 $00{:}17{:}08.780 \dashrightarrow 00{:}17{:}11.024$ harboring a chronic illness and really

NOTE Confidence: 0.870694422

 $00:17:11.089 \longrightarrow 00:17:13.457$ not notice any change in how you feel.

NOTE Confidence: 0.870694422

00:17:13.460 --> 00:17:14.783 Which is why people really do need

NOTE Confidence: 0.870694422

 $00:17:14.783 \longrightarrow 00:17:16.320$ to go to the doctor regularly.

NOTE Confidence: 0.870694422

 $00:17:16.320 \longrightarrow 00:17:18.448$ It's it's an important thing to have

NOTE Confidence: 0.870694422

00:17:18.448 --> 00:17:20.703 a physical and to have an established

NOTE Confidence: 0.870694422

00:17:20.703 --> 00:17:22.966 rapport with a primary care doc who

NOTE Confidence: 0.870694422

 $00{:}17{:}22.966 \dashrightarrow 00{:}17{:}25.110$ knows you and has looked at you over

NOTE Confidence: 0.870694422

 $00{:}17{:}25.110 \dashrightarrow 00{:}17{:}27.108$ time and can see subtle changes when

NOTE Confidence: 0.870694422

00:17:27.108 --> 00:17:29.338 they come up before you even feel them

NOTE Confidence: 0.836255911111111

 $00:17:29.620 \longrightarrow 00:17:30.612$ doctor justice talk a

NOTE Confidence: 0.836255911111111

00:17:30.612 --> 00:17:31.852 little bit more about that.

NOTE Confidence: 0.836255911111111

 $00:17:31.860 \longrightarrow 00:17:34.188$ I mean, we talked about some of the

NOTE Confidence: 0.836255911111111

 $00:17:34.188 \longrightarrow 00:17:36.200$ things that can lead to cirrhosis,

00:17:36.200 --> 00:17:38.648 and I think some of us might be thinking.

NOTE Confidence: 0.836255911111111

 $00:17:38.650 \longrightarrow 00:17:41.053$ You know, maybe I am a little bit overweight.

NOTE Confidence: 0.836255911111111

 $00:17:41.060 \longrightarrow 00:17:43.650$ Maybe I do enjoy a couple of

NOTE Confidence: 0.836255911111111

 $00:17:43.650 \longrightarrow 00:17:45.589$ drinks every now and then.

NOTE Confidence: 0.836255911111111

 $00:17:45.590 \longrightarrow 00:17:47.775$ If these are factors that

NOTE Confidence: 0.836255911111111

00:17:47.775 --> 00:17:49.960 potentially can lead to cirrhosis,

NOTE Confidence: 0.836255911111111

 $00{:}17{:}49.960 \dashrightarrow 00{:}17{:}52.205$ and cirrhosis is silent except

NOTE Confidence: 0.836255911111111

00:17:52.205 --> 00:17:54.920 for when it's pretty late and

NOTE Confidence: 0.8362559111111111

 $00:17:54.920 \longrightarrow 00:17:56.855$ can affect my blood work,

NOTE Confidence: 0.836255911111111

 $00:17:56.860 \longrightarrow 00:17:58.324$ how is that diagnosed?

NOTE Confidence: 0.836255911111111

 $00:17:58.324 \longrightarrow 00:18:01.664$ I mean, should should I be going to the

NOTE Confidence: 0.836255911111111

00:18:01.664 --> 00:18:04.042 doctor and getting an ultrasound of my

NOTE Confidence: 0.836255911111111

 $00:18:04.042 \longrightarrow 00:18:07.020$ liver to see if if I have cirrhosis?

NOTE Confidence: 0.836255911111111

00:18:07.020 --> 00:18:08.934 And would cirrhosis even show up

NOTE Confidence: 0.836255911111111

 $00:18:08.934 \longrightarrow 00:18:10.888$ on an ultrasound or a CT scan?

NOTE Confidence: 0.911008772727273

00:18:12.000 --> 00:18:13.770 Well again it depends on at

 $00:18:13.770 \longrightarrow 00:18:15.340$ what stage you're talking about.

NOTE Confidence: 0.911008772727273

 $00:18:15.340 \longrightarrow 00:18:18.348$ So very early signs of liver injury that

NOTE Confidence: 0.911008772727273

 $00:18:18.348 \longrightarrow 00:18:21.319$ could lead to cirrhosis and may maybe

NOTE Confidence: 0.911008772727273

00:18:21.319 --> 00:18:24.548 an early harbinger of cirrhosis is the

NOTE Confidence: 0.911008772727273

 $00{:}18{:}24.548 \dashrightarrow 00{:}18{:}27.812$ ratio of AST aspartate transaminase to

NOTE Confidence: 0.911008772727273

00:18:27.812 --> 00:18:30.139 alanine transaminase and platelets,

NOTE Confidence: 0.911008772727273

 $00:18:30.140 \longrightarrow 00:18:31.898$ which is also called FIB 4,

NOTE Confidence: 0.911008772727273

 $00:18:31.900 \longrightarrow 00:18:36.060$ and that's a very routine test of patients.

NOTE Confidence: 0.911008772727273

 $00:18:36.060 \longrightarrow 00:18:37.290$ Get it very frequently when

NOTE Confidence: 0.911008772727273

 $00:18:37.290 \longrightarrow 00:18:38.274$ they see their doctors.

NOTE Confidence: 0.911008772727273

00:18:38.280 --> 00:18:40.472 It's part of the the routine panel of

NOTE Confidence: 0.911008772727273

 $00:18:40.472 \longrightarrow 00:18:42.449$ tests that are sent for blood work.

NOTE Confidence: 0.911008772727273

 $00:18:42.450 \longrightarrow 00:18:44.604$ And if that test is abnormal

NOTE Confidence: 0.911008772727273

00:18:44.604 --> 00:18:46.670 or not rock solid normal,

NOTE Confidence: 0.911008772727273

00:18:46.670 --> 00:18:48.290 then it would be very reasonable

 $00:18:48.290 \longrightarrow 00:18:49.770$ to have a conversation around.

NOTE Confidence: 0.911008772727273

00:18:49.770 --> 00:18:50.886 Well, how much do you drink?

NOTE Confidence: 0.911008772727273

00:18:50.890 --> 00:18:52.720 How long have you been drinking?

NOTE Confidence: 0.911008772727273

00:18:52.720 --> 00:18:54.448 OK, let's look at your BMI,

NOTE Confidence: 0.911008772727273

 $00:18:54.450 \longrightarrow 00:18:56.256$ which is an indication of what your

NOTE Confidence: 0.911008772727273

00:18:56.256 --> 00:18:58.267 risk for fatty liver disease might be.

NOTE Confidence: 0.911008772727273

00:18:58.270 --> 00:18:59.558 What's your family history?

NOTE Confidence: 0.911008772727273

 $00{:}18{:}59.558 \dashrightarrow 00{:}19{:}01.490$ You know those sorts of questions

NOTE Confidence: 0.911008772727273

 $00:19:01.545 \longrightarrow 00:19:02.388$ can be explored,

NOTE Confidence: 0.911008772727273

 $00:19:02.390 \longrightarrow 00:19:03.944$ and if enough of them are positive,

NOTE Confidence: 0.911008772727273 00:19:03.950 --> 00:19:04.672 then yes, NOTE Confidence: 0.911008772727273

 $00:19:04.672 \longrightarrow 00:19:06.838$ an ultrasound would make some sense.

NOTE Confidence: 0.911008772727273

 $00{:}19{:}06.840 \dashrightarrow 00{:}19{:}08.681$ I'll let tomorrow talk a little bit

NOTE Confidence: 0.911008772727273

00:19:08.681 --> 00:19:10.371 more about what would happen when

NOTE Confidence: 0.911008772727273

 $00:19:10.371 \longrightarrow 00:19:12.057$ I refer the patient over after.

NOTE Confidence: 0.911008772727273

00:19:12.060 --> 00:19:15.216 Ordering the ultrasound to the hepatologist,

 $00:19:15.220 \longrightarrow 00:19:16.498$ but as the primary care doc.

NOTE Confidence: 0.911008772727273

 $00:19:16.500 \longrightarrow 00:19:16.735 \text{ Yes}$

NOTE Confidence: 0.911008772727273

 $00:19:16.735 \longrightarrow 00:19:18.145$ I would consider getting an ultrasound

NOTE Confidence: 0.911008772727273

00:19:18.145 --> 00:19:19.447 on someone who I considered to

NOTE Confidence: 0.911008772727273

 $00:19:19.447 \longrightarrow 00:19:20.187$ be at high risk.

NOTE Confidence: 0.857708461666667

00:19:20.220 --> 00:19:22.257 So tomorrow just to to kind of

NOTE Confidence: 0.857708461666667

 $00:19:22.257 \longrightarrow 00:19:24.520$ pick up the conversation there.

NOTE Confidence: 0.857708461666667

 $00:19:24.520 \longrightarrow 00:19:27.061$ One of the things that you both

NOTE Confidence: 0.857708461666667

00:19:27.061 --> 00:19:29.363 mentioned was that cirrhosis in and

NOTE Confidence: 0.857708461666667

00:19:29.363 --> 00:19:32.470 of itself is not is not something

NOTE Confidence: 0.857708461666667

 $00:19:32.470 \longrightarrow 00:19:34.996$ that you should aspire to have.

NOTE Confidence: 0.857708461666667

00:19:34.996 --> 00:19:37.630 I mean, not only does it increase your

NOTE Confidence: 0.857708461666667

 $00{:}19{:}37.630 \dashrightarrow 00{:}19{:}40.580$ risk of of Pato cellular carcinoma,

NOTE Confidence: 0.857708461666667

 $00:19:40.580 \longrightarrow 00:19:42.560$ but in and of itself.

NOTE Confidence: 0.857708461666667

 $00:19:42.560 \longrightarrow 00:19:44.919$ It it can have problems.

 $00:19:44.920 \longrightarrow 00:19:47.086$ You mentioned that the liver was

NOTE Confidence: 0.857708461666667

 $00{:}19{:}47.086 \dashrightarrow 00{:}19{:}49.400$ an organ that can regenerate.

NOTE Confidence: 0.857708461666667

 $00:19:49.400 \longrightarrow 00:19:51.240$ If you do have cirrhosis.

NOTE Confidence: 0.857708461666667

00:19:51.240 --> 00:19:54.000 If your blood work is abnormal,

NOTE Confidence: 0.857708461666667

 $00:19:54.000 \longrightarrow 00:19:56.898$ is there a way that you can reverse that?

NOTE Confidence: 0.857708461666667

00:19:56.900 --> 00:19:59.152 Can you lose weight?

NOTE Confidence: 0.857708461666667

00:19:59.152 --> 00:20:00.278 Stop drinking,

NOTE Confidence: 0.857708461666667

00:20:00.280 --> 00:20:02.840 you know you mentioned drugs

NOTE Confidence: 0.857708461666667

 $00{:}20{:}02.840 \dashrightarrow 00{:}20{:}05.400$ that can cure hepatitis C.

NOTE Confidence: 0.857708461666667

 $00:20:05.400 \longrightarrow 00:20:08.920$ Now, can that reverse cirrhosis?

NOTE Confidence: 0.857708461666667

 $00{:}20{:}08.920 \dashrightarrow 00{:}20{:}11.136$ Or is is it the case that once

NOTE Confidence: 0.857708461666667

00:20:11.136 --> 00:20:13.049 you have a cirrhotic liver?

NOTE Confidence: 0.857708461666667

00:20:13.050 --> 00:20:14.340 You have a cirrhotic liver.

NOTE Confidence: 0.8605272375

 $00{:}20{:}14.570 \dashrightarrow 00{:}20{:}16.808$ It depends on how how significant

NOTE Confidence: 0.8605272375

 $00:20:16.808 \longrightarrow 00:20:19.089$ the scarring is of the liver.

NOTE Confidence: 0.8605272375

 $00:20:19.090 \longrightarrow 00:20:22.010$ So very, very early cirrhosis.

 $00:20:22.010 \longrightarrow 00:20:24.257$ We're beginning to think more and more

NOTE Confidence: 0.8605272375

 $00{:}20{:}24.257 \dashrightarrow 00{:}20{:}26.854$ can be reversed if you take away the

NOTE Confidence: 0.8605272375

00:20:26.854 --> 00:20:28.684 whatever is insulting the liver, right?

NOTE Confidence: 0.8605272375

 $00:20:28.684 \longrightarrow 00:20:29.954$ So if it's viral hepatitis

NOTE Confidence: 0.8605272375

 $00:20:29.954 \longrightarrow 00:20:30.970$ you treat the hepatitis.

NOTE Confidence: 0.8605272375

 $00:20:30.970 \longrightarrow 00:20:33.250$ If it's alcohol, you stop drinking.

NOTE Confidence: 0.8605272375

 $00:20:33.250 \longrightarrow 00:20:36.430$ There are people who can have

NOTE Confidence: 0.8605272375

 $00{:}20{:}36.430 \longrightarrow 00{:}20{:}39.110$ their fibrosis reverse even very,

NOTE Confidence: 0.8605272375

 $00:20:39.110 \longrightarrow 00:20:40.097$ very early cirrhosis.

NOTE Confidence: 0.8605272375

00:20:40.097 --> 00:20:42.400 But once you have a lot of

NOTE Confidence: 0.8605272375

 $00:20:42.476 \longrightarrow 00:20:44.394$ scar laid down and a lot of.

NOTE Confidence: 0.8605272375

 $00:20:44.400 \longrightarrow 00:20:45.995$ Thick trabeculae we call them

NOTE Confidence: 0.8605272375

 $00{:}20{:}45.995 \dashrightarrow 00{:}20{:}48.059$ sort of thick bands of collagen

NOTE Confidence: 0.8605272375

00:20:48.059 --> 00:20:49.679 deposition in the liver.

NOTE Confidence: 0.8605272375

 $00:20:49.680 \longrightarrow 00:20:53.355$ The liver really can't repair itself anymore,

 $00:20:53.360 \longrightarrow 00:20:54.304$ and so there is.

NOTE Confidence: 0.8605272375

 $00:20:54.304 \longrightarrow 00:20:56.074$ There is a point at which you

NOTE Confidence: 0.8605272375

 $00:20:56.074 \longrightarrow 00:20:57.529$ cannot turn back the clock,

NOTE Confidence: 0.930992792857143

00:20:58.140 --> 00:21:01.486 and so Amy, from an epidemiologic standpoint,

NOTE Confidence: 0.930992792857143

 $00{:}21{:}01.490 \dashrightarrow 00{:}21{:}03.182$ and we we kind of touched on this a

NOTE Confidence: 0.930992792857143

00:21:03.182 --> 00:21:05.200 little bit before the break, but I just

NOTE Confidence: 0.930992792857143

 $00{:}21{:}05.200 \dashrightarrow 00{:}21{:}07.570$ want to unpack it a little bit more.

NOTE Confidence: 0.930992792857143

00:21:07.570 --> 00:21:11.114 Is the rate at which you develop cirrhosis.

NOTE Confidence: 0.930992792857143

 $00:21:11.120 \longrightarrow 00:21:15.848$ If you have had any of these different.

NOTE Confidence: 0.930992792857143

00:21:15.850 --> 00:21:18.106 Sources of injury, whether it's alcohol,

NOTE Confidence: 0.930992792857143

 $00{:}21{:}18.110 \longrightarrow 00{:}21{:}21.840$ whether it's a hepatite E, whether it's.

NOTE Confidence: 0.930992792857143

00:21:21.840 --> 00:21:25.745 You know being obese is the rate

NOTE Confidence: 0.930992792857143

00:21:25.745 --> 00:21:27.680 at which you develop cirrhosis,

NOTE Confidence: 0.930992792857143

 $00:21:27.680 \longrightarrow 00:21:31.226$ different in those different etiologic

NOTE Confidence: 0.930992792857143

 $00:21:31.226 \longrightarrow 00:21:36.230$ factors and is the potential to develop

NOTE Confidence: 0.930992792857143

 $00:21:36.230 \longrightarrow 00:21:39.626$ hepatocellular carcinoma based on those.

 $00:21:39.626 \longrightarrow 00:21:42.836$ Our priority risk factors different

NOTE Confidence: 0.930992792857143

 $00:21:42.840 \longrightarrow 00:21:45.976$ in amongst each of those risk factors.

NOTE Confidence: 0.939811940454545

 $00:21:46.350 \longrightarrow 00:21:47.935$ So obviously drinking a little

NOTE Confidence: 0.939811940454545

 $00:21:47.935 \longrightarrow 00:21:49.863$ alcohol versus drinking a lot of

NOTE Confidence: 0.939811940454545

 $00:21:49.863 \longrightarrow 00:21:51.573$ alcohol is going to influence how

NOTE Confidence: 0.939811940454545

 $00:21:51.573 \longrightarrow 00:21:53.440$ quickly you might develop cirrhosis.

NOTE Confidence: 0.939811940454545

00:21:53.440 --> 00:21:54.832 You know if you,

NOTE Confidence: 0.939811940454545

00:21:54.832 --> 00:21:56.920 if you are drinking extremely heavily

NOTE Confidence: 0.939811940454545

 $00{:}21{:}56.985 \longrightarrow 00{:}21{:}59.015$ cirrhosis can occur much earlier

NOTE Confidence: 0.939811940454545

00:21:59.015 --> 00:22:01.045 than if you're drinking fairly

NOTE Confidence: 0.939811940454545

 $00:22:01.110 \longrightarrow 00:22:03.427$ heavily for a longer period of time.

NOTE Confidence: 0.939811940454545

00:22:03.430 --> 00:22:05.586 We actually have studied this in HIV,

NOTE Confidence: 0.939811940454545

 $00{:}22{:}05.590 \dashrightarrow 00{:}22{:}08.290$ which is a risk factor also

NOTE Confidence: 0.939811940454545

 $00:22:08.290 \longrightarrow 00:22:09.640$ for cellular cancer.

NOTE Confidence: 0.939811940454545

 $00:22:09.640 \longrightarrow 00:22:12.395$ And we were able to show using the VA

 $00:22:12.395 \longrightarrow 00:22:15.331$ data that people who were able to suppress

NOTE Confidence: 0.939811940454545

 $00:22:15.331 \longrightarrow 00:22:18.280$ their HIV get their virus undetectable.

NOTE Confidence: 0.939811940454545

 $00:22:18.280 \longrightarrow 00:22:20.255$ Had a much slower progression

NOTE Confidence: 0.939811940454545

 $00:22:20.255 \longrightarrow 00:22:21.835$ to hepatocellular cancer than

NOTE Confidence: 0.939811940454545

 $00:22:21.835 \longrightarrow 00:22:23.547$ the people who were not.

NOTE Confidence: 0.939811940454545

00:22:23.550 --> 00:22:25.734 So I think that's actually a pretty good

NOTE Confidence: 0.939811940454545

 $00:22:25.734 \longrightarrow 00:22:27.666$ template for a lot of these phenomenon.

NOTE Confidence: 0.939811940454545

00:22:27.670 --> 00:22:30.106 If you can manage these risk factors,

NOTE Confidence: 0.939811940454545

 $00:22:30.110 \longrightarrow 00:22:32.326$ try to get them as low as possible.

NOTE Confidence: 0.939811940454545

00:22:32.330 --> 00:22:34.076 You can modify how rapidly someone

NOTE Confidence: 0.939811940454545

 $00{:}22{:}34.076 \dashrightarrow 00{:}22{:}35.840$ is going to develop cirrhosis,

NOTE Confidence: 0.939811940454545

 $00:22:35.840 \longrightarrow 00:22:37.200$ and that's a very important

NOTE Confidence: 0.939811940454545

 $00:22:37.200 \longrightarrow 00:22:38.560$ modification in terms of their

NOTE Confidence: 0.939811940454545

 $00:22:38.606 \longrightarrow 00:22:40.058$ risk for hepatocellular cancer.

NOTE Confidence: 0.924779428

00:22:40.780 --> 00:22:43.430 So do we know just to follow up on that?

NOTE Confidence: 0.924779428

 $00:22:43.430 \longrightarrow 00:22:46.190$ Amy, do we know, for example,

 $00:22:46.190 \longrightarrow 00:22:49.046$ that whether if you have a history

NOTE Confidence: 0.924779428

 $00:22:49.046 \longrightarrow 00:22:51.336$ of hepatitis C that that's

NOTE Confidence: 0.924779428

 $00:22:51.336 \longrightarrow 00:22:53.776$ worse in terms of developing?

NOTE Confidence: 0.924779428

00:22:53.780 --> 00:22:56.072 Cirrhosis and subsequent Pato

NOTE Confidence: 0.924779428

 $00:22:56.072 \longrightarrow 00:22:57.610$ cellular carcinoma. Then,

NOTE Confidence: 0.924779428

00:22:57.610 --> 00:23:01.120 if you were a heavy drinker or you know,

NOTE Confidence: 0.924779428

00:23:01.120 --> 00:23:03.616 being a heavy drinker is a little bit

NOTE Confidence: 0.924779428

 $00:23:03.616 \longrightarrow 00:23:05.736$ worse than having a BMI of 30 do.

NOTE Confidence: 0.924779428

 $00:23:05.740 \longrightarrow 00:23:09.132$ Do we have any kind of ideas about the

NOTE Confidence: 0.924779428

 $00:23:09.132 \longrightarrow 00:23:11.868$ relative risk of each of these risk factors?

NOTE Confidence: 0.841997312

 $00:23:12.400 \longrightarrow 00:23:14.920$ So hepatitis B is probably the

NOTE Confidence: 0.841997312

 $00{:}23{:}14.920 \dashrightarrow 00{:}23{:}16.600$ strongest individual risk factor.

NOTE Confidence: 0.841997312

 $00{:}23{:}16.600 \dashrightarrow 00{:}23{:}18.405$ Thankfully, the prevalence of hepatitis

NOTE Confidence: 0.841997312

 $00:23:18.405 \longrightarrow 00:23:21.318$ B in the United States is relatively low.

NOTE Confidence: 0.841997312

00:23:21.320 --> 00:23:23.856 When you talk about things like hepatitis C,

00:23:23.860 --> 00:23:27.700 alcohol, fatty liver HIV,

NOTE Confidence: 0.841997312

 $00:23:27.700 \longrightarrow 00:23:29.578$ it's not one size fits all.

NOTE Confidence: 0.841997312

 $00:23:29.580 \longrightarrow 00:23:32.212$ It really depends on how severely you

NOTE Confidence: 0.841997312

00:23:32.212 --> 00:23:34.340 have those problems or conditions,

NOTE Confidence: 0.841997312

 $00:23:34.340 \longrightarrow 00:23:36.230$ and so it's it's not true to say that

NOTE Confidence: 0.841997312

 $00:23:36.230 \longrightarrow 00:23:37.975$ one is much worse than the other.

NOTE Confidence: 0.841997312

 $00:23:37.980 \longrightarrow 00:23:39.515$ It really depends on how

NOTE Confidence: 0.841997312

 $00:23:39.515 \longrightarrow 00:23:41.050$ out of control they are.

NOTE Confidence: 0.8248152784375

00:23:42.560 --> 00:23:45.912 Yeah, and so Tim are picking up on

NOTE Confidence: 0.8248152784375

 $00:23:45.912 \longrightarrow 00:23:49.099$ what Amy had kind of lead us to.

NOTE Confidence: 0.8248152784375

 $00{:}23{:}49.100 \dashrightarrow 00{:}23{:}52.748$ You know if if you're referred to patient

NOTE Confidence: 0.8248152784375

00:23:52.748 --> 00:23:55.580 who's got a suspicion for cirrhosis,

NOTE Confidence: 0.8248152784375

 $00:23:55.580 \longrightarrow 00:23:59.493$ they come to you and they they've

NOTE Confidence: 0.8248152784375

 $00:23:59.493 \longrightarrow 00:24:02.708$ had an ultrasound or a CT scan.

NOTE Confidence: 0.8248152784375

00:24:02.710 --> 00:24:05.968 What's the next step in terms of you know,

NOTE Confidence: 0.8248152784375

 $00:24:05.970 \longrightarrow 00:24:08.200$ checking to see whether they

 $00:24:08.200 \longrightarrow 00:24:09.538$ have hepatocellular carcinoma?

NOTE Confidence: 0.957048768888889

 $00:24:10.190 \longrightarrow 00:24:12.422$ So if they come to me with an ultrasound,

NOTE Confidence: 0.957048768888889

 $00:24:12.430 \longrightarrow 00:24:14.530$ usually that ultrasound is sufficient

NOTE Confidence: 0.957048768888889

 $00:24:14.530 \longrightarrow 00:24:17.838$ to look for large tumors in the liver

NOTE Confidence: 0.957048768888889

 $00:24:17.838 \longrightarrow 00:24:19.888$ tumors over 2 centimeters, for example.

NOTE Confidence: 0.957048768888889

 $00{:}24{:}19.888 \rightarrow 00{:}24{:}22.470$ But we know that ultrasound in and of itself

NOTE Confidence: 0.957048768888889

00:24:22.470 --> 00:24:24.684 is a very insensitive screening modality,

NOTE Confidence: 0.957048768888889

 $00{:}24{:}24.690 \dashrightarrow 00{:}24{:}27.178$ which is why there are studies underway to

NOTE Confidence: 0.957048768888889

 $00{:}24{:}27.178 \dashrightarrow 00{:}24{:}30.107$ look at more sensitive screening modalities.

NOTE Confidence: 0.957048768888889

 $00:24:30.110 \longrightarrow 00:24:31.930$ When I'm refer to patient,

NOTE Confidence: 0.957048768888889

00:24:31.930 --> 00:24:34.216 I actually think very carefully about.

NOTE Confidence: 0.957048768888889

 $00:24:34.220 \longrightarrow 00:24:35.520$ What brought them to me?

NOTE Confidence: 0.957048768888889

 $00{:}24{:}35.520 \to 00{:}24{:}38.240$ So I think about viral,

NOTE Confidence: 0.957048768888889

 $00:24:38.240 \longrightarrow 00:24:40.075$ metabolic and inherited disorders of

NOTE Confidence: 0.957048768888889

 $00:24:40.075 \longrightarrow 00:24:42.769$ the liver that can lead to cirrhosis

 $00:24:42.769 \longrightarrow 00:24:44.739$ as well as autoimmune disorders.

NOTE Confidence: 0.957048768888889

 $00{:}24{:}44.740 --> 00{:}24{:}46.920$ So I think you know,

NOTE Confidence: 0.957048768888889

 $00:24:46.920 \longrightarrow 00:24:49.080$ cirrhosis is stigmatized because people

NOTE Confidence: 0.957048768888889

 $00:24:49.080 \longrightarrow 00:24:51.240$ associate it entirely with alcohol.

NOTE Confidence: 0.957048768888889

 $00:24:51.240 \longrightarrow 00:24:53.532$ And actually there are many different

NOTE Confidence: 0.957048768888889

 $00{:}24{:}53.532 \dashrightarrow 00{:}24{:}55.939$ causes of cirrhosis and even alcohol.

NOTE Confidence: 0.957048768888889

00:24:55.940 --> 00:24:57.308 Some people can drink very heavily

NOTE Confidence: 0.957048768888889

 $00:24:57.308 \longrightarrow 00:24:58.600$ and never have liver disease.

NOTE Confidence: 0.957048768888889

 $00:24:58.600 \longrightarrow 00:25:00.292$ And some people can drink fairly

NOTE Confidence: 0.957048768888889

 $00:25:00.292 \longrightarrow 00:25:01.890$ modestly and get liver disease.

NOTE Confidence: 0.957048768888889

00:25:01.890 --> 00:25:03.126 So I think you know there

NOTE Confidence: 0.957048768888889

 $00:25:03.126 \longrightarrow 00:25:04.320$ really should be no stigma.

NOTE Confidence: 0.957048768888889

 $00{:}25{:}04.320 \dashrightarrow 00{:}25{:}05.247$ Associated with cirrhosis.

NOTE Confidence: 0.957048768888889

 $00:25:05.247 \longrightarrow 00:25:08.136$ So I I look at all of the sort

NOTE Confidence: 0.957048768888889

 $00:25:08.136 \longrightarrow 00:25:09.776$ of pathways that could have

NOTE Confidence: 0.957048768888889

 $00:25:09.776 \longrightarrow 00:25:11.799$ gotten them to where they are,

 $00:25:11.800 \longrightarrow 00:25:14.040$ and then we usually in the liver

NOTE Confidence: 0.957048768888889

 $00{:}25{:}14.040 \dashrightarrow 00{:}25{:}16.614$ in the liver clinic now have non

NOTE Confidence: 0.957048768888889

 $00:25:16.614 \longrightarrow 00:25:18.918$ invasive ways of testing the liver

NOTE Confidence: 0.957048768888889

00:25:18.997 --> 00:25:21.489 stiffness which is a marker of of

NOTE Confidence: 0.957048768888889

 $00{:}25{:}21.489 \dashrightarrow 00{:}25{:}23.964$ how fibrotic the liver is and those

NOTE Confidence: 0.957048768888889

 $00:25:23.964 \longrightarrow 00:25:26.070$ those ways of measuring are called

NOTE Confidence: 0.957048768888889

00:25:26.141 --> 00:25:27.889 transient elastography where we

NOTE Confidence: 0.957048768888889

 $00:25:27.889 \longrightarrow 00:25:30.511$ measure the stiffness of the liver

NOTE Confidence: 0.957048768888889

 $00{:}25{:}30.584 \dashrightarrow 00{:}25{:}32.901$ and can give the patient right there

NOTE Confidence: 0.957048768888889

 $00{:}25{:}32.901 \dashrightarrow 00{:}25{:}35.130$ in the clinic an estimation of.

NOTE Confidence: 0.957048768888889

 $00:25:35.130 \longrightarrow 00:25:37.180$ How serious this may be,

NOTE Confidence: 0.957048768888889

 $00:25:37.180 \longrightarrow 00:25:39.727$ and then from there I try to figure out

NOTE Confidence: 0.957048768888889

 $00{:}25{:}39.727 \dashrightarrow 00{:}25{:}42.429$ if there's anything I can help remove

NOTE Confidence: 0.957048768888889

00:25:42.429 --> 00:25:44.739 that could be stressing the liver,

NOTE Confidence: 0.957048768888889

 $00:25:44.740 \longrightarrow 00:25:46.945$ and so there are some treatments for

 $00:25:46.945 \longrightarrow 00:25:49.658$ some of these different causes obviously,

NOTE Confidence: 0.957048768888889

 $00{:}25{:}49.660 \dashrightarrow 00{:}25{:}51.388$ and then you know they I make sure

NOTE Confidence: 0.957048768888889

 $00:25:51.388 \longrightarrow 00:25:53.439$ I go over what we call cirrhosis,

NOTE Confidence: 0.957048768888889

00:25:53.440 --> 00:25:55.540 health maintenance with the patient,

NOTE Confidence: 0.957048768888889

 $00:25:55.540 \longrightarrow 00:25:56.842$ you know what they can do to

NOTE Confidence: 0.957048768888889

 $00:25:56.842 \longrightarrow 00:25:57.400$ protect their liver,

NOTE Confidence: 0.957048768888889

 $00:25:57.400 \longrightarrow 00:25:59.640$ how often they need to be seen,

NOTE Confidence: 0.957048768888889

 $00:25:59.640 \longrightarrow 00:26:00.948$ how to protect themselves

NOTE Confidence: 0.957048768888889

00:26:00.948 --> 00:26:01.929 against other illnesses,

NOTE Confidence: 0.957048768888889

 $00:26:01.930 \longrightarrow 00:26:03.598$ because when the liver has cirrhosis,

NOTE Confidence: 0.957048768888889

 $00:26:03.600 \longrightarrow 00:26:06.208$ it sort of loses a lot of its.

NOTE Confidence: 0.957048768888889

00:26:06.210 --> 00:26:07.998 You know immune surveillance

NOTE Confidence: 0.957048768888889

 $00:26:07.998 \longrightarrow 00:26:09.786$ ability for certain pathogens.

NOTE Confidence: 0.957048768888889

 $00:26:09.790 \longrightarrow 00:26:11.294$ You know they need to be up to

NOTE Confidence: 0.957048768888889

00:26:11.294 --> 00:26:12.708 date with their adult vaccines,

NOTE Confidence: 0.957048768888889

 $00:26:12.710 \longrightarrow 00:26:13.558$ that sort of thing.

 $00:26:13.558 \longrightarrow 00:26:15.152$ And then you know if if the

NOTE Confidence: 0.957048768888889

 $00:26:15.152 \longrightarrow 00:26:16.507$ liver disease is very severe.

NOTE Confidence: 0.957048768888889

 $00:26:16.510 \longrightarrow 00:26:18.965$ We talk about things like

NOTE Confidence: 0.957048768888889

 $00:26:18.965 \longrightarrow 00:26:19.947$ liver transplantation.

NOTE Confidence: 0.957048768888889

 $00:26:19.950 \longrightarrow 00:26:21.140$ And certainly if the patient

NOTE Confidence: 0.957048768888889

 $00:26:21.140 \longrightarrow 00:26:22.710$ comes to me with liver cancer,

NOTE Confidence: 0.957048768888889

00:26:22.710 --> 00:26:24.429 as many of my patients come to me with,

NOTE Confidence: 0.95704876888888900:26:24.430 --> 00:26:25.070 you know,

NOTE Confidence: 0.957048768888889

 $00{:}26{:}25.070 \dashrightarrow 00{:}26{:}26{:}350$ newly diagnosed liver cancer,

NOTE Confidence: 0.957048768888889

 $00:26:26.350 \longrightarrow 00:26:28.822$ that's a whole other conversation around

NOTE Confidence: 0.957048768888889

 $00{:}26{:}28.822 \rightarrow 00{:}26{:}31.259$ prognosis and treatment and all of that.

NOTE Confidence: 0.938074675

 $00:26:32.410 \longrightarrow 00:26:34.450$ So, so in our last minute,

NOTE Confidence: 0.938074675

 $00{:}26{:}34.450 \dashrightarrow 00{:}26{:}37.098$ maybe we can just talk a little bit.

NOTE Confidence: 0.938074675

 $00:26:37.100 \longrightarrow 00:26:39.825$ About prognosis and treatment of

NOTE Confidence: 0.938074675

00:26:39.825 --> 00:26:42.048 liver cancer tell us more about

 $00:26:42.048 \longrightarrow 00:26:43.740$ how that's treated and and what

NOTE Confidence: 0.938074675

00:26:43.799 --> 00:26:45.379 the prognosis really is Amy.

NOTE Confidence: 0.80013

00:26:46.590 --> 00:26:48.510 Well, this is really tomorrow specialty,

NOTE Confidence: 0.80013

00:26:48.510 --> 00:26:50.895 but unfortunately because people present

NOTE Confidence: 0.80013

 $00:26:50.895 \longrightarrow 00:26:53.570$ so late the prognosis is quite grim.

NOTE Confidence: 0.80013

 $00{:}26{:}53.570 \dashrightarrow 00{:}26{:}55.514$ With that I will hand it over tomorrow.

NOTE Confidence: 0.883947237333333

 $00:26:56.220 \longrightarrow 00:26:57.532$ So tomorrow are there.

NOTE Confidence: 0.883947237333333

 $00:26:57.532 \longrightarrow 00:26:59.500$ Are there new treatments that can

NOTE Confidence: 0.883947237333333

 $00{:}26{:}59.568 \to 00{:}27{:}01.328$ make that prognosis less grim?

NOTE Confidence: 0.930070698636364

 $00:27:02.040 \longrightarrow 00:27:04.408$ Yes, so in the last five years we've

NOTE Confidence: 0.930070698636364

 $00{:}27{:}04.408 \dashrightarrow 00{:}27{:}07.224$ seen a number of new agents come to

NOTE Confidence: 0.930070698636364

 $00:27:07.224 \longrightarrow 00:27:09.629$ the market for advanced liver cancer.

NOTE Confidence: 0.930070698636364

 $00{:}27{:}09.630 \dashrightarrow 00{:}27{:}11.424$ We'd still really like to detect

NOTE Confidence: 0.930070698636364

00:27:11.424 --> 00:27:13.599 liver cancer at its earliest stages,

NOTE Confidence: 0.930070698636364

 $00:27:13.600 \longrightarrow 00:27:15.966$ where it either can be removed by

NOTE Confidence: 0.930070698636364

 $00{:}27{:}15.966 \dashrightarrow 00{:}27{:}17.899$ surgery or treated ablative Lee.

 $00:27:17.900 \longrightarrow 00:27:20.224$ And so I think it's important to

NOTE Confidence: 0.930070698636364

00:27:20.224 --> 00:27:21.939 really raise awareness for people

NOTE Confidence: 0.930070698636364

 $00:27:21.939 \longrightarrow 00:27:23.895$ to get screened if they have

NOTE Confidence: 0.930070698636364

 $00:27:23.895 \longrightarrow 00:27:25.519$ been diagnosed with cirrhosis.

NOTE Confidence: 0.930070698636364

00:27:25.520 --> 00:27:26.896 Certainly we're always looking

NOTE Confidence: 0.930070698636364

00:27:26.896 --> 00:27:28.616 at screening and risk factors,

NOTE Confidence: 0.930070698636364

 $00:27:28.620 \longrightarrow 00:27:30.366$ and whether there are other things

NOTE Confidence: 0.930070698636364

00:27:30.366 --> 00:27:31.855 apart from cirrhosis that would

NOTE Confidence: 0.930070698636364

 $00:27:31.855 \longrightarrow 00:27:33.230$ bring a person to screening.

NOTE Confidence: 0.930070698636364

00:27:33.230 --> 00:27:35.606 Like chronic hepatitis B for example,

NOTE Confidence: 0.930070698636364

 $00{:}27{:}35.610 \dashrightarrow 00{:}27{:}38.316$ but the treatments are dependent on

NOTE Confidence: 0.930070698636364

 $00:27:38.316 \longrightarrow 00:27:41.455$ stage and the overall survival in liver

NOTE Confidence: 0.930070698636364

 $00:27:41.455 \longrightarrow 00:27:44.309$ cancer is about 18% at five years,

NOTE Confidence: 0.930070698636364

 $00:27:44.309 \longrightarrow 00:27:45.488$ which is dismal.

NOTE Confidence: 0.930070698636364

00:27:45.490 --> 00:27:47.610 But it's getting better because

 $00:27:47.610 \longrightarrow 00:27:49.306$ we have new agents,

NOTE Confidence: 0.930070698636364

 $00:27:49.310 \longrightarrow 00:27:50.912$ things that can really change the

NOTE Confidence: 0.930070698636364

00:27:50.912 --> 00:27:52.506 course of a patient's life is,

NOTE Confidence: 0.930070698636364

00:27:52.506 --> 00:27:54.590 you know, surgery to remove the tumor,

NOTE Confidence: 0.930070698636364

 $00:27:54.590 \longrightarrow 00:27:56.425$ but also liver transplantation in

NOTE Confidence: 0.930070698636364

 $00:27:56.425 \longrightarrow 00:27:58.960$ patients who have liver disease and are

NOTE Confidence: 0.930070698636364

 $00:27:58.960 \longrightarrow 00:28:00.868$ perhaps too sick for those surgeries.

NOTE Confidence: 0.930070698636364

00:28:00.870 --> 00:28:01.818 And so you know,

NOTE Confidence: 0.930070698636364

 $00:28:01.818 \longrightarrow 00:28:03.536$ there are a number of different local

NOTE Confidence: 0.930070698636364

 $00{:}28{:}03.536 \dashrightarrow 00{:}28{:}05.258$ treatments that can be done for sort

NOTE Confidence: 0.930070698636364

 $00{:}28{:}05.258 \dashrightarrow 00{:}28{:}07.240$ of what we call intermediate disease.

NOTE Confidence: 0.930070698636364

 $00:28:07.240 \longrightarrow 00:28:09.396$ But the most important thing is for

NOTE Confidence: 0.930070698636364

 $00{:}28{:}09.396 \dashrightarrow 00{:}28{:}11.500$ the patients case to be discussed

NOTE Confidence: 0.930070698636364

 $00{:}28{:}11.500 \dashrightarrow 00{:}28{:}13.355$ in a multidisciplinary tumor board,

NOTE Confidence: 0.930070698636364

 $00:28:13.360 \longrightarrow 00:28:15.532$ because there are many people who

NOTE Confidence: 0.930070698636364

 $00:28:15.532 \longrightarrow 00:28:17.868$ manage liver cancer and we all need

 $00:28:17.868 \longrightarrow 00:28:19.779$ to come to the table to develop

NOTE Confidence: 0.930070698636364

 $00:28:19.848 \longrightarrow 00:28:21.815$ a a clear plan for the patient.

NOTE Confidence: 0.930070698636364

00:28:21.820 --> 00:28:24.060 And you know, to really think about that,

NOTE Confidence: 0.930070698636364

 $00:28:24.060 \longrightarrow 00:28:25.720$ patient their unique circumstances

NOTE Confidence: 0.930070698636364

 $00:28:25.720 \longrightarrow 00:28:27.795$ and what's best for them.

NOTE Confidence: 0.7590263351875

 $00:28:28.510 \longrightarrow 00:28:30.675$ Doctor Tamar Taddei is associate

NOTE Confidence: 0.7590263351875

00:28:30.675 --> 00:28:32.840 professor of medicine and digestive

NOTE Confidence: 0.7590263351875

00:28:32.910 --> 00:28:35.268 diseases and doctor Amy Justices CNH,

NOTE Confidence: 0.7590263351875

 $00:28:35.270 \longrightarrow 00:28:36.960$ Long professor of medicine at

NOTE Confidence: 0.7590263351875

 $00:28:36.960 \longrightarrow 00:28:38.650$ the Yale School of Medicine.

NOTE Confidence: 0.7590263351875

00:28:38.650 --> 00:28:40.586 If you have questions,

NOTE Confidence: 0.7590263351875

 $00{:}28{:}40.586 \dashrightarrow 00{:}28{:}42.478$ the address is canceranswers@yale.edu

NOTE Confidence: 0.7590263351875

 $00{:}28{:}42.478 \dashrightarrow 00{:}28{:}45.106$ and past editions of the program

NOTE Confidence: 0.7590263351875

00:28:45.106 --> 00:28:47.399 are available in audio and written

NOTE Confidence: 0.7590263351875

 $00:28:47.399 \longrightarrow 00:28:48.319$ form at yale cancercenter.org.

 $00{:}28{:}48.319 \dashrightarrow 00{:}28{:}50.791$ We hope you'll join us next week to

NOTE Confidence: 0.7590263351875

 $00{:}28{:}50.791 \dashrightarrow 00{:}28{:}52.675$ learn more about the fight against

NOTE Confidence: 0.7590263351875

 $00{:}28{:}52.675 \dashrightarrow 00{:}28{:}54.195$ cancer here on Connecticut Public

NOTE Confidence: 0.7590263351875

00:28:54.251 --> 00:28:55.696 radio funding for Yale Cancer

NOTE Confidence: 0.7590263351875

 $00{:}28{:}55.696 \dashrightarrow 00{:}28{:}57.141$ Answers is provided by Smilow

NOTE Confidence: 0.7590263351875

 $00{:}28{:}57.150 \dashrightarrow 00{:}29{:}00.000$ Cancer Hospital and Astra Zeneca.