## WEBVTT

NOTE duration: "00:53:58.9000000"

NOTE recognizability:0.853

NOTE language:en-us

NOTE Confidence: 0.86201340666666

 $00:00:00.000 \longrightarrow 00:00:02.367$  First of all, I'd like to thank you all

NOTE Confidence: 0.862013406666666

 $00:00:02.367 \longrightarrow 00:00:04.717$  for attending our grand rounds today.

NOTE Confidence: 0.862013406666666

 $00:00:04.720 \longrightarrow 00:00:09.402$  It is my pleasure to present this special

NOTE Confidence: 0.86201340666666

00:00:09.402 --> 00:00:13.555 event, which is sponsored by the Chenevert

NOTE Confidence: 0.862013406666666

00:00:13.555 --> 00:00:17.485 family brain Tumor Center at Yale.

NOTE Confidence: 0.862013406666666

 $00{:}00{:}17.490 \dashrightarrow 00{:}00{:}20.752$  And today we have the pleasure to

NOTE Confidence: 0.862013406666666

 $00{:}00{:}20.752 \dashrightarrow 00{:}00{:}22.920$  welcome Doctor Sigrid Natural.

NOTE Confidence: 0.86201340666666

 $00:00:22.920 \longrightarrow 00:00:25.630$  And. She isn't an assistant

NOTE Confidence: 0.862013406666666

00:00:25.630 --> 00:00:27.256 professor of molecular,

NOTE Confidence: 0.862013406666666

 $00:00:27.260 \longrightarrow 00:00:30.408$  cellular and developmental biology.

NOTE Confidence: 0.862013406666666

 $00:00:30.410 \longrightarrow 00:00:32.756$  She received her PhD from Stanford

NOTE Confidence: 0.86201340666666

 $00:00:32.756 \longrightarrow 00:00:35.203$  University and during her graduate work

NOTE Confidence: 0.86201340666666

 $00:00:35.203 \longrightarrow 00:00:37.645$  in the laboratory of Rajat Rochetti,

 $00:00:37.650 \longrightarrow 00:00:39.500$  she developed novel chemical tools

NOTE Confidence: 0.86201340666666

 $00{:}00{:}39.500 \dashrightarrow 00{:}00{:}41.350$  to study the Hedgehog signaling,

NOTE Confidence: 0.862013406666666

00:00:41.350 --> 00:00:43.280 uncovering new modes of steroid

NOTE Confidence: 0.862013406666666

 $00:00:43.280 \longrightarrow 00:00:44.824$  mediated regulation of this

NOTE Confidence: 0.862013406666666

00:00:44.824 --> 00:00:46.520 critical developmental pathway.

NOTE Confidence: 0.86201340666666

 $00:00:46.520 \longrightarrow 00:00:48.350$  She was a postdoc fellow which

NOTE Confidence: 0.862013406666666

00:00:48.350 --> 00:00:50.280 run hay at University of Chicago,

NOTE Confidence: 0.862013406666666

 $00:00:50.280 \longrightarrow 00:00:52.626$  where she set out to identify

NOTE Confidence: 0.862013406666666

 $00:00:52.626 \longrightarrow 00:00:54.644$  novel chemical modifications in M

NOTE Confidence: 0.862013406666666

 $00:00:54.644 \longrightarrow 00:00:56.569$  RNA and uncovered their functions.

NOTE Confidence: 0.862013406666666

 $00{:}00{:}56.570 \dashrightarrow 00{:}00{:}58.646$  Her lifestyle is working on numerous

NOTE Confidence: 0.862013406666666

 $00:00:58.646 \longrightarrow 00:01:00.513$  aspects of RNA mediated regulation

NOTE Confidence: 0.86201340666666

 $00:01:00.513 \longrightarrow 00:01:01.770$  of cell signaling.

NOTE Confidence: 0.86201340666666

 $00:01:01.770 \longrightarrow 00:01:03.792$  And their current focus is on

NOTE Confidence: 0.862013406666666

 $00:01:03.792 \longrightarrow 00:01:05.599$  uncovering the regulation and function

NOTE Confidence: 0.862013406666666

 $00:01:05.599 \longrightarrow 00:01:07.599$  of chemical modifications on RNA.

 $00:01:07.600 \longrightarrow 00:01:11.191$  She was awarded a demo reunion postdoc

NOTE Confidence: 0.862013406666666

 $00{:}01{:}11.191 \dashrightarrow 00{:}01{:}13.980$  Fellowship and subsequently a demo reunion.

NOTE Confidence: 0.86201340666666

00:01:13.980 --> 00:01:16.380 They fray award for breakthrough

NOTE Confidence: 0.862013406666666

 $00:01:16.380 \longrightarrow 00:01:18.138$  scientists for this work.

NOTE Confidence: 0.862013406666666

00:01:18.140 --> 00:01:19.388 And more recently,

NOTE Confidence: 0.862013406666666

 $00:01:19.388 \longrightarrow 00:01:23.316$  she was awarded the Distinguished Scientist

NOTE Confidence: 0.862013406666666

 $00:01:23.316 \longrightarrow 00:01:28.244$  Award from the Sontag Foundation in

NOTE Confidence: 0.862013406666666

 $00:01:28.244 \longrightarrow 00:01:31.956$  in to reward her work in brain tumors.

NOTE Confidence: 0.86201340666666

 $00:01:31.960 \longrightarrow 00:01:33.409$  So please welcome.

NOTE Confidence: 0.946551173333333

00:01:41.450 --> 00:01:44.830 Thank you so much for having me.

NOTE Confidence: 0.946551173333333

00:01:44.830 --> 00:01:46.426 Look, I need a phone book

NOTE Confidence: 0.946551173333333

 $00:01:46.426 \longrightarrow 00:01:50.320$  behind this podium. One second.

NOTE Confidence: 0.757745015

 $00:01:50.320 \longrightarrow 00:01:52.060$  Get rid of this.

NOTE Confidence: 0.928924572222222

 $00:01:53.230 \longrightarrow 00:01:55.408$  All right. Thank you so much for having me.

NOTE Confidence: 0.928924572222222

 $00:01:55.410 \longrightarrow 00:01:57.702$  And I'm really, really thrilled to

 $00:01:57.702 \longrightarrow 00:01:59.480$  be here particularly because of,

NOTE Confidence: 0.928924572222222

 $00{:}01{:}59.480 \dashrightarrow 00{:}02{:}01.576$  I think part of the reason this came

NOTE Confidence: 0.928924572222222

 $00:02:01.576 \longrightarrow 00:02:03.732$  about is that because of the santag

NOTE Confidence: 0.928924572222222

00:02:03.732 --> 00:02:06.010 word application that I was submitting,

NOTE Confidence: 0.928924572222222

 $00:02:06.010 \longrightarrow 00:02:07.906$  I guess a couple of years ago now,

NOTE Confidence: 0.928924572222222

00:02:07.910 --> 00:02:09.390 Doctor Romero kindly not only

NOTE Confidence: 0.928924572222222

 $00:02:09.390 \longrightarrow 00:02:11.051$  answered my e-mail, but even agreed

NOTE Confidence: 0.928924572222222

 $00:02:11.051 \longrightarrow 00:02:13.150$  to chat over zoom for for a bit,

NOTE Confidence: 0.928924572222222

 $00:02:13.150 \longrightarrow 00:02:14.854$  which you know was incredibly generous

NOTE Confidence: 0.928924572222222

 $00:02:14.854 \longrightarrow 00:02:17.109$  as I prepared for for that application.

NOTE Confidence: 0.928924572222222

 $00:02:17.110 \longrightarrow 00:02:18.643$  And So what I'm excited to share

NOTE Confidence: 0.928924572222222

 $00:02:18.643 \longrightarrow 00:02:20.350$  with you today is a little bit about

NOTE Confidence: 0.928924572222222

 $00:02:20.350 \longrightarrow 00:02:22.071$  what our lab is doing with respect

NOTE Confidence: 0.928924572222222

 $00{:}02{:}22.071 \dashrightarrow 00{:}02{:}23.407$  to gene expression regulation.

NOTE Confidence: 0.928924572222222

 $00:02:23.410 \longrightarrow 00:02:26.084$  By Arna modifications and I'm going to

NOTE Confidence: 0.928924572222222

 $00{:}02{:}26.084 \dashrightarrow 00{:}02{:}29.423$  try to use the cursor on the screen so

 $00:02:29.423 \longrightarrow 00:02:33.020$  that the folks on zoom can also follow along.

NOTE Confidence: 0.928924572222222

 $00:02:33.020 \longrightarrow 00:02:34.260$  Now to start with,

NOTE Confidence: 0.928924572222222

00:02:34.260 --> 00:02:36.120 I don't really have any disclosures,

NOTE Confidence: 0.928924572222222

 $00:02:36.120 \longrightarrow 00:02:37.308$  but I will perhaps start with

NOTE Confidence: 0.928924572222222

 $00:02:37.308 \longrightarrow 00:02:38.700$  a bit of a disclaimer.

NOTE Confidence: 0.928924572222222

 $00{:}02{:}38.700 \dashrightarrow 00{:}02{:}40.908$  You may have already realized that I'm a

NOTE Confidence: 0.928924572222222

 $00:02:40.908 \longrightarrow 00:02:44.000$  basic scientist, I am not a clinician.

NOTE Confidence: 0.928924572222222

00:02:44.000 --> 00:02:46.616 And you know, while I think,

NOTE Confidence: 0.928924572222222 00:02:46.620 --> 00:02:47.080 you know, NOTE Confidence: 0.928924572222222

 $00:02:47.080 \longrightarrow 00:02:48.920$  our work is really rooted in sort of

NOTE Confidence: 0.928924572222222

00:02:48.970 --> 00:02:50.620 fundamental biological questions,

NOTE Confidence: 0.928924572222222

 $00{:}02{:}50.620 \dashrightarrow 00{:}02{:}53.371$  I do consider myself sort of cancer

NOTE Confidence: 0.928924572222222

00:02:53.371 --> 00:02:54.157 biology adjacent.

NOTE Confidence: 0.928924572222222

00:02:54.160 --> 00:02:56.176 And I have been for quite a while.

NOTE Confidence: 0.928924572222222

00:02:56.180 --> 00:02:58.350 So my PhD work focused on the

 $00:02:58.350 \longrightarrow 00:02:59.280$  Hedgehog signaling pathway.

NOTE Confidence: 0.928924572222222

 $00{:}02{:}59.280 \dashrightarrow 00{:}03{:}00.778$  So I sort of became quite familiar

NOTE Confidence: 0.928924572222222

 $00:03:00.778 \longrightarrow 00:03:02.009$  with the sort of hedgehog.

NOTE Confidence: 0.928924572222222

00:03:02.010 --> 00:03:03.282 Even medulloblastoma field and

NOTE Confidence: 0.928924572222222

00:03:03.282 --> 00:03:05.580 then during my postdoc I sort of

NOTE Confidence: 0.928924572222222

 $00{:}03{:}05.580 \dashrightarrow 00{:}03{:}07.225$  collaborated with a few different

NOTE Confidence: 0.928924572222222

 $00:03:07.225 \longrightarrow 00:03:09.287$  cancer biologists sort of uncovered the

NOTE Confidence: 0.928924572222222

 $00{:}03{:}09.287 \dashrightarrow 00{:}03{:}11.357$  roles of RNA modifications and cancer.

NOTE Confidence: 0.928924572222222

 $00{:}03{:}11.360 \dashrightarrow 00{:}03{:}14.088$  So you know while we are very much

NOTE Confidence: 0.928924572222222

00:03:14.088 --> 00:03:16.119 a fundamental basic science lab,

NOTE Confidence: 0.928924572222222

 $00{:}03{:}16.120 --> 00{:}03{:}16.390 \ \mathrm{I},$ 

NOTE Confidence: 0.928924572222222

 $00:03:16.390 \longrightarrow 00:03:18.280$  I really do not only enjoy but

NOTE Confidence: 0.928924572222222

 $00:03:18.280 \longrightarrow 00:03:20.260$  really sort of motivate the lab to

NOTE Confidence: 0.928924572222222

 $00{:}03{:}20.260 \to 00{:}03{:}22.090$  think about sort of the applications

NOTE Confidence: 0.928924572222222

 $00:03:22.090 \longrightarrow 00:03:24.430$  and implications of our work for

NOTE Confidence: 0.928924572222222

 $00:03:24.430 \longrightarrow 00:03:25.600$  for cancer biology.

00:03:25.600 --> 00:03:26.656 But all of that being said,

NOTE Confidence: 0.928924572222222

 $00:03:26.660 \longrightarrow 00:03:29.585$  I rely a lot on collaborators and sort of

NOTE Confidence: 0.928924572222222

 $00:03:29.585 \longrightarrow 00:03:32.018$  dedicated dedicated clinicians to sort of.

NOTE Confidence: 0.928924572222222

 $00:03:32.020 \longrightarrow 00:03:33.424$  Would have you know helped motivate

NOTE Confidence: 0.928924572222222

 $00:03:33.424 \longrightarrow 00:03:34.884$  our and drive our work forward

NOTE Confidence: 0.928924572222222

 $00:03:34.884 \longrightarrow 00:03:35.828$  in in that respect.

NOTE Confidence: 0.928924572222222

 $00:03:35.830 \longrightarrow 00:03:38.107$  So today I'll give you a little bit of

NOTE Confidence: 0.928924572222222

 $00:03:38.107 \longrightarrow 00:03:40.768$  an introduction on our new modifications.

NOTE Confidence: 0.928924572222222

 $00:03:40.770 \longrightarrow 00:03:42.807$  It's not always sort of the the

NOTE Confidence: 0.928924572222222

00:03:42.807 --> 00:03:44.764 first thing you think about when

NOTE Confidence: 0.928924572222222

 $00:03:44.764 \longrightarrow 00:03:46.464$  it comes to cancer biology.

NOTE Confidence: 0.928924572222222

 $00:03:46.470 \longrightarrow 00:03:48.934$  So I will then sort of segue directly

NOTE Confidence: 0.928924572222222

 $00{:}03{:}48.934 \dashrightarrow 00{:}03{:}51.855$  into some of the work that's already been

NOTE Confidence: 0.928924572222222

 $00:03:51.855 \longrightarrow 00:03:54.139$  done on RNA modifications and cancer.

NOTE Confidence: 0.928924572222222

 $00:03:54.140 \longrightarrow 00:03:56.138$  And then I'm going to describe

 $00:03:56.138 \longrightarrow 00:03:57.750$  actually the current limitations of

NOTE Confidence: 0.928924572222222

 $00:03:57.750 \longrightarrow 00:03:59.526$  a lot of that work including my own

NOTE Confidence: 0.928924572222222

 $00:03:59.526 \longrightarrow 00:04:01.393$  and and try to describe for you the

NOTE Confidence: 0.928924572222222

 $00{:}04{:}01.393 \dashrightarrow 00{:}04{:}03.084$  sort of new approaches that the lab

NOTE Confidence: 0.928924572222222

 $00:04:03.084 \longrightarrow 00:04:05.299$  is taking to try to sort of improve

NOTE Confidence: 0.928924572222222

 $00:04:05.299 \longrightarrow 00:04:07.249$  our ability to really understand how

NOTE Confidence: 0.928924572222222

 $00:04:07.249 \longrightarrow 00:04:08.909$  these chemical marks might actually

NOTE Confidence: 0.928924572222222

 $00{:}04{:}08.909 \dashrightarrow 00{:}04{:}10.504$  sort of regulate gene expression

NOTE Confidence: 0.928924572222222

 $00{:}04{:}10.504 \dashrightarrow 00{:}04{:}13.235$  and how we might actually be able

NOTE Confidence: 0.928924572222222

 $00{:}04{:}13.235 \dashrightarrow 00{:}04{:}15.970$  to translate that into the clinic.

NOTE Confidence: 0.928924572222222

 $00:04:15.970 \longrightarrow 00:04:17.058$  And so with that,

NOTE Confidence: 0.928924572222222

 $00:04:17.058 \longrightarrow 00:04:18.418$  I'll just dive right in.

NOTE Confidence: 0.928924572222222

00:04:18.420 --> 00:04:18.978 And I think,

NOTE Confidence: 0.928924572222222

00:04:18.978 --> 00:04:19.350 you know,

NOTE Confidence: 0.928924572222222

 $00:04:19.350 \longrightarrow 00:04:21.331$  when we think of the central dogma

NOTE Confidence: 0.928924572222222

 $00:04:21.331 \longrightarrow 00:04:22.980$  in terms of its sort of,

00:04:22.980 --> 00:04:23.662 you know,

NOTE Confidence: 0.928924572222222

 $00:04:23.662 \longrightarrow 00:04:24.344$  the fund,

NOTE Confidence: 0.928924572222222

 $00:04:24.344 \longrightarrow 00:04:26.049$  the foundations of gene expression

NOTE Confidence: 0.928924572222222 00:04:26.049 --> 00:04:26.390 regulation,

NOTE Confidence: 0.928924572222222

 $00:04:26.390 \longrightarrow 00:04:27.850$  this probably looks quite familiar.

NOTE Confidence: 0.798394385625

 $00:04:27.850 \longrightarrow 00:04:29.266$  This is what I teach the

NOTE Confidence: 0.798394385625

 $00:04:29.266 \longrightarrow 00:04:30.210$  undergraduates that I teach

NOTE Confidence: 0.798394385625

 $00:04:30.264 \longrightarrow 00:04:31.950$  biochemistry over on the main campus.

NOTE Confidence: 0.798394385625

 $00:04:31.950 \longrightarrow 00:04:33.294$  And so when we think about

NOTE Confidence: 0.798394385625

00:04:33.294 --> 00:04:33.966 gene expression regulation,

NOTE Confidence: 0.798394385625

00:04:33.970 --> 00:04:35.395 really what we're thinking about

NOTE Confidence: 0.798394385625

 $00:04:35.395 \longrightarrow 00:04:37.139$  is the flow of information from

NOTE Confidence: 0.798394385625

 $00{:}04{:}37.139 \dashrightarrow 00{:}04{:}38.705$  the genome and DNA through RNA

NOTE Confidence: 0.798394385625

 $00:04:38.705 \longrightarrow 00:04:40.269$  molecules and then on to proteins.

NOTE Confidence: 0.798394385625

00:04:40.270 --> 00:04:41.630 But of course, you know,

 $00:04:41.630 \longrightarrow 00:04:44.406$  this is a rather simplified view and of

NOTE Confidence: 0.798394385625

 $00{:}04{:}44.406 \dashrightarrow 00{:}04{:}47.389$  course you know DNA needs to be replicated.

NOTE Confidence: 0.798394385625

 $00:04:47.390 \longrightarrow 00:04:49.448$  We know that a lot of interesting

NOTE Confidence: 0.798394385625

 $00:04:49.448 \longrightarrow 00:04:50.807$  reverse transcript cases exist to

NOTE Confidence: 0.798394385625

 $00{:}04{:}50.807 \dashrightarrow 00{:}04{:}52.511$  sort of move back from RNA to DNA

NOTE Confidence: 0.798394385625

 $00:04:52.561 \longrightarrow 00:04:54.229$  and then of course protein based

NOTE Confidence: 0.798394385625

00:04:54.229 --> 00:04:55.816 enzymes and factors of course

NOTE Confidence: 0.798394385625

 $00:04:55.816 \longrightarrow 00:04:58.146$  regulate this at many steps.

NOTE Confidence: 0.798394385625

00:04:58.150 --> 00:04:59.744 But on top of that, you know,

NOTE Confidence: 0.798394385625

 $00:04:59.744 \longrightarrow 00:05:01.226$  even within each of these processes,

NOTE Confidence: 0.798394385625

 $00:05:01.230 \longrightarrow 00:05:02.640$  of course there are many

NOTE Confidence: 0.798394385625

 $00:05:02.640 \longrightarrow 00:05:03.768$  sort of intervening steps.

NOTE Confidence: 0.798394385625

 $00:05:03.770 \longrightarrow 00:05:05.120$  And so as an RA biologist,

NOTE Confidence: 0.798394385625

 $00:05:05.120 \longrightarrow 00:05:06.596$  I'm going to bias your view

NOTE Confidence: 0.798394385625

 $00:05:06.596 \longrightarrow 00:05:07.870$  and say that the RNA,

NOTE Confidence: 0.798394385625

 $00:05:07.870 \longrightarrow 00:05:09.250$  so to sort of protein transition

 $00:05:09.250 \longrightarrow 00:05:10.170$  is the most interesting.

NOTE Confidence: 0.798394385625

 $00{:}05{:}10.170 \dashrightarrow 00{:}05{:}11.955$  But of course some of my basic

NOTE Confidence: 0.798394385625

 $00:05:11.955 \longrightarrow 00:05:13.630$  biology friends will disagree with me.

NOTE Confidence: 0.798394385625

 $00:05:13.630 \longrightarrow 00:05:14.890$  But that being said, you know,

NOTE Confidence: 0.798394385625

00:05:14.890 --> 00:05:17.543 even just to go from a functional

NOTE Confidence: 0.798394385625

00:05:17.543 --> 00:05:19.750 MRI MRA molecule to a protein,

NOTE Confidence: 0.798394385625

 $00:05:19.750 \longrightarrow 00:05:21.916$  we have to undergo many intermediate

NOTE Confidence: 0.798394385625

 $00:05:21.916 \longrightarrow 00:05:23.870$  steps including things like capping,

NOTE Confidence: 0.798394385625

 $00{:}05{:}23.870 \dashrightarrow 00{:}05{:}26.850$  splicing, processing of other types,

NOTE Confidence: 0.798394385625

 $00{:}05{:}26.850 \dashrightarrow 00{:}05{:}28.494$  then translation into protein

NOTE Confidence: 0.798394385625

 $00:05:28.494 \longrightarrow 00:05:29.727$  and then eventually.

NOTE Confidence: 0.798394385625

00:05:29.730 --> 00:05:30.920 RNA decay.

NOTE Confidence: 0.798394385625

 $00:05:30.920 \longrightarrow 00:05:33.300$  And as you know,

NOTE Confidence: 0.798394385625

 $00:05:33.300 \longrightarrow 00:05:34.880$  you have probably already quite

NOTE Confidence: 0.798394385625

00:05:34.880 --> 00:05:37.080 familiar at each of these steps DNA,

 $00:05:37.080 \longrightarrow 00:05:37.956$  RNA and protein.

NOTE Confidence: 0.798394385625

 $00:05:37.956 \longrightarrow 00:05:39.708$  There are many different chemical marks

NOTE Confidence: 0.798394385625

 $00:05:39.708 \longrightarrow 00:05:41.449$  that can regulate these processes.

NOTE Confidence: 0.798394385625

 $00:05:41.450 \longrightarrow 00:05:44.420$  This is sort of a fundamental paradigm of of,

NOTE Confidence: 0.798394385625

00:05:44.420 --> 00:05:45.316 you know,

NOTE Confidence: 0.798394385625

 $00:05:45.316 \longrightarrow 00:05:47.556$  signaling and gene expression regulation.

NOTE Confidence: 0.798394385625

 $00:05:47.560 \longrightarrow 00:05:49.303$  And so we know for instance that

NOTE Confidence: 0.798394385625

 $00:05:49.303 \longrightarrow 00:05:51.022$  DNA can be methylated and that

NOTE Confidence: 0.798394385625

 $00{:}05{:}51.022 \dashrightarrow 00{:}05{:}52.840$  this is sort of a critical,

NOTE Confidence: 0.798394385625

 $00:05:52.840 \longrightarrow 00:05:53.678$  you know,

NOTE Confidence: 0.798394385625

 $00{:}05{:}53.678 {\:\raisebox{--}{\text{--}}}{\:\raisebox{--}{\text{--}}}{\:\raisebox{--}{\text{--}}} 00{:}05{:}55.773$  regulator of gene expression at

NOTE Confidence: 0.798394385625

 $00:05:55.773 \longrightarrow 00:05:58.358$  the level of the genomic DNA.

NOTE Confidence: 0.798394385625

 $00:05:58.360 \longrightarrow 00:06:00.208$  And then all the way on the other

NOTE Confidence: 0.798394385625

 $00:06:00.208 \longrightarrow 00:06:02.316$  side we of course know that enzymes.

NOTE Confidence: 0.798394385625

 $00:06:02.320 \longrightarrow 00:06:03.840$  Think of things like kinases,

NOTE Confidence: 0.798394385625

00:06:03.840 --> 00:06:05.540 of course phosphorylated and modified,

 $00:06:05.540 \longrightarrow 00:06:07.500$  with many other post translational

NOTE Confidence: 0.798394385625

 $00:06:07.500 \longrightarrow 00:06:09.068$  modifications that really dictate

NOTE Confidence: 0.798394385625

 $00:06:09.068 \longrightarrow 00:06:10.678$  their activity and function,

NOTE Confidence: 0.798394385625

 $00:06:10.680 \longrightarrow 00:06:13.150$  and in some cases localization.

NOTE Confidence: 0.798394385625

 $00:06:13.150 \longrightarrow 00:06:14.650$  What some people are sometimes

NOTE Confidence: 0.798394385625

 $00:06:14.650 \longrightarrow 00:06:16.549$  less familiar with is that in

NOTE Confidence: 0.798394385625

00:06:16.549 --> 00:06:18.571 fact RNA molecules are also very

NOTE Confidence: 0.798394385625

 $00:06:18.571 \longrightarrow 00:06:19.582$  heavily chemically modified.

NOTE Confidence: 0.798394385625

 $00{:}06{:}19.590 \dashrightarrow 00{:}06{:}22.481$  And this can sometimes be a little

NOTE Confidence: 0.798394385625

 $00{:}06{:}22.481 \dashrightarrow 00{:}06{:}24.148$  bit counterintuitive because when

NOTE Confidence: 0.798394385625

 $00:06:24.148 \longrightarrow 00:06:26.272$  we think of our name molecules

NOTE Confidence: 0.798394385625

00:06:26.272 --> 00:06:27.670 and particularly M RNA,

NOTE Confidence: 0.798394385625

 $00{:}06{:}27.670 \dashrightarrow 00{:}06{:}29.525$  we think of very transient

NOTE Confidence: 0.798394385625

 $00:06:29.525 \longrightarrow 00:06:31.009$  sort of chemical molecules.

NOTE Confidence: 0.798394385625

00:06:31.010 --> 00:06:32.826 So why would you sort of want to

 $00:06:32.826 \longrightarrow 00:06:34.590$  fine tune something that is such,

NOTE Confidence: 0.798394385625

 $00:06:34.590 \longrightarrow 00:06:35.184$  you know,

NOTE Confidence: 0.798394385625

00:06:35.184 --> 00:06:36.966 such a transient molecule in nature,

NOTE Confidence: 0.798394385625

00:06:36.970 --> 00:06:39.546 but it turns out that RNA actually

NOTE Confidence: 0.798394385625

 $00:06:39.546 \longrightarrow 00:06:43.250$  carries over 150 now known RNA.

NOTE Confidence: 0.798394385625

00:06:43.250 --> 00:06:43.990 Qualifications,

NOTE Confidence: 0.798394385625

 $00:06:43.990 \longrightarrow 00:06:45.700$  and I'm showing you just a

NOTE Confidence: 0.798394385625

 $00:06:45.700 \longrightarrow 00:06:47.509$  very small subset of them here,

NOTE Confidence: 0.798394385625

 $00:06:47.510 \longrightarrow 00:06:50.390$  but these range from everything from

NOTE Confidence: 0.798394385625

 $00:06:50.390 \longrightarrow 00:06:53.460$  the addition of methylation marks to

NOTE Confidence: 0.798394385625

 $00:06:53.460 \longrightarrow 00:06:56.140$  isomerization in s around different bonds.

NOTE Confidence: 0.798394385625

 $00:06:56.140 \longrightarrow 00:06:57.265$  And you know.

NOTE Confidence: 0.798394385625

 $00:06:57.265 \longrightarrow 00:06:58.765$  On the other end,

NOTE Confidence: 0.798394385625

 $00:06:58.770 \longrightarrow 00:07:00.606$  we have sort of double methylations,

NOTE Confidence: 0.798394385625

 $00:07:00.610 \longrightarrow 00:07:01.804$  but this is actually a very

NOTE Confidence: 0.798394385625

 $00:07:01.804 \longrightarrow 00:07:02.600$  sort of limited view.

 $00{:}07{:}02.600 \dashrightarrow 00{:}07{:}04.844$  And there's all kinds of incredible

NOTE Confidence: 0.798394385625

 $00{:}07{:}04.844 \dashrightarrow 00{:}07{:}06.739$  chemistry that can happen on

NOTE Confidence: 0.798394385625

 $00:07:06.739 \dashrightarrow 00:07:08.389$  RNA and particularly T RNA's

NOTE Confidence: 0.798394385625

 $00:07:08.389 \longrightarrow 00:07:11.170$  to regulate gene expression.

NOTE Confidence: 0.798394385625

 $00:07:11.170 \longrightarrow 00:07:13.074$  And so if we sort of overlay

NOTE Confidence: 0.798394385625

 $00:07:13.074 \longrightarrow 00:07:13.890$  this on what

NOTE Confidence: 0.857960633125

 $00:07:13.961 \longrightarrow 00:07:16.217$  we actually encounter in the cell,

NOTE Confidence: 0.857960633125

 $00:07:16.220 \longrightarrow 00:07:18.488$  which is not a very linear pathway,

NOTE Confidence: 0.857960633125

00:07:18.490 --> 00:07:20.688 we get a very complex picture like

NOTE Confidence: 0.857960633125

 $00{:}07{:}20.688 \dashrightarrow 00{:}07{:}23.013$  this where we have modifications that

NOTE Confidence: 0.857960633125

 $00{:}07{:}23.013 \dashrightarrow 00{:}07{:}25.641$  are in fact regulating literally every

NOTE Confidence: 0.857960633125

 $00{:}07{:}25.641 \dashrightarrow 00{:}07{:}28.377$  step of an M RNA during its life cycle.

NOTE Confidence: 0.857960633125

 $00{:}07{:}28.380 \dashrightarrow 00{:}07{:}30.390$  And so many of these chemical

NOTE Confidence: 0.857960633125

 $00:07:30.390 \longrightarrow 00:07:31.395$  modifications are added,

NOTE Confidence: 0.857960633125

 $00:07:31.400 \longrightarrow 00:07:33.336$  sort of as the RNA is being made.

 $00:07:33.340 \longrightarrow 00:07:35.600$  Not all of them are, but many of them are.

NOTE Confidence: 0.857960633125

 $00:07:35.600 \longrightarrow 00:07:38.786$  And so the RNA modification machinery

NOTE Confidence: 0.857960633125

 $00:07:38.786 \longrightarrow 00:07:41.450$  will in fact interact with.

NOTE Confidence: 0.857960633125

 $00:07:41.450 \longrightarrow 00:07:42.586$  My cursor is frozen.

NOTE Confidence: 0.857960633125

 $00:07:42.586 \longrightarrow 00:07:43.926$  Well, actually interact with

NOTE Confidence: 0.857960633125

 $00{:}07{:}43.926 \dashrightarrow 00{:}07{:}45.334$  the transcription machinery as

NOTE Confidence: 0.857960633125

00:07:45.334 --> 00:07:47.049 the RNA is being made.

NOTE Confidence: 0.857960633125

 $00:07:47.050 \longrightarrow 00:07:47.840$  The RNA.

NOTE Confidence: 0.857960633125

 $00{:}07{:}47.840 --> 00{:}07{:}50.210$  Most MRA's carry a 5 prime

NOTE Confidence: 0.857960633125

 $00:07:50.210 \longrightarrow 00:07:52.936$  cap that is in fact derived of

NOTE Confidence: 0.857960633125

 $00{:}07{:}52.936 \dashrightarrow 00{:}07{:}54.828$  numerous modifications and then

NOTE Confidence: 0.857960633125

 $00:07:54.828 \longrightarrow 00:07:57.904$  every step along the way from

NOTE Confidence: 0.857960633125

00:07:57.904 --> 00:08:00.108 splicing to polyadenylation export,

NOTE Confidence: 0.857960633125

 $00{:}08{:}00.110 \dashrightarrow 00{:}08{:}01.970$  all of this sort of,

NOTE Confidence: 0.857960633125

00:08:01.970 --> 00:08:02.436 you know,

NOTE Confidence: 0.857960633125

 $00{:}08{:}02.436 \dashrightarrow 00{:}08{:}03.368$  modifications have been implicated

 $00:08:03.368 \longrightarrow 00:08:04.720$  in many of these processes.

NOTE Confidence: 0.857960633125

 $00:08:04.720 \longrightarrow 00:08:05.770$  They're exact functions.

NOTE Confidence: 0.857960633125

 $00:08:05.770 \longrightarrow 00:08:07.170$  We don't always know,

NOTE Confidence: 0.857960633125

 $00:08:07.170 \longrightarrow 00:08:09.550$  but we have sort of evidence to

NOTE Confidence: 0.857960633125

 $00{:}08{:}09.550 \dashrightarrow 00{:}08{:}10.968$  suggest that modifications can

NOTE Confidence: 0.857960633125

 $00:08:10.968 \longrightarrow 00:08:12.978$  regulate every step of this process.

NOTE Confidence: 0.857960633125

00:08:12.980 --> 00:08:15.720 Once an MRA gets exported,

NOTE Confidence: 0.857960633125

 $00{:}08{:}15.720 \dashrightarrow 00{:}08{:}17.800$  modifications can impact the

NOTE Confidence: 0.857960633125

 $00:08:17.800 \longrightarrow 00:08:19.880$  association with translation machinery.

NOTE Confidence: 0.857960633125

 $00{:}08{:}19.880 \dashrightarrow 00{:}08{:}22.309$  So the ribosome itself can in fact

NOTE Confidence: 0.857960633125

 $00:08:22.309 \longrightarrow 00:08:23.350$  detect sometimes modifications

NOTE Confidence: 0.857960633125

 $00:08:23.405 \longrightarrow 00:08:24.899$  out or in your start codons,

NOTE Confidence: 0.857960633125

 $00{:}08{:}24.900 \dashrightarrow 00{:}08{:}26.465$  and then something that's going

NOTE Confidence: 0.857960633125

 $00{:}08{:}26.465 \dashrightarrow 00{:}08{:}28.879$  to come up a few times today.

NOTE Confidence: 0.857960633125

 $00:08:28.880 \longrightarrow 00:08:30.372$  Our name modifications can

00:08:30.372 --> 00:08:32.237 also regulate M RNA decay.

NOTE Confidence: 0.857960633125

 $00:08:32.240 \longrightarrow 00:08:33.578$  And now this picture is actually

NOTE Confidence: 0.857960633125

00:08:33.578 --> 00:08:34.760 only focused really on M RNA.

NOTE Confidence: 0.857960633125

 $00:08:34.760 \longrightarrow 00:08:36.979$  It turns out really all RNA's are

NOTE Confidence: 0.857960633125

 $00:08:36.979 \longrightarrow 00:08:39.178$  modified really across all kingdoms of life,

NOTE Confidence: 0.857960633125

 $00:08:39.180 \longrightarrow 00:08:40.620$  but for the purposes of today,

NOTE Confidence: 0.857960633125

 $00:08:40.620 \longrightarrow 00:08:44.247$  we're mostly going to be focused on M RNA.

NOTE Confidence: 0.857960633125

 $00:08:44.250 \longrightarrow 00:08:46.007$  And so when you zoom in very,

NOTE Confidence: 0.857960633125

 $00:08:46.010 \longrightarrow 00:08:46.850$  very far down,

NOTE Confidence: 0.857960633125

 $00:08:46.850 \longrightarrow 00:08:48.810$  really at the sort of chemical level,

NOTE Confidence: 0.857960633125

 $00{:}08{:}48.810 \dashrightarrow 00{:}08{:}50.644$  really what's going on here is that,

NOTE Confidence: 0.857960633125

 $00:08:50.650 \longrightarrow 00:08:51.226$  you know,

NOTE Confidence: 0.857960633125

 $00:08:51.226 \longrightarrow 00:08:52.378$  these small little chemical

NOTE Confidence: 0.857960633125

 $00{:}08{:}52.378 \dashrightarrow 00{:}08{:}54.006$  moieties can in fact dramatically

NOTE Confidence: 0.857960633125

00:08:54.006 --> 00:08:55.678 change base pairing patterns.

NOTE Confidence: 0.857960633125

 $00:08:55.680 \longrightarrow 00:08:57.488$  And so just as an example at the

00:08:57.488 --> 00:08:59.132 top here I'm showing you an AU

NOTE Confidence: 0.857960633125

 $00:08:59.132 \longrightarrow 00:09:01.007$  base pair and a few examples of

NOTE Confidence: 0.857960633125

 $00:09:01.007 \dashrightarrow 00:09:02.375$  different modifications and how

NOTE Confidence: 0.857960633125

 $00:09:02.375 \longrightarrow 00:09:04.458$  they would sort of impact base

NOTE Confidence: 0.857960633125

 $00{:}09{:}04.458 \dashrightarrow 00{:}09{:}06.228$  pairing at the chemical level.

NOTE Confidence: 0.857960633125

 $00:09:06.230 \longrightarrow 00:09:09.282$  And so the addition of a methylation

NOTE Confidence: 0.857960633125

00:09:09.282 --> 00:09:12.430 group here an N6 methyl adenosine,

NOTE Confidence: 0.857960633125

 $00:09:12.430 \longrightarrow 00:09:14.822$  which is abbreviated M6A.

NOTE Confidence: 0.857960633125

 $00{:}09{:}14.822 \dashrightarrow 00{:}09{:}18.410$  Can slightly destabilize this base pair.

NOTE Confidence: 0.857960633125

 $00:09:18.410 \longrightarrow 00:09:20.205$  If you actually shift that

NOTE Confidence: 0.857960633125

00:09:20.205 --> 00:09:22.330 methylation group over just a bit,

NOTE Confidence: 0.857960633125

 $00:09:22.330 \longrightarrow 00:09:24.255$  you actually get something that

NOTE Confidence: 0.857960633125

 $00{:}09{:}24.255 \dashrightarrow 00{:}09{:}25.795$  completely impedes base pairing

NOTE Confidence: 0.857960633125

 $00:09:25.795 \longrightarrow 00:09:27.689$  altogether and then so on and so forth.

NOTE Confidence: 0.857960633125

 $00:09:27.690 \longrightarrow 00:09:29.178$  You can imagine that as you

00:09:29.178 --> 00:09:30.170 increase the chemical diversity,

NOTE Confidence: 0.857960633125

 $00{:}09{:}30.170 \dashrightarrow 00{:}09{:}32.414$  you can really impact on RNA

NOTE Confidence: 0.857960633125

 $00:09:32.414 \longrightarrow 00:09:34.308$  base pairing and structure and

NOTE Confidence: 0.857960633125

 $00:09:34.308 \longrightarrow 00:09:36.288$  a really wide variety of ways.

NOTE Confidence: 0.857960633125

 $00:09:36.290 \longrightarrow 00:09:37.907$  But at the sort of functional level,

NOTE Confidence: 0.857960633125

 $00:09:37.910 \longrightarrow 00:09:39.308$  zooming back out a little bit,

NOTE Confidence: 0.857960633125

 $00:09:39.310 \longrightarrow 00:09:40.980$  what does this really mean?

NOTE Confidence: 0.857960633125

 $00{:}09{:}40.980 \dashrightarrow 00{:}09{:}43.716$  And So what do these modifications

NOTE Confidence: 0.857960633125

 $00:09:43.716 \longrightarrow 00:09:44.628$  actually do?

NOTE Confidence: 0.857960633125

 $00:09:44.630 \longrightarrow 00:09:46.460$  So we're going to focus mostly

NOTE Confidence: 0.857960633125

 $00{:}09{:}46.460 \dashrightarrow 00{:}09{:}48.205$ today on one RNA methylation

NOTE Confidence: 0.857960633125

00:09:48.205 --> 00:09:50.480 mark and six methyl adenosine,

NOTE Confidence: 0.857960633125

 $00:09:50.480 \longrightarrow 00:09:53.008$  which I'm showing on the top left here.

NOTE Confidence: 0.857960633125

 $00{:}09{:}53.010 \dashrightarrow 00{:}09{:}54.102$  And it's a great example for

NOTE Confidence: 0.857960633125

 $00:09:54.102 \longrightarrow 00:09:54.830$  a lot of reasons,

NOTE Confidence: 0.857960633125

 $00:09:54.830 \longrightarrow 00:09:57.142$  but one of them is that we can

00:09:57.142 --> 00:09:58.945 actually ascribe some very specific

NOTE Confidence: 0.857960633125

00:09:58.945 --> 00:10:00.493 M RNA regulatory mechanisms

NOTE Confidence: 0.857960633125

 $00:10:00.493 \longrightarrow 00:10:02.030$  to this specific mark.

NOTE Confidence: 0.857960633125

 $00:10:02.030 \longrightarrow 00:10:03.805$  So this methylation Mark is

NOTE Confidence: 0.857960633125

 $00:10:03.805 \longrightarrow 00:10:05.580$  installed by a complex of

NOTE Confidence: 0.822163327333333

 $00:10:05.655 \longrightarrow 00:10:07.800$  a methyl transferase complex that

NOTE Confidence: 0.822163327333333

 $00:10:07.800 \longrightarrow 00:10:09.945$  contains metal three and metal

NOTE Confidence: 0.822163327333333

 $00{:}10{:}10.018 \dashrightarrow 00{:}10{:}12.601$  14 proteins as well as some other

NOTE Confidence: 0.822163327333333

 $00{:}10{:}12.601 \dashrightarrow 00{:}10{:}15.670$  accessory factors and it can be removed.

NOTE Confidence: 0.822163327333333

00:10:15.670 --> 00:10:17.140 By demethylase SES.

NOTE Confidence: 0.822163327333333

 $00{:}10{:}17.140 \dashrightarrow 00{:}10{:}18.477$  Two of which I'm showing you here,

NOTE Confidence: 0.822163327333333

00:10:18.480 --> 00:10:20.555 called FTO&L PH-5, essentially making

NOTE Confidence: 0.822163327333333

 $00{:}10{:}20.555 \dashrightarrow 00{:}10{:}23.230$  this sort of a reversible process.

NOTE Confidence: 0.822163327333333

 $00:10:23.230 \longrightarrow 00:10:24.436$  You can add a methylation mark,

NOTE Confidence: 0.822163327333333

 $00:10:24.440 \longrightarrow 00:10:27.464$  you can remove it back and forth.

 $00:10:27.470 \longrightarrow 00:10:29.225$  But the consequences of of

NOTE Confidence: 0.822163327333333

 $00{:}10{:}29.225 \dashrightarrow 00{:}10{:}30.278$  this particular methylation,

NOTE Confidence: 0.822163327333333

 $00:10:30.280 \longrightarrow 00:10:32.044$  particularly near the three prime end

NOTE Confidence: 0.822163327333333

 $00:10:32.044 \longrightarrow 00:10:34.243$  of M RNA's is is really interesting

NOTE Confidence: 0.822163327333333

 $00:10:34.243 \longrightarrow 00:10:36.497$  because in fact that mark alone is

NOTE Confidence: 0.822163327333333

 $00:10:36.563 \longrightarrow 00:10:38.807$  sufficient to sort of recruit the

NOTE Confidence: 0.822163327333333

 $00:10:38.807 \longrightarrow 00:10:41.210$  adenylation and decay machinery to M RNA's.

NOTE Confidence: 0.822163327333333

 $00:10:41.210 \longrightarrow 00:10:43.010$  And so essentially what happens is

NOTE Confidence: 0.822163327333333

 $00:10:43.010 \longrightarrow 00:10:45.633$  the this methyl mark is specifically

NOTE Confidence: 0.822163327333333

00:10:45.633 --> 00:10:47.888 recognized by multiple different proteins,

NOTE Confidence: 0.822163327333333

 $00{:}10{:}47.890 \dashrightarrow 00{:}10{:}50.098$  but in many cases this protein

NOTE Confidence: 0.822163327333333

 $00:10:50.098 \longrightarrow 00:10:51.616$  called YTHD F2.

NOTE Confidence: 0.822163327333333

00:10:51.616 --> 00:10:53.908 And in that process,

NOTE Confidence: 0.822163327333333

00:10:53.910 --> 00:10:56.418 YTHD F2 then recruits the DND

NOTE Confidence: 0.822163327333333

00:10:56.418 --> 00:10:58.090 adenylation and decay complex,

NOTE Confidence: 0.822163327333333

 $00{:}10{:}58.090 \dashrightarrow 00{:}10{:}59.334$  which effectively means that

 $00:10:59.334 \longrightarrow 00:11:01.200$  this M RNA is destabilized not

NOTE Confidence: 0.822163327333333

00:11:01.256 --> 00:11:03.046 necessarily at the chemical level,

NOTE Confidence: 0.822163327333333

00:11:03.050 --> 00:11:05.774 but because the actual decay machinery

NOTE Confidence: 0.822163327333333

 $00:11:05.774 \longrightarrow 00:11:08.238$  is getting actively recruited to this

NOTE Confidence: 0.822163327333333

 $00:11:08.238 \longrightarrow 00:11:10.534$  M RNA to decay it more quickly than

NOTE Confidence: 0.822163327333333

 $00:11:10.606 \longrightarrow 00:11:12.874$  it would if it was not methylated.

NOTE Confidence: 0.822163327333333

00:11:12.880 --> 00:11:13.999 And so this,

NOTE Confidence: 0.822163327333333

00:11:13.999 --> 00:11:15.118 it turns out,

NOTE Confidence: 0.822163327333333

 $00:11:15.120 \longrightarrow 00:11:17.880$  can then coordinate with other modifications.

NOTE Confidence: 0.822163327333333

 $00:11:17.880 \longrightarrow 00:11:20.360$  So what I'm showing you here is an

NOTE Confidence: 0.822163327333333

 $00:11:20.360 \longrightarrow 00:11:22.079$  example actually from development.

NOTE Confidence: 0.822163327333333

 $00:11:22.080 \longrightarrow 00:11:23.768$  This is for those of you that are

NOTE Confidence: 0.822163327333333

 $00{:}11{:}23.768 \dashrightarrow 00{:}11{:}25.230$  interested in developmental biology,

NOTE Confidence: 0.822163327333333

 $00:11:25.230 \longrightarrow 00:11:27.166$  the maternal zygotic transition

NOTE Confidence: 0.822163327333333

00:11:27.166 --> 00:11:28.618 and zebrafish development.

 $00:11:28.620 \longrightarrow 00:11:30.906$  But really this is applicable to

NOTE Confidence: 0.822163327333333

 $00{:}11{:}30.906 \dashrightarrow 00{:}11{:}32.840$  many other situations as well.

NOTE Confidence: 0.822163327333333

 $00:11:32.840 \longrightarrow 00:11:35.130$  And So what can happen is you can have for

NOTE Confidence: 0.822163327333333

00:11:35.187 --> 00:11:37.363 instance in this case a subset of genes,

NOTE Confidence: 0.822163327333333

 $00:11:37.370 \longrightarrow 00:11:39.687$  in this case the the maternal genes

NOTE Confidence: 0.822163327333333

 $00:11:39.687 \longrightarrow 00:11:41.950$  that are marked by this M6A mark.

NOTE Confidence: 0.822163327333333

 $00:11:41.950 \longrightarrow 00:11:44.200$  That decay machineries and recruited at

NOTE Confidence: 0.822163327333333

00:11:44.200 --> 00:11:46.220 the appropriate time and development,

NOTE Confidence: 0.822163327333333

00:11:46.220 --> 00:11:48.719 causing a drop in the maternal the

NOTE Confidence: 0.822163327333333

 $00:11:48.719 \longrightarrow 00:11:51.580$  levels of these maternal transcripts at

NOTE Confidence: 0.822163327333333

 $00{:}11{:}51.580 \dashrightarrow 00{:}11{:}53.820$  the time at which the zygotic genes are

NOTE Confidence: 0.822163327333333

 $00:11:53.820 \longrightarrow 00:11:56.537$  the ones that are supposed to be activated.

NOTE Confidence: 0.822163327333333

00:11:56.540 --> 00:11:58.660 So to facilitate this transition,

NOTE Confidence: 0.822163327333333

 $00:11:58.660 \longrightarrow 00:12:00.495$  essentially maternal genes are being

NOTE Confidence: 0.822163327333333

 $00:12:00.495 \longrightarrow 00:12:02.980$  decayed by the presence of this mark.

NOTE Confidence: 0.822163327333333

 $00:12:02.980 \longrightarrow 00:12:04.882$  But there's a subset of transcripts

 $00:12:04.882 \longrightarrow 00:12:06.586$  in this context that actually

NOTE Confidence: 0.822163327333333

 $00:12:06.586 \longrightarrow 00:12:08.481$  need to be maintained and

NOTE Confidence: 0.822163327333333

 $00:12:08.481 \longrightarrow 00:12:09.997$  stabilized through this process,

NOTE Confidence: 0.822163327333333

 $00:12:10.000 \longrightarrow 00:12:13.037$  and it turns out that these the subset of.

NOTE Confidence: 0.822163327333333

 $00:12:13.037 \longrightarrow 00:12:14.233$  Transcripts is actually marked

NOTE Confidence: 0.822163327333333

 $00:12:14.233 \longrightarrow 00:12:15.830$  by a different modification,

NOTE Confidence: 0.822163327333333

 $00:12:15.830 \longrightarrow 00:12:18.026$  in this case 5 methyl cytidine.

NOTE Confidence: 0.822163327333333

 $00{:}12{:}18.030 \dashrightarrow 00{:}12{:}20.510$  And in this case in fact the modification

NOTE Confidence: 0.822163327333333

00:12:20.510 --> 00:12:22.517 is recruiting a different set of

NOTE Confidence: 0.822163327333333

 $00:12:22.517 \longrightarrow 00:12:24.177$  machinery that is preventing these

NOTE Confidence: 0.822163327333333

 $00:12:24.177 \longrightarrow 00:12:25.969$  these transcripts from being decayed

NOTE Confidence: 0.822163327333333

 $00:12:25.969 \longrightarrow 00:12:28.487$  and allowing for sort of longer half

NOTE Confidence: 0.822163327333333

 $00:12:28.487 \longrightarrow 00:12:30.989$  lives and stability of those transcripts

NOTE Confidence: 0.822163327333333

 $00:12:30.989 \longrightarrow 00:12:32.940$  through this developmental transition.

NOTE Confidence: 0.822163327333333 00:12:32.940 --> 00:12:33.260 Now,

 $00:12:33.260 \longrightarrow 00:12:35.180$  it's important to note actually that

NOTE Confidence: 0.822163327333333

 $00{:}12{:}35.180 \dashrightarrow 00{:}12{:}37.532$  we have arrived at this sort of

NOTE Confidence: 0.822163327333333

 $00:12:37.532 \longrightarrow 00:12:39.192$  very simplified picture by numerous

NOTE Confidence: 0.822163327333333

00:12:39.192 --> 00:12:41.097 studies in many different contexts,

NOTE Confidence: 0.822163327333333

 $00:12:41.100 \longrightarrow 00:12:42.732$  all studying different modifications

NOTE Confidence: 0.822163327333333

 $00:12:42.732 \longrightarrow 00:12:43.956$  on their own,

NOTE Confidence: 0.822163327333333

 $00:12:43.960 \longrightarrow 00:12:44.334$  separately.

NOTE Confidence: 0.822163327333333

 $00:12:44.334 \longrightarrow 00:12:46.952$  So we have sort of synthesized this

NOTE Confidence: 0.822163327333333

 $00:12:46.952 \longrightarrow 00:12:48.503$  information together to postulate

NOTE Confidence: 0.822163327333333

00:12:48.503 --> 00:12:50.717 a model whereby you could have

NOTE Confidence: 0.822163327333333

 $00{:}12{:}50.717 \dashrightarrow 00{:}12{:}51.860$  different modifications coordinating

NOTE Confidence: 0.822163327333333

 $00:12:51.860 \longrightarrow 00:12:53.936$  these events all in one system.

NOTE Confidence: 0.822163327333333

00:12:53.940 --> 00:12:56.164 But I will point out that we actually

NOTE Confidence: 0.822163327333333

 $00:12:56.164 \longrightarrow 00:12:58.234$  don't have the power for the most

NOTE Confidence: 0.822163327333333

00:12:58.234 --> 00:13:00.223 part yet to actually detect all of

NOTE Confidence: 0.822163327333333

 $00{:}13{:}00.223 \dashrightarrow 00{:}13{:}02.388$  this sort of in real time, you know,

 $00:13:02.388 \longrightarrow 00:13:03.480$  with multiple modifications.

NOTE Confidence: 0.822163327333333 00:13:03.480 --> 00:13:03.998 At once. NOTE Confidence: 0.822163327333333

00:13:03.998 --> 00:13:06.070 But you can imagine that this kind of

NOTE Confidence: 0.860175690952381

00:13:06.127 --> 00:13:08.221 decay mechanism would not only be

NOTE Confidence: 0.860175690952381

 $00:13:08.221 \longrightarrow 00:13:10.350$  important for something like development,

NOTE Confidence: 0.860175690952381

 $00:13:10.350 \longrightarrow 00:13:12.630$  but also in cases of disease.

NOTE Confidence: 0.860175690952381

 $00:13:12.630 \longrightarrow 00:13:15.406$  And so as soon as this sort of

NOTE Confidence: 0.860175690952381

 $00{:}13{:}15.406 \dashrightarrow 00{:}13{:}17.310$  decay mechanism was discovered,

NOTE Confidence: 0.860175690952381

 $00:13:17.310 \longrightarrow 00:13:20.126$  we had an explosion of work in many,

NOTE Confidence: 0.860175690952381

 $00:13:20.130 \longrightarrow 00:13:22.430$  many different areas, but particularly

NOTE Confidence: 0.860175690952381

 $00:13:22.430 \longrightarrow 00:13:25.539$  in various sort of forms of cancer.

NOTE Confidence: 0.860175690952381

 $00:13:25.540 \longrightarrow 00:13:27.444$  And so I'm showing you just a subset

NOTE Confidence: 0.860175690952381

 $00:13:27.444 \longrightarrow 00:13:29.340$  of papers here, most of them not mine,

NOTE Confidence: 0.860175690952381

00:13:29.340 --> 00:13:31.473 but one of them is and I will sort

NOTE Confidence: 0.860175690952381

 $00:13:31.473 \longrightarrow 00:13:33.711$  of use that as an example, but.

00:13:33.711 --> 00:13:35.555 Essentially by studying these

NOTE Confidence: 0.860175690952381

 $00{:}13{:}35.555 \dashrightarrow 00{:}13{:}36.938$  different modifications in

NOTE Confidence: 0.860175690952381

 $00:13:36.938 \longrightarrow 00:13:38.839$  multiple different types of cancer,

NOTE Confidence: 0.860175690952381

 $00:13:38.840 \longrightarrow 00:13:40.888$  it was sort of realized that it might

NOTE Confidence: 0.860175690952381

 $00:13:40.888 \longrightarrow 00:13:43.321$  be that these modifications are also

NOTE Confidence: 0.860175690952381

 $00:13:43.321 \longrightarrow 00:13:45.185$  regulating transcript stability of

NOTE Confidence: 0.860175690952381

 $00:13:45.185 \longrightarrow 00:13:47.258$  critical oncogenic or tumor suppressor

NOTE Confidence: 0.860175690952381

 $00:13:47.258 \longrightarrow 00:13:49.418$  transcripts in the context of cancer.

NOTE Confidence: 0.860175690952381

00:13:49.420 --> 00:13:51.680 And So what I'm going to do today is sort

NOTE Confidence: 0.860175690952381

 $00:13:51.740 \longrightarrow 00:13:54.053$  of use one of these studies as an example,

NOTE Confidence: 0.860175690952381

 $00:13:54.060 \longrightarrow 00:13:55.086$  this one here,

NOTE Confidence: 0.860175690952381

00:13:55.086 --> 00:13:57.138 which is actually done in AML,

NOTE Confidence: 0.860175690952381

00:13:57.140 --> 00:13:58.790 but for reasons that hopefully

NOTE Confidence: 0.860175690952381

 $00:13:58.790 \longrightarrow 00:14:00.778$  will become clear are sort of

NOTE Confidence: 0.860175690952381

00:14:00.778 --> 00:14:02.600 relevant to some of the brain cancer

NOTE Confidence: 0.860175690952381

 $00:14:02.600 \longrightarrow 00:14:04.359$  work we're hoping to do as well.

 $00:14:04.360 \longrightarrow 00:14:06.068$  But really this is just sort of

NOTE Confidence: 0.860175690952381

 $00{:}14{:}06.068 \mathrel{--}{>} 00{:}14{:}07.942$  to give you a snapshot of sort

NOTE Confidence: 0.860175690952381

 $00:14:07.942 \longrightarrow 00:14:09.297$  of what we have learned,

NOTE Confidence: 0.860175690952381

 $00:14:09.300 \longrightarrow 00:14:10.815$  but also the significant limitations

NOTE Confidence: 0.860175690952381

 $00:14:10.815 \longrightarrow 00:14:12.909$  that we still encounter in this field.

NOTE Confidence: 0.910400546

 $00:14:15.090 \longrightarrow 00:14:16.790$  And so this story started,

NOTE Confidence: 0.910400546

 $00:14:16.790 \longrightarrow 00:14:19.250$  this is a collaborative effort.

NOTE Confidence: 0.910400546

 $00:14:19.250 \longrightarrow 00:14:21.545$  I was sort of, I was a postdoc in

NOTE Confidence: 0.910400546

00:14:21.545 --> 00:14:23.898 Juan he's lab and John Jin Chen was

NOTE Confidence: 0.910400546

00:14:23.898 --> 00:14:26.088 working on a big project essentially

NOTE Confidence: 0.910400546

00:14:26.088 --> 00:14:28.173 trying to characterize the roles

NOTE Confidence: 0.910400546

00:14:28.173 --> 00:14:30.618 of N6 methyl adenosine in AML.

NOTE Confidence: 0.910400546

 $00{:}14{:}30.618 \dashrightarrow 00{:}14{:}34.174$  And they stumbled on sort of a really

NOTE Confidence: 0.910400546

 $00:14:34.174 \longrightarrow 00:14:36.298$  interesting observation with respect

NOTE Confidence: 0.910400546

00:14:36.298 --> 00:14:38.960 to R2 HYDROXYBUTYRATE or R2 HG,

 $00:14:38.960 \longrightarrow 00:14:41.053$  which at the time was sort of

NOTE Confidence: 0.910400546

 $00:14:41.053 \longrightarrow 00:14:43.408$  thought to be an uncle metabolite.

NOTE Confidence: 0.910400546

 $00:14:43.410 \longrightarrow 00:14:44.698$  And that was, there was sort of

NOTE Confidence: 0.910400546

 $00:14:44.698 \longrightarrow 00:14:45.990$  various lines of evidence for this.

NOTE Confidence: 0.910400546

 $00:14:45.990 \longrightarrow 00:14:48.881$  But essentially there was sort of a

NOTE Confidence: 0.910400546

00:14:48.881 --> 00:14:51.075 long history of of this metabolite

NOTE Confidence: 0.910400546

 $00:14:51.075 \longrightarrow 00:14:52.905$  being described as an Aqua metabolite.

NOTE Confidence: 0.910400546

 $00{:}14{:}52.910 \dashrightarrow 00{:}14{:}55.059$  But there were some sort of weird

NOTE Confidence: 0.910400546

 $00:14:55.059 \longrightarrow 00:14:57.264$  results that I'll get into that sort

NOTE Confidence: 0.910400546

 $00:14:57.264 \longrightarrow 00:14:59.290$  of suggested that that might not be

NOTE Confidence: 0.910400546

 $00:14:59.290 \longrightarrow 00:15:01.789$  the case in every in every situation.

NOTE Confidence: 0.910400546

 $00:15:01.790 \longrightarrow 00:15:04.250$  And so this metabolite is actually

NOTE Confidence: 0.910400546

 $00:15:04.250 \longrightarrow 00:15:06.575$  derived from a mutant form

NOTE Confidence: 0.910400546

00:15:06.575 --> 00:15:08.390 of isocitrate dehydrogenase.

NOTE Confidence: 0.910400546

 $00:15:08.390 \longrightarrow 00:15:11.374$  And so I DH isn't the enzyme that's

NOTE Confidence: 0.910400546

 $00:15:11.374 \longrightarrow 00:15:13.950$  responsible for transforming isocitrate.

00:15:13.950 --> 00:15:14.907 To Alpha Ketoglutarate,

NOTE Confidence: 0.910400546

 $00:15:14.907 \longrightarrow 00:15:16.821$  which is a critical factor for

NOTE Confidence: 0.910400546

00:15:16.821 --> 00:15:18.438 many many different enzymes,

NOTE Confidence: 0.910400546

00:15:18.440 --> 00:15:19.850 including RNA modification

NOTE Confidence: 0.910400546

 $00:15:19.850 \longrightarrow 00:15:21.730$  enzymes in the cell.

NOTE Confidence: 0.910400546

 $00:15:21.730 \longrightarrow 00:15:24.030$  But it turns out that

NOTE Confidence: 0.910400546

 $00:15:24.030 \longrightarrow 00:15:25.410$  with specific mutations,

NOTE Confidence: 0.910400546

 $00:15:25.410 \longrightarrow 00:15:26.649$  as many of you might be aware,

NOTE Confidence: 0.910400546

 $00:15:26.650 \longrightarrow 00:15:29.234$  I DH can generate sort of a different

NOTE Confidence: 0.910400546

 $00:15:29.234 \longrightarrow 00:15:31.729$  a different form of this molecule card,

NOTE Confidence: 0.910400546

 $00{:}15{:}31.730 \dashrightarrow 00{:}15{:}35.426$  excuse me, called R2 hydroxy glutarate.

NOTE Confidence: 0.910400546

 $00:15:35.430 \longrightarrow 00:15:38.418$  So it turns out that this

NOTE Confidence: 0.910400546

 $00{:}15{:}38.418 \dashrightarrow 00{:}15{:}41.630$  particular form of this metabolite,

NOTE Confidence: 0.910400546

 $00{:}15{:}41.630 \dashrightarrow 00{:}15{:}44.255$  R2 HD can in fact compete with

NOTE Confidence: 0.910400546

 $00:15:44.255 \longrightarrow 00:15:46.538$  alpha ketoglutarate at many of the

00:15:46.538 --> 00:15:48.704 sort of enzyme sites that require

NOTE Confidence: 0.910400546

 $00{:}15{:}48.704 \dashrightarrow 00{:}15{:}51.049$  alpha ketoglutarate for activity.

NOTE Confidence: 0.910400546

 $00:15:51.050 \longrightarrow 00:15:53.565$  This includes cofactors for many

NOTE Confidence: 0.910400546

 $00:15:53.565 \longrightarrow 00:15:55.577$  different enzymes including histone

NOTE Confidence: 0.910400546

00:15:55.577 --> 00:15:57.828 DNA and RNA demethylase hes,

NOTE Confidence: 0.910400546

 $00:15:57.830 \longrightarrow 00:15:59.288$  which, you know,

NOTE Confidence: 0.910400546

00:15:59.288 --> 00:16:01.734 if you've encountered any sort of

NOTE Confidence: 0.910400546

 $00:16:01.734 \longrightarrow 00:16:03.374$  gene expression analysis of cancers,

NOTE Confidence: 0.910400546

 $00:16:03.380 \longrightarrow 00:16:05.980$  we know that many of these are dysregulated.

NOTE Confidence: 0.910400546

 $00:16:05.980 \longrightarrow 00:16:08.510$  And in many different cancers.

NOTE Confidence: 0.910400546

 $00:16:08.510 \longrightarrow 00:16:10.410$  And so sort of combined,

NOTE Confidence: 0.910400546

 $00:16:10.410 \longrightarrow 00:16:12.797$  we can sort of imagine a scenario

NOTE Confidence: 0.910400546

00:16:12.797 --> 00:16:14.680 where the presence of suddenly,

NOTE Confidence: 0.910400546

 $00{:}16{:}14.680 --> 00{:}16{:}15.234 \ \mathrm{you} \ \mathrm{know},$ 

NOTE Confidence: 0.910400546

00:16:15.234 --> 00:16:17.173 a much higher level of this metabolite

NOTE Confidence: 0.910400546

00:16:17.173 --> 00:16:19.331 R2 HG could significantly impact gene

 $00:16:19.331 \longrightarrow 00:16:21.502$  expression patterns based on the fact

NOTE Confidence: 0.910400546

 $00:16:21.502 \longrightarrow 00:16:23.518$  that it would sort of compete with

NOTE Confidence: 0.910400546

 $00:16:23.518 \longrightarrow 00:16:25.423$  these enzymes that are modulating

NOTE Confidence: 0.910400546

 $00:16:25.423 \longrightarrow 00:16:27.628$  all of these different groups.

NOTE Confidence: 0.910400546

 $00:16:27.630 \longrightarrow 00:16:29.800$  And so it was interesting about this

NOTE Confidence: 0.910400546

 $00{:}16{:}29.800 \dashrightarrow 00{:}16{:}31.518$  particular study and when they sort

NOTE Confidence: 0.910400546

 $00:16:31.518 \longrightarrow 00:16:33.561$  of like roped myself and a few other

NOTE Confidence: 0.910400546

 $00:16:33.561 \longrightarrow 00:16:35.737$  people in my postdoc lab and on this

NOTE Confidence: 0.910400546

 $00:16:35.737 \longrightarrow 00:16:37.795$  project was the sort of interesting

NOTE Confidence: 0.910400546

00:16:37.795 --> 00:16:39.580 observation that when they just

NOTE Confidence: 0.910400546

 $00:16:39.650 \longrightarrow 00:16:41.526$  took a panel of AML cell lines.

NOTE Confidence: 0.910400546

 $00:16:41.530 \longrightarrow 00:16:43.432$  So these are grown in dishes

NOTE Confidence: 0.910400546

 $00:16:43.432 \longrightarrow 00:16:45.040$  and culture in the lab.

NOTE Confidence: 0.910400546

 $00:16:45.040 \longrightarrow 00:16:47.476$  There was a pretty striking difference

NOTE Confidence: 0.910400546

 $00:16:47.476 \longrightarrow 00:16:49.945$  in how sensitive they were to

 $00:16:49.945 \longrightarrow 00:16:51.880$  the presence of this metabolite.

NOTE Confidence: 0.910400546

 $00{:}16{:}51.880 \dashrightarrow 00{:}16{:}53.608$  And so there was actually a

NOTE Confidence: 0.910400546

 $00:16:53.608 \longrightarrow 00:16:55.402$  panel of about maybe three times

NOTE Confidence: 0.910400546

 $00:16:55.402 \longrightarrow 00:16:56.857$  the size in the paper.

NOTE Confidence: 0.910400546

00:16:56.860 --> 00:16:58.150 And because this is published,

NOTE Confidence: 0.910400546

00:16:58.150 --> 00:16:58.966 I'm not going to go through

NOTE Confidence: 0.910400546

 $00:16:58.966 \longrightarrow 00:16:59.700$  sort of all the data,

NOTE Confidence: 0.910400546

00:16:59.700 --> 00:17:01.079 but I'm going to try to give

NOTE Confidence: 0.910400546

 $00{:}17{:}01.079 --> 00{:}17{:}02.660$  you sort of the snapshots to

NOTE Confidence: 0.910400546

 $00:17:02.660 \longrightarrow 00:17:04.460$  sort of give you the idea.

NOTE Confidence: 0.910400546

 $00:17:04.460 \longrightarrow 00:17:07.554$  So in just this subset of cells,

NOTE Confidence: 0.910400546

 $00:17:07.560 \longrightarrow 00:17:10.339$  we can see that there is quite

NOTE Confidence: 0.910400546

 $00{:}17{:}10.339 \dashrightarrow 00{:}17{:}12.745$  a few that are sensitive in the

NOTE Confidence: 0.910400546

 $00:17:12.745 \longrightarrow 00:17:14.670$  sense that the size of the circle

NOTE Confidence: 0.887607190909091

 $00:17:14.729 \longrightarrow 00:17:16.482$  means. How many cells are still viable

NOTE Confidence: 0.887607190909091

 $00:17:16.482 \longrightarrow 00:17:18.950$  and so at an early time point which is in

 $00:17:18.950 \longrightarrow 00:17:21.329$  Gray you can see all the cells are viable.

NOTE Confidence: 0.887607190909091

 $00{:}17{:}21.330 \dashrightarrow 00{:}17{:}23.162$  But when you treat with R2 HG the

NOTE Confidence: 0.887607190909091

 $00:17:23.162 \longrightarrow 00:17:24.449$  the different colors are different

NOTE Confidence: 0.887607190909091

 $00:17:24.449 \longrightarrow 00:17:26.255$  time points and you can see that

NOTE Confidence: 0.887607190909091

 $00:17:26.313 \longrightarrow 00:17:28.155$  dramatically the circle gets really small

NOTE Confidence: 0.887607190909091

00:17:28.155 --> 00:17:30.010 really quickly and so this suggests

NOTE Confidence: 0.887607190909091

 $00:17:30.010 \longrightarrow 00:17:32.490$  a cell line that when you add this

NOTE Confidence: 0.887607190909091

 $00{:}17{:}32.555 \dashrightarrow 00{:}17{:}34.879$  uncle metabolite a lot of cells die.

NOTE Confidence: 0.887607190909091

 $00:17:34.880 \longrightarrow 00:17:36.000$  But on the flip side,

NOTE Confidence: 0.887607190909091

00:17:36.000 --> 00:17:37.624 you can see in the bottom row here

NOTE Confidence: 0.887607190909091

 $00{:}17{:}37.624 \dashrightarrow 00{:}17{:}39.291$  that there are actually quite a few

NOTE Confidence: 0.887607190909091

 $00:17:39.291 \longrightarrow 00:17:40.919$  that are also quite resistant to this.

NOTE Confidence: 0.887607190909091

 $00:17:40.920 \longrightarrow 00:17:42.894$  So despite using the same time course,

NOTE Confidence: 0.887607190909091

00:17:42.900 --> 00:17:45.010 the same dosing we have, you know,

NOTE Confidence: 0.887607190909091

 $00:17:45.010 \longrightarrow 00:17:46.060$  different cell lines that have

 $00:17:46.060 \longrightarrow 00:17:47.120$  ostensibly are the same thing,

NOTE Confidence: 0.887607190909091

 $00:17:47.120 \longrightarrow 00:17:49.336$  but of course we know that they're not.

NOTE Confidence: 0.887607190909091

 $00:17:49.340 \longrightarrow 00:17:50.628$  They're responding quite differently

NOTE Confidence: 0.887607190909091

 $00:17:50.628 \longrightarrow 00:17:52.560$  to the presence of this metabolite.

NOTE Confidence: 0.887607190909091

 $00:17:52.560 \longrightarrow 00:17:54.569$  And so this sort of started us

NOTE Confidence: 0.887607190909091

 $00{:}17{:}54.569 \dashrightarrow 00{:}17{:}57.164$  off on a quest to sort of figure

NOTE Confidence: 0.887607190909091

 $00:17:57.164 \longrightarrow 00:17:59.270$  out why that might be true.

NOTE Confidence: 0.887607190909091

00:17:59.270 --> 00:18:00.702 And through this process,

NOTE Confidence: 0.887607190909091

 $00:18:00.702 \longrightarrow 00:18:03.359$  the Chen Lab noticed that one of

NOTE Confidence: 0.887607190909091

 $00:18:03.359 \longrightarrow 00:18:05.544$  the enzymes that was particularly

NOTE Confidence: 0.887607190909091

 $00{:}18{:}05.544 \dashrightarrow 00{:}18{:}07.748$  disregulated across cell lines that

NOTE Confidence: 0.887607190909091

 $00:18:07.748 \longrightarrow 00:18:10.094$  were sort of sensitive and resistant

NOTE Confidence: 0.887607190909091

00:18:10.094 --> 00:18:12.598 to this metabolite was this enzyme FTO,

NOTE Confidence: 0.887607190909091

 $00:18:12.598 \longrightarrow 00:18:15.436$  which you might recall was one of the

NOTE Confidence: 0.887607190909091

 $00:18:15.436 \longrightarrow 00:18:17.386$  demethylase hes that I highlighted.

NOTE Confidence: 0.887607190909091

00:18:17.390 --> 00:18:20.478 So FTO removes the M6A mark from many

 $00:18:20.478 \longrightarrow 00:18:23.414$  different M RNA's and the sort of

NOTE Confidence: 0.887607190909091

 $00:18:23.414 \longrightarrow 00:18:26.291$  predicted outcome of this would be that

NOTE Confidence: 0.887607190909091

00:18:26.291 --> 00:18:29.154 you would have more M6A left on transcripts.

NOTE Confidence: 0.887607190909091

00:18:29.154 --> 00:18:30.598 Because you've sort of

NOTE Confidence: 0.887607190909091

 $00:18:30.598 \longrightarrow 00:18:32.100$  inhibited the demethylase.

NOTE Confidence: 0.887607190909091

 $00:18:32.100 \longrightarrow 00:18:34.220$  So that's a relatively simple thing to test.

NOTE Confidence: 0.887607190909091

 $00:18:34.220 \longrightarrow 00:18:36.452$  And so we can measure these

NOTE Confidence: 0.887607190909091

 $00{:}18{:}36.452 \dashrightarrow 00{:}18{:}38.360$  modifications by various different means.

NOTE Confidence: 0.887607190909091

 $00:18:38.360 \longrightarrow 00:18:39.851$  The data I'll show you is a

NOTE Confidence: 0.887607190909091

 $00:18:39.851 \longrightarrow 00:18:41.140$  mass spec based measurement,

NOTE Confidence: 0.887607190909091

 $00:18:41.140 \longrightarrow 00:18:44.230$  but we did this by by other means as well.

NOTE Confidence: 0.887607190909091

 $00:18:44.230 \longrightarrow 00:18:46.666$  And so when you measure the

NOTE Confidence: 0.887607190909091

 $00{:}18{:}46.666 \dashrightarrow 00{:}18{:}48.830$  levels of this M6A modification,

NOTE Confidence: 0.887607190909091

 $00:18:48.830 \longrightarrow 00:18:50.710$  we always normalize relative

NOTE Confidence: 0.887607190909091

 $00:18:50.710 \longrightarrow 00:18:52.590$  to the unmodified a.

 $00:18:52.590 \longrightarrow 00:18:54.654$  So that's sort of what this

NOTE Confidence: 0.887607190909091

 $00:18:54.654 \longrightarrow 00:18:57.099$  ratio here on the Y axis shows,

NOTE Confidence: 0.887607190909091

 $00:18:57.100 \longrightarrow 00:18:59.584$  can see that when you treat

NOTE Confidence: 0.887607190909091

00:18:59.584 --> 00:19:01.810 with drug for sensitive lines,

NOTE Confidence: 0.887607190909091

 $00:19:01.810 \longrightarrow 00:19:04.354$  you see this small but sort of reproducible

NOTE Confidence: 0.887607190909091

00:19:04.354 --> 00:19:06.726 increase in M6A levels like we predicted,

NOTE Confidence: 0.887607190909091

 $00:19:06.730 \longrightarrow 00:19:08.970$  whereas it was much more variable in

NOTE Confidence: 0.887607190909091

 $00:19:08.970 \dashrightarrow 00:19:11.006$  the resistant lines and there was

NOTE Confidence: 0.887607190909091

 $00:19:11.006 \longrightarrow 00:19:13.028$  certainly no sort of consistent effect.

NOTE Confidence: 0.887607190909091

00:19:13.030 --> 00:19:14.580 So this is potentially intriguing,

NOTE Confidence: 0.887607190909091

00:19:14.580 --> 00:19:16.405 but it still didn't really

NOTE Confidence: 0.887607190909091

 $00:19:16.405 \longrightarrow 00:19:17.135$  explain everything.

NOTE Confidence: 0.887607190909091

00:19:17.140 --> 00:19:19.777 And so we sort of turned to like what,

NOTE Confidence: 0.887607190909091

00:19:19.780 --> 00:19:22.180 why would the presence of this

NOTE Confidence: 0.887607190909091

00:19:22.180 --> 00:19:24.520 metabolite actually have such an impact?

NOTE Confidence: 0.887607190909091

 $00:19:24.520 \longrightarrow 00:19:27.032$  And we got a big clue from this

 $00:19:27.032 \longrightarrow 00:19:29.269$  Western blot that was done in the

NOTE Confidence: 0.887607190909091

 $00:19:29.269 \longrightarrow 00:19:31.618$  Chen lab in which they showed that

NOTE Confidence: 0.887607190909091

 $00:19:31.618 \longrightarrow 00:19:34.215$  the levels of this demethylase FT O

NOTE Confidence: 0.887607190909091

 $00:19:34.215 \longrightarrow 00:19:36.655$  were vastly different in the sensitive

NOTE Confidence: 0.887607190909091

 $00:19:36.655 \longrightarrow 00:19:38.720$  lines versus the resistant lines.

NOTE Confidence: 0.887607190909091

 $00{:}19{:}38.720 \dashrightarrow 00{:}19{:}41.710$  And conversely levels of Mick

NOTE Confidence: 0.887607190909091

 $00:19:41.710 \longrightarrow 00:19:43.504$  were dramatically lower.

NOTE Confidence: 0.887607190909091

 $00:19:43.510 \longrightarrow 00:19:44.982$  In the sensitive lines,

NOTE Confidence: 0.887607190909091

 $00:19:44.982 \longrightarrow 00:19:46.822$  then in the resistant lines.

NOTE Confidence: 0.887607190909091

 $00:19:46.830 \longrightarrow 00:19:49.889$  And that the levels of these two

NOTE Confidence: 0.887607190909091

 $00:19:49.889 \longrightarrow 00:19:52.230$  key factors actually change when

NOTE Confidence: 0.887607190909091

 $00:19:52.230 \longrightarrow 00:19:54.585$  you add this metabolite RHG.

NOTE Confidence: 0.887607190909091

 $00{:}19{:}54.590 \dashrightarrow 00{:}19{:}56.576$  So this was intriguing because of

NOTE Confidence: 0.887607190909091

 $00:19:56.576 \longrightarrow 00:19:58.635$  course Mick is a critical factor

NOTE Confidence: 0.887607190909091

 $00:19:58.635 \longrightarrow 00:20:01.283$  that drives a lot of not just AML,

 $00:20:01.290 \longrightarrow 00:20:02.790$  but a lot of other cancers.

NOTE Confidence: 0.887607190909091

 $00:20:02.790 \longrightarrow 00:20:04.494$  And so we wondered whether we

NOTE Confidence: 0.887607190909091

 $00:20:04.494 \longrightarrow 00:20:05.630$  could sort of turn

NOTE Confidence: 0.840944913846154

00:20:05.694 --> 00:20:07.680 a sensitive line into a resistant

NOTE Confidence: 0.840944913846154

 $00:20:07.680 \longrightarrow 00:20:09.368$  1 purely by increasing the

NOTE Confidence: 0.840944913846154

 $00:20:09.368 \longrightarrow 00:20:10.848$  levels of making the cell.

NOTE Confidence: 0.840944913846154

00:20:10.850 --> 00:20:12.230 And it turns out that you

NOTE Confidence: 0.840944913846154

 $00:20:12.230 \longrightarrow 00:20:13.150$  can actually do that.

NOTE Confidence: 0.840944913846154

 $00{:}20{:}13.150 \dashrightarrow 00{:}20{:}14.470$  And so I'm just showing you.

NOTE Confidence: 0.840944913846154

 $00:20:14.470 \longrightarrow 00:20:16.619$  One snapshot here, but there's no more.

NOTE Confidence: 0.840944913846154

 $00{:}20{:}16.620 {\:{\mbox{--}}\!>}\ 00{:}20{:}19.176$  One cell line was one sensitive

NOTE Confidence: 0.840944913846154

 $00:20:19.176 \longrightarrow 00:20:21.346$  cell line where essentially the

NOTE Confidence: 0.840944913846154

 $00:20:21.346 \longrightarrow 00:20:23.686$  red lines represent just no sort

NOTE Confidence: 0.840944913846154

 $00:20:23.686 \longrightarrow 00:20:26.158$  of additional mix just at baseline.

NOTE Confidence: 0.840944913846154

00:20:26.160 --> 00:20:28.808 And when you add the R2HG,

NOTE Confidence: 0.840944913846154

 $00:20:28.808 \longrightarrow 00:20:30.952$  you can see that there's a drop in

 $00{:}20{:}30.952 \dashrightarrow 00{:}20{:}33.480$  the ability of the cells to proliferate.

NOTE Confidence: 0.840944913846154

 $00{:}20{:}33.480 \dashrightarrow 00{:}20{:}35.556$  When you exogenously just add a

NOTE Confidence: 0.840944913846154

00:20:35.556 --> 00:20:37.829 bunch of mic expression to the cells,

NOTE Confidence: 0.840944913846154

 $00:20:37.830 \longrightarrow 00:20:40.175$  you can see that you can make

NOTE Confidence: 0.840944913846154

 $00:20:40.175 \longrightarrow 00:20:41.660$  them more resistant to it.

NOTE Confidence: 0.840944913846154

 $00:20:41.660 \longrightarrow 00:20:43.478$  So this is just one snapshot,

NOTE Confidence: 0.840944913846154

 $00:20:43.480 \longrightarrow 00:20:45.330$  but this is sort of.

NOTE Confidence: 0.840944913846154

 $00:20:45.330 \longrightarrow 00:20:46.746$  The model that we sort of,

NOTE Confidence: 0.840944913846154 00:20:46.750 --> 00:20:47.066 you know, NOTE Confidence: 0.840944913846154

00:20:47.066 --> 00:20:48.534 took out from this and I will say that

NOTE Confidence: 0.840944913846154

 $00:20:48.534 \longrightarrow 00:20:49.854$  there was a whole bunch of sort of

NOTE Confidence: 0.840944913846154

 $00{:}20{:}49.854 \dashrightarrow 00{:}20{:}51.349$  mouse work done as well that I was not

NOTE Confidence: 0.840944913846154

 $00{:}20{:}51.349 \dashrightarrow 00{:}20{:}53.190$  involved in and that I'm not showing.

NOTE Confidence: 0.840944913846154

00:20:53.190 --> 00:20:54.027 If you're interested,

NOTE Confidence: 0.840944913846154

 $00:20:54.027 \longrightarrow 00:20:56.350$  you are welcome to check out the paper.

 $00:20:56.350 \longrightarrow 00:20:59.059$  But all together we sort of settled

NOTE Confidence: 0.840944913846154

 $00:20:59.059 \longrightarrow 00:21:01.748$  on this model where perhaps the

NOTE Confidence: 0.840944913846154

 $00:21:01.748 \longrightarrow 00:21:04.158$  relative levels of the demethylase

NOTE Confidence: 0.840944913846154

00:21:04.158 --> 00:21:06.611 and Mick were sort of essentially

NOTE Confidence: 0.840944913846154

00:21:06.611 --> 00:21:09.838 dictating where on a spectrum of R2

NOTE Confidence: 0.840944913846154

00:21:09.838 --> 00:21:12.470 HG sensitivity these cell lines were.

NOTE Confidence: 0.840944913846154

 $00:21:12.470 \longrightarrow 00:21:14.934$  So the idea would be if you have.

NOTE Confidence: 0.840944913846154

00:21:14.940 --> 00:21:18.195 A lot of mixed transcripts floating around.

NOTE Confidence: 0.840944913846154

 $00:21:18.200 \longrightarrow 00:21:22.380$  You add R2 HG that inhibits FTO.

NOTE Confidence: 0.840944913846154

 $00:21:22.380 \longrightarrow 00:21:25.260$  You have less demethylation.

NOTE Confidence: 0.840944913846154

 $00{:}21{:}25.260 \dashrightarrow 00{:}21{:}28.116$  You get a mic target gene expression

NOTE Confidence: 0.840944913846154

 $00:21:28.120 \longrightarrow 00:21:32.020$  because essentially M6A levels are lower.

NOTE Confidence: 0.840944913846154

00:21:32.020 --> 00:21:33.708 Transcript decay is lower,

NOTE Confidence: 0.840944913846154

00:21:33.708 --> 00:21:35.818 meaning overall mic levels are

NOTE Confidence: 0.840944913846154

 $00:21:35.818 \longrightarrow 00:21:38.507$  high and so the mic itself and its

NOTE Confidence: 0.840944913846154

00:21:38.507 --> 00:21:40.679 target genes are highly expressed,

 $00:21:40.680 \longrightarrow 00:21:41.119$  however.

NOTE Confidence: 0.840944913846154

00:21:41.119 --> 00:21:43.753 In the opposite scenario where maybe

NOTE Confidence: 0.840944913846154

 $00:21:43.753 \longrightarrow 00:21:46.849$  you just have a lot of mic present or

NOTE Confidence: 0.840944913846154

 $00:21:46.849 \longrightarrow 00:21:49.589$  FTO is able to demethylase and remove a

NOTE Confidence: 0.840944913846154

00:21:49.589 --> 00:21:52.644 lot of that methyl that methylation mark,

NOTE Confidence: 0.840944913846154

00:21:52.644 --> 00:21:56.035 you can overcome this by essentially just

NOTE Confidence: 0.840944913846154

 $00:21:56.035 \longrightarrow 00:21:58.759$  boosting the amount of Mick transcript.

NOTE Confidence: 0.840944913846154

 $00:21:58.760 \longrightarrow 00:22:00.743$  So essentially the

NOTE Confidence: 0.840944913846154

00:22:00.743 --> 00:22:02.726 methylation facilitates decay,

NOTE Confidence: 0.840944913846154

 $00{:}22{:}02.730 \dashrightarrow 00{:}22{:}04.386$  loss of methylation facilitates

NOTE Confidence: 0.840944913846154

 $00{:}22{:}04.386 \dashrightarrow 00{:}22{:}06.456$  stability and essentially by toggling

NOTE Confidence: 0.840944913846154

 $00:22:06.456 \longrightarrow 00:22:08.297$  both of these variables you're able

NOTE Confidence: 0.840944913846154

 $00{:}22{:}08.297 \dashrightarrow 00{:}22{:}10.584$  to get sort of the spectrum of R2

NOTE Confidence: 0.840944913846154

00:22:10.584 --> 00:22:12.300 HD sensitivity even in what is.

NOTE Confidence: 0.840944913846154

 $00:22:12.300 \longrightarrow 00:22:13.915$  Ostensibly cell lines from sort

 $00:22:13.915 \longrightarrow 00:22:15.207$  of the same cancer.

NOTE Confidence: 0.840944913846154

 $00:22:15.210 \longrightarrow 00:22:18.426$  Now there's a lot of limitations to this.

NOTE Confidence: 0.840944913846154

 $00:22:18.430 \longrightarrow 00:22:19.588$  I'm going to go into some

NOTE Confidence: 0.840944913846154

 $00:22:19.588 \longrightarrow 00:22:20.730$  of them in great detail.

NOTE Confidence: 0.840944913846154

 $00:22:20.730 \longrightarrow 00:22:22.759$  But of course a big one is that a lot of

NOTE Confidence: 0.840944913846154

 $00{:}22{:}22.759 \dashrightarrow 00{:}22{:}24.766$  this is done in cell lines and mouse models.

NOTE Confidence: 0.840944913846154

 $00:22:24.770 \longrightarrow 00:22:27.052$  And we're sort of zooming in on

NOTE Confidence: 0.840944913846154

 $00:22:27.052 \longrightarrow 00:22:28.589$  one particular aspect of this.

NOTE Confidence: 0.840944913846154

00:22:28.590 --> 00:22:30.746 We know that this metabolite does many,

NOTE Confidence: 0.840944913846154

 $00:22:30.750 \longrightarrow 00:22:33.078$  many other things including regulation of

NOTE Confidence: 0.840944913846154

 $00{:}22{:}33.078 \to 00{:}22{:}35.510$  like way more metabolites than you know.

NOTE Confidence: 0.840944913846154

00:22:35.510 --> 00:22:37.095 We could even particularly cover

NOTE Confidence: 0.840944913846154 00:22:37.095 --> 00:22:38.046 in this talk.

NOTE Confidence: 0.840944913846154

00:22:38.050 --> 00:22:39.818 But I hope this is sort of highlighted

NOTE Confidence: 0.840944913846154

00:22:39.818 --> 00:22:41.689 one way in which sort of the presence

NOTE Confidence: 0.840944913846154

 $00{:}22{:}41.689 \dashrightarrow 00{:}22{:}43.240$  or absence of this methylation.

 $00:22:43.240 \longrightarrow 00:22:45.520$  They can sort of dictate where you are,

NOTE Confidence: 0.840944913846154

 $00:22:45.520 \longrightarrow 00:22:48.610$  particularly in the context of cancers

NOTE Confidence: 0.840944913846154

00:22:48.610 --> 00:22:52.120 in which there are ID H mutations.

NOTE Confidence: 0.840944913846154

00:22:52.120 --> 00:22:53.029 And you know,

NOTE Confidence: 0.840944913846154

 $00:22:53.029 \longrightarrow 00:22:56.240$  this sort of set me on a path of a

NOTE Confidence: 0.840944913846154

 $00:22:56.240 \longrightarrow 00:22:58.585$  little bit of a rabbit hole and.

NOTE Confidence: 0.840944913846154

00:22:58.590 --> 00:22:59.997 It turns out that I didn't know

NOTE Confidence: 0.84094491384615400:22:59.997 --> 00:23:00.600 this at the NOTE Confidence: 0.900877240909091

00:23:00.646 --> 00:23:02.776 time. I'm sure all of you already know this,

NOTE Confidence: 0.900877240909091

 $00:23:02.780 \longrightarrow 00:23:04.940$  that you know glioblastoma is another

NOTE Confidence: 0.900877240909091

 $00:23:04.940 \longrightarrow 00:23:07.227$  instance in which ID H mutation

NOTE Confidence: 0.900877240909091

 $00:23:07.227 \longrightarrow 00:23:08.791$  status can dramatically impact

NOTE Confidence: 0.900877240909091

 $00{:}23{:}08.791 \dashrightarrow 00{:}23{:}10.980$  sort of prognosis for patients.

NOTE Confidence: 0.900877240909091

 $00:23:10.980 \longrightarrow 00:23:12.120$  And one of my students in

NOTE Confidence: 0.900877240909091

 $00:23:12.120 \longrightarrow 00:23:13.279$  the lab is working on this.

 $00:23:13.280 \longrightarrow 00:23:15.650$  Emily actually found this sort

NOTE Confidence: 0.900877240909091

 $00{:}23{:}15.650 \dashrightarrow 00{:}23{:}18.020$  of lovely table that summarizes

NOTE Confidence: 0.900877240909091

 $00{:}23{:}18.103 \dashrightarrow 00{:}23{:}20.722$  a lot of what we know about N 6

NOTE Confidence: 0.900877240909091

00:23:20.722 --> 00:23:23.078 methyl adenosine in glioblastoma,

NOTE Confidence: 0.900877240909091

00:23:23.080 --> 00:23:25.385 not even taking into account

NOTE Confidence: 0.900877240909091

00:23:25.385 --> 00:23:27.229 ID H mutation status.

NOTE Confidence: 0.900877240909091

 $00:23:27.230 \longrightarrow 00:23:29.126$  And if you just read a few lines,

NOTE Confidence: 0.900877240909091

 $00:23:29.130 \longrightarrow 00:23:30.390$  you can already start to see.

NOTE Confidence: 0.900877240909091

 $00:23:30.390 \longrightarrow 00:23:33.414$  There's a lot of conflicting data on this.

NOTE Confidence: 0.900877240909091

 $00:23:33.420 \longrightarrow 00:23:35.526$  So for instance depending on you

NOTE Confidence: 0.900877240909091

 $00{:}23{:}35.526 \dashrightarrow 00{:}23{:}37.972$  know which paper we want to look

NOTE Confidence: 0.900877240909091

 $00:23:37.972 \longrightarrow 00:23:39.916$  at all sort of published within

NOTE Confidence: 0.900877240909091

 $00:23:39.916 \longrightarrow 00:23:42.197$  the same approximate time frame.

NOTE Confidence: 0.900877240909091

 $00:23:42.200 \longrightarrow 00:23:44.265$  We have many different M6A

NOTE Confidence: 0.900877240909091

00:23:44.265 --> 00:23:46.640 related factors we can look at.

NOTE Confidence: 0.900877240909091

00:23:46.640 --> 00:23:48.998 But even when we're looking at the same ones,

 $00:23:49.000 \longrightarrow 00:23:51.248$  we can find papers that say the presence

NOTE Confidence: 0.900877240909091

 $00:23:51.248 \longrightarrow 00:23:53.800$  of that or absence of and says oncogenic.

NOTE Confidence: 0.900877240909091

 $00:23:53.800 \longrightarrow 00:23:55.888$  Another one says it's tumor suppressive.

NOTE Confidence: 0.900877240909091 00:23:55.890 --> 00:23:56.744 We different,

NOTE Confidence: 0.900877240909091

 $00{:}23{:}56.744 \dashrightarrow 00{:}23{:}58.879$ you know different target genes

NOTE Confidence: 0.900877240909091

 $00{:}23{:}58.879 \dashrightarrow 00{:}24{:}00.900$  are being explored mix socks.

NOTE Confidence: 0.900877240909091

00:24:00.900 --> 00:24:02.946 To Fox M1, essentially there's very

NOTE Confidence: 0.900877240909091

 $00{:}24{:}02.946 \dashrightarrow 00{:}24{:}04.850$  little concordance among any of these.

NOTE Confidence: 0.900877240909091

 $00:24:04.850 \longrightarrow 00:24:07.050$  And that's not to say that they're wrong,

NOTE Confidence: 0.900877240909091

 $00{:}24{:}07.050 \dashrightarrow 00{:}24{:}09.226$  but I think it sort of reflects that.

NOTE Confidence: 0.900877240909091

00:24:09.230 --> 00:24:10.049 Depending on exactly,

NOTE Confidence: 0.900877240909091

 $00:24:10.049 \longrightarrow 00:24:11.687$  let's say what cell line or

NOTE Confidence: 0.900877240909091

00:24:11.687 --> 00:24:13.028 what system you're using,

NOTE Confidence: 0.900877240909091

 $00:24:13.030 \longrightarrow 00:24:14.716$  if you have something like a

NOTE Confidence: 0.900877240909091

00:24:14.716 --> 00:24:16.258 spectrum of sensitivity or just

00:24:16.258 --> 00:24:17.726 differences in gene expression,

NOTE Confidence: 0.900877240909091

 $00{:}24{:}17.730 \dashrightarrow 00{:}24{:}19.774$  you can arrive at this very confusing

NOTE Confidence: 0.900877240909091

 $00:24:19.774 \longrightarrow 00:24:22.147$  pattern of data that I am not a clinician,

NOTE Confidence: 0.900877240909091 00:24:22.150 --> 00:24:22.729 like I said. NOTE Confidence: 0.900877240909091

 $00:24:22.729 \longrightarrow 00:24:24.080$  But I would assume that this doesn't

NOTE Confidence: 0.900877240909091

 $00{:}24{:}24.126 \dashrightarrow 00{:}24{:}25.426$  exactly scream confidence to you,

NOTE Confidence: 0.900877240909091

 $00:24:25.430 \longrightarrow 00:24:26.400$  that this is something that,

NOTE Confidence: 0.90087724090909100:24:26.400 --> 00:24:26.982 you know, NOTE Confidence: 0.900877240909091

 $00:24:26.982 \longrightarrow 00:24:28.437$  maybe would be interesting to

NOTE Confidence: 0.900877240909091

 $00:24:28.437 \longrightarrow 00:24:29.750$  pursue in the clinic.

NOTE Confidence: 0.900877240909091

 $00:24:29.750 \longrightarrow 00:24:31.974$  And so this sort of motivated me to

NOTE Confidence: 0.900877240909091

 $00:24:31.974 \longrightarrow 00:24:34.455$  think a little bit more about why we

NOTE Confidence: 0.900877240909091

00:24:34.455 --> 00:24:37.379 might be getting it not necessarily so wrong,

NOTE Confidence: 0.900877240909091

 $00:24:37.380 \longrightarrow 00:24:39.068$  but why are we so confused by this.

NOTE Confidence: 0.900877240909091

 $00:24:39.070 \longrightarrow 00:24:40.630$  And I think a lot of this comes

NOTE Confidence: 0.900877240909091

 $00:24:40.630 \longrightarrow 00:24:42.314$  down to the approaches that we're

 $00:24:42.314 \longrightarrow 00:24:43.869$  using to study these problems.

NOTE Confidence: 0.900877240909091

 $00{:}24{:}43.870 \dashrightarrow 00{:}24{:}46.686$  So M6A in particular has been a very

NOTE Confidence: 0.900877240909091

 $00:24:46.686 \longrightarrow 00:24:48.681$  popular modification to study because

NOTE Confidence: 0.900877240909091

00:24:48.681 --> 00:24:50.721 it's actually relatively simple to

NOTE Confidence: 0.900877240909091

 $00:24:50.721 \longrightarrow 00:24:53.270$  sequence where it is in the transcriptome,

NOTE Confidence: 0.900877240909091 00:24:53.270 --> 00:24:53.844 you know,

NOTE Confidence: 0.900877240909091

 $00:24:53.844 \longrightarrow 00:24:55.853$  in any cell linear system you want.

NOTE Confidence: 0.900877240909091

 $00:24:55.860 \longrightarrow 00:24:57.522$  The reason for that is that

NOTE Confidence: 0.900877240909091

 $00{:}24{:}57.522 \dashrightarrow 00{:}24{:}58.985$  there's an antibody based approach

NOTE Confidence: 0.900877240909091

 $00:24:58.985 \longrightarrow 00:25:00.465$  to to sequence M6A sites.

NOTE Confidence: 0.900877240909091

 $00:25:00.470 \longrightarrow 00:25:02.696$  And essentially what you do is

NOTE Confidence: 0.900877240909091

00:25:02.696 --> 00:25:05.107 you take an antibody and your

NOTE Confidence: 0.900877240909091

 $00{:}25{:}05.107 \dashrightarrow 00{:}25{:}07.237$  favorite RNA sample of interest,

NOTE Confidence: 0.900877240909091

00:25:07.240 --> 00:25:09.192 you mix them together,

NOTE Confidence: 0.900877240909091

00:25:09.192 --> 00:25:12.120 you pull down your M6A containing

00:25:12.120 --> 00:25:14.220 RNA's on your antibody and then you

NOTE Confidence: 0.900877240909091

 $00:25:14.220 \longrightarrow 00:25:15.748$  use high throughput sequencing which

NOTE Confidence: 0.900877240909091

 $00{:}25{:}15.748 \dashrightarrow 00{:}25{:}17.212$  is now so run-of-the-mill that you

NOTE Confidence: 0.900877240909091

 $00:25:17.212 \longrightarrow 00:25:18.640$  can really do this with even very,

NOTE Confidence: 0.900877240909091

 $00:25:18.640 \longrightarrow 00:25:21.718$  very small amounts of input RNA.

NOTE Confidence: 0.900877240909091

 $00:25:21.720 \longrightarrow 00:25:23.832$  So this has been fantastic in terms of

NOTE Confidence: 0.900877240909091

 $00:25:23.832 \longrightarrow 00:25:25.797$  driving the field forward and sort of.

NOTE Confidence: 0.900877240909091

 $00:25:25.800 \longrightarrow 00:25:27.634$  Giving us the ability to sequence and

NOTE Confidence: 0.900877240909091

 $00{:}25{:}27.634 \dashrightarrow 00{:}25{:}29.969$  say in a lot of different contexts,

NOTE Confidence: 0.900877240909091

00:25:29.970 --> 00:25:32.750 but it's essentially driven people

NOTE Confidence: 0.900877240909091

 $00{:}25{:}32.750 \dashrightarrow 00{:}25{:}36.562$  to to this sort of top down approach

NOTE Confidence: 0.900877240909091

 $00:25:36.562 \longrightarrow 00:25:38.282$  of trying to identify unifying

NOTE Confidence: 0.900877240909091

 $00:25:38.282 \longrightarrow 00:25:39.699$  sequence features and gene groups

NOTE Confidence: 0.900877240909091

 $00:25:39.699 \longrightarrow 00:25:41.715$  and use that to try to sort of

NOTE Confidence: 0.900877240909091

 $00:25:41.715 \longrightarrow 00:25:42.888$  generate functional themes.

NOTE Confidence: 0.900877240909091

 $00:25:42.890 \longrightarrow 00:25:44.965$  So let's identify the most

 $00:25:44.965 \longrightarrow 00:25:47.040$  dysregulated sort of genes when

NOTE Confidence: 0.884128847272727

00:25:47.115 --> 00:25:49.108 we, you know lose M6A and see

NOTE Confidence: 0.884128847272727

 $00:25:49.108 \longrightarrow 00:25:50.852$  if that tells us anything about

NOTE Confidence: 0.884128847272727

 $00:25:50.852 \longrightarrow 00:25:52.694$  how it might be functioning in

NOTE Confidence: 0.884128847272727

 $00:25:52.694 \longrightarrow 00:25:54.717$  our favorite system of interest.

NOTE Confidence: 0.884128847272727

 $00:25:54.720 \longrightarrow 00:25:57.024$  But it turns out that this can be

NOTE Confidence: 0.884128847272727

 $00:25:57.024 \longrightarrow 00:25:59.320$  a little bit tricky to interpret.

NOTE Confidence: 0.884128847272727

 $00:25:59.320 \longrightarrow 00:26:00.616$  So when you do an experiment like this,

NOTE Confidence: 0.884128847272727

 $00{:}26{:}00.620 \dashrightarrow 00{:}26{:}02.034$  you will get many, many genes and

NOTE Confidence: 0.884128847272727

 $00{:}26{:}02.034 \dashrightarrow 00{:}26{:}03.678$  you will do all kinds of analysis.

NOTE Confidence: 0.884128847272727

00:26:03.680 --> 00:26:06.200 And that's sometimes very illuminating.

NOTE Confidence: 0.884128847272727

 $00:26:06.200 \longrightarrow 00:26:08.576$  But in some cases it's also worth thinking

NOTE Confidence: 0.884128847272727

 $00{:}26{:}08.576 \dashrightarrow 00{:}26{:}11.015$  about what exactly do those data look like?

NOTE Confidence: 0.884128847272727

00:26:11.020 --> 00:26:11.900 And so it turns out,

NOTE Confidence: 0.884128847272727

 $00:26:11.900 \longrightarrow 00:26:13.755$  when you do an experiment like this,

00:26:13.760 --> 00:26:14.640 you get, let's say,

NOTE Confidence: 0.884128847272727

 $00:26:14.640 \longrightarrow 00:26:15.960$  a section of your favorite gene.

NOTE Confidence: 0.884128847272727

00:26:15.960 --> 00:26:16.800 It could be Mick,

NOTE Confidence: 0.884128847272727

 $00:26:16.800 \longrightarrow 00:26:17.640$  could be anything else.

NOTE Confidence: 0.884128847272727

 $00:26:17.640 \longrightarrow 00:26:19.968$  And you will get a whole bunch of

NOTE Confidence: 0.884128847272727

 $00{:}26{:}19.968 \dashrightarrow 00{:}26{:}21.907$  sequencing reads at different places

NOTE Confidence: 0.884128847272727

 $00:26:21.907 \longrightarrow 00:26:23.635$  along your favorite transcripts.

NOTE Confidence: 0.884128847272727

 $00:26:23.640 \longrightarrow 00:26:26.176$  But what this does not tell you is

NOTE Confidence: 0.884128847272727

 $00{:}26{:}26.176 \dashrightarrow 00{:}26{:}28.313$  whether you have a situation like

NOTE Confidence: 0.884128847272727

00:26:28.313 --> 00:26:30.893 this where you have multiple M RNA's

NOTE Confidence: 0.884128847272727

 $00:26:30.893 \longrightarrow 00:26:33.399$  where half of them have multiple M6A

NOTE Confidence: 0.884128847272727

 $00:26:33.399 \longrightarrow 00:26:35.790$  sites and half of them have none.

NOTE Confidence: 0.884128847272727

00:26:35.790 --> 00:26:37.734 Or you could have a situation

NOTE Confidence: 0.884128847272727

 $00:26:37.734 \longrightarrow 00:26:39.704$  like this where actually all of

NOTE Confidence: 0.884128847272727

00:26:39.704 --> 00:26:41.546 your transcripts have M6A on them,

NOTE Confidence: 0.884128847272727

 $00{:}26{:}41.550 \dashrightarrow 00{:}26{:}44.060$  but in slightly different locations.

 $00:26:44.060 \longrightarrow 00:26:45.524$  You might think that seems like a bit

NOTE Confidence: 0.884128847272727

 $00:26:45.524 \longrightarrow 00:26:47.240$  of a detail, like, why do we care?

NOTE Confidence: 0.884128847272727

 $00:26:47.240 \longrightarrow 00:26:49.102$  But it turns out that that can

NOTE Confidence: 0.884128847272727

00:26:49.102 --> 00:26:50.320 actually have very profound

NOTE Confidence: 0.884128847272727

 $00:26:50.320 \longrightarrow 00:26:51.756$  functional consequences in terms

NOTE Confidence: 0.884128847272727

 $00:26:51.756 \longrightarrow 00:26:53.880$  of how you interpret the data.

NOTE Confidence: 0.884128847272727

 $00:26:53.880 \longrightarrow 00:26:54.944$  And so for instance,

NOTE Confidence: 0.884128847272727 00:26:54.944 --> 00:26:55.476 you know, NOTE Confidence: 0.884128847272727

 $00:26:55.480 \longrightarrow 00:26:57.755$  this might actually represent functionally

NOTE Confidence: 0.884128847272727

 $00:26:57.755 \longrightarrow 00:26:59.575$  two different transcript pools.

NOTE Confidence: 0.884128847272727

 $00:26:59.580 \longrightarrow 00:27:02.019$  It could mean that one of these pools is

NOTE Confidence: 0.884128847272727

 $00:27:02.019 \longrightarrow 00:27:03.939$  getting localized to a specific place

NOTE Confidence: 0.884128847272727

 $00{:}27{:}03.939 \dashrightarrow 00{:}27{:}06.259$  or getting decayed and one pool is not.

NOTE Confidence: 0.884128847272727

 $00:27:06.260 \longrightarrow 00:27:07.036$  And conversely,

NOTE Confidence: 0.884128847272727

00:27:07.036 --> 00:27:09.364 this could actually just mean that,

 $00:27:09.370 \longrightarrow 00:27:09.960$  you know,

NOTE Confidence: 0.884128847272727

 $00:27:09.960 \longrightarrow 00:27:12.320$  the exact site of the M6A doesn't matter,

NOTE Confidence: 0.884128847272727

 $00:27:12.320 \longrightarrow 00:27:14.390$  it just has to be somewhere in this vicinity

NOTE Confidence: 0.884128847272727

 $00:27:14.390 \longrightarrow 00:27:16.258$  and then it'll have the same outcome.

NOTE Confidence: 0.884128847272727

00:27:16.260 --> 00:27:18.552 But we can't sort of disentangle

NOTE Confidence: 0.884128847272727

 $00:27:18.552 \longrightarrow 00:27:21.115$  these two things with a simple

NOTE Confidence: 0.884128847272727

00:27:21.115 --> 00:27:22.558 IP sequencing experiment.

NOTE Confidence: 0.884128847272727

 $00:27:22.560 \longrightarrow 00:27:24.384$  And that's not to say we haven't made

NOTE Confidence: 0.884128847272727

 $00:27:24.384 \longrightarrow 00:27:25.699$  improvements to this these methods.

NOTE Confidence: 0.884128847272727

 $00:27:25.700 \longrightarrow 00:27:27.828$  We have made a lot of improvements to

NOTE Confidence: 0.884128847272727

 $00:27:27.828 \longrightarrow 00:27:29.952$  IP based sequencing that allow you to

NOTE Confidence: 0.884128847272727

00:27:29.952 --> 00:27:32.359 get more precise sort of location data,

NOTE Confidence: 0.884128847272727

 $00:27:32.360 \longrightarrow 00:27:35.141$  but a lot of those are not easily applicable

NOTE Confidence: 0.884128847272727

00:27:35.141 --> 00:27:36.718 necessarily to very low abundance.

NOTE Confidence: 0.884128847272727

 $00:27:36.720 \longrightarrow 00:27:38.372$  Examples which might sort

NOTE Confidence: 0.884128847272727

 $00:27:38.372 \longrightarrow 00:27:40.024$  of be clinically relevant.

 $00:27:40.030 \longrightarrow 00:27:41.840$  So.

NOTE Confidence: 0.884128847272727

 $00{:}27{:}41.840 \dashrightarrow 00{:}27{:}43.544$  This sort of leads me to sort of

NOTE Confidence: 0.884128847272727

 $00:27:43.544 \longrightarrow 00:27:45.112$  posit to you that part of the

NOTE Confidence: 0.884128847272727

00:27:45.112 --> 00:27:46.531 reason we get so much confusing

NOTE Confidence: 0.884128847272727

 $00:27:46.531 \longrightarrow 00:27:48.456$  data is because we are actually sort

NOTE Confidence: 0.884128847272727

 $00:27:48.456 \longrightarrow 00:27:51.110$  of the data itself is is not as

NOTE Confidence: 0.884128847272727

00:27:51.110 --> 00:27:53.480 clarifying as maybe we would think.

NOTE Confidence: 0.884128847272727

 $00:27:53.480 \longrightarrow 00:27:55.097$  And so how do we change our

NOTE Confidence: 0.884128847272727

00:27:55.097 --> 00:27:56.483 approaches to sort of deconvolve

NOTE Confidence: 0.884128847272727

 $00:27:56.483 \longrightarrow 00:27:57.755$  some of these variables.

NOTE Confidence: 0.884128847272727

 $00:27:57.760 \longrightarrow 00:27:59.821$  And this is really sort of at the crux

NOTE Confidence: 0.884128847272727

 $00:27:59.821 \longrightarrow 00:28:02.237$  of essentially everything my lab studies,

NOTE Confidence: 0.884128847272727

 $00{:}28{:}02.240 \dashrightarrow 00{:}28{:}04.220$  but we we sort of apply this in a

NOTE Confidence: 0.884128847272727

 $00:28:04.220 \longrightarrow 00:28:05.568$  lot of different ways.

NOTE Confidence: 0.903440462333334

 $00:28:07.720 \longrightarrow 00:28:09.652$  So just to sort of summarize the

 $00{:}28{:}09.652 \dashrightarrow 00{:}28{:}11.598$  approach that I just gave you because

NOTE Confidence: 0.903440462333334

 $00{:}28{:}11.598 \dashrightarrow 00{:}28{:}13.858$  I'm going to try to sort of convince

NOTE Confidence: 0.903440462333334

 $00:28:13.858 \longrightarrow 00:28:15.688$  you that our approach sort of

NOTE Confidence: 0.903440462333334

 $00:28:15.688 \longrightarrow 00:28:17.020$  provides an interesting alternative.

NOTE Confidence: 0.903440462333334

 $00:28:17.020 \longrightarrow 00:28:19.540$  The approach that I just described is

NOTE Confidence: 0.903440462333334

00:28:19.540 --> 00:28:21.734 what I would call a top down approach.

NOTE Confidence: 0.903440462333334

 $00:28:21.740 \longrightarrow 00:28:24.116$  So we do transcriptome wide sequencing

NOTE Confidence: 0.903440462333334

 $00:28:24.116 \longrightarrow 00:28:26.580$  usually for one specific modification.

NOTE Confidence: 0.903440462333334

00:28:26.580 --> 00:28:28.242 We, you know, sequence everything and

NOTE Confidence: 0.903440462333334

 $00:28:28.242 \longrightarrow 00:28:30.687$  then we try to pick out features that

NOTE Confidence: 0.903440462333334

 $00:28:30.687 \longrightarrow 00:28:32.607$  are common across all the transcripts

NOTE Confidence: 0.903440462333334

 $00:28:32.660 \longrightarrow 00:28:34.580$  that have our favorite modification.

NOTE Confidence: 0.903440462333334

 $00:28:34.580 \longrightarrow 00:28:36.758$  And this is in fact what led to our,

NOTE Confidence: 0.903440462333334

00:28:36.760 --> 00:28:38.636 you know, the identification of this decay.

NOTE Confidence: 0.903440462333334

 $00:28:38.640 \longrightarrow 00:28:40.030$  Mechanism that I described earlier.

NOTE Confidence: 0.903440462333334

 $00:28:40.030 \longrightarrow 00:28:42.206$  So it is definitely not a useless approach.

00:28:42.210 --> 00:28:44.050 It has been very productive,

NOTE Confidence: 0.903440462333334

 $00{:}28{:}44.050 \dashrightarrow 00{:}28{:}45.769$  but I will argue that we sort of hit

NOTE Confidence: 0.903440462333334

00:28:45.769 --> 00:28:48.200 a wall in terms of really getting a

NOTE Confidence: 0.903440462333334

00:28:48.200 --> 00:28:49.769 mechanistic understanding of of how

NOTE Confidence: 0.903440462333334

00:28:49.769 --> 00:28:51.209 some of these modifications work,

NOTE Confidence: 0.903440462333334

 $00:28:51.210 \longrightarrow 00:28:54.598$  which has led to some confusing results.

NOTE Confidence: 0.903440462333334

00:28:54.600 --> 00:28:57.295 So what I have tried to do,

NOTE Confidence: 0.903440462333334

 $00:28:57.300 \longrightarrow 00:28:59.036$  you know in setting up the research

NOTE Confidence: 0.903440462333334

 $00:28:59.036 \longrightarrow 00:29:00.878$  program in our lab is to try to

NOTE Confidence: 0.903440462333334

 $00{:}29{:}00.878 \dashrightarrow 00{:}29{:}02.457$  develop what I would call more of

NOTE Confidence: 0.903440462333334

 $00:29:02.457 \longrightarrow 00:29:03.417$  a bottom up approach.

NOTE Confidence: 0.903440462333334

 $00:29:03.420 \longrightarrow 00:29:05.340$  So we identify specific transcripts and

NOTE Confidence: 0.903440462333334

00:29:05.340 --> 00:29:08.158 then we do a deep dive to figure out,

NOTE Confidence: 0.903440462333334

 $00:29:08.160 \longrightarrow 00:29:10.512$  OK, what are all the different

NOTE Confidence: 0.903440462333334

 $00:29:10.512 \longrightarrow 00:29:12.080$  modifications on this transcript.

 $00:29:12.080 \longrightarrow 00:29:13.372$  Once we know that,

NOTE Confidence: 0.903440462333334

 $00:29:13.372 \longrightarrow 00:29:14.987$  can we identify the regulatory

NOTE Confidence: 0.903440462333334

 $00:29:14.987 \longrightarrow 00:29:15.940$  enzymes are there,

NOTE Confidence: 0.903440462333334

 $00:29:15.940 \longrightarrow 00:29:18.236$  you know variations across

NOTE Confidence: 0.903440462333334

 $00:29:18.236 \longrightarrow 00:29:19.958$  different diseases etcetera.

NOTE Confidence: 0.903440462333334

00:29:19.960 --> 00:29:21.647 My argument is sort of that if

NOTE Confidence: 0.903440462333334

 $00:29:21.647 \longrightarrow 00:29:22.740$  we can do this,

NOTE Confidence: 0.903440462333334

 $00:29:22.740 \longrightarrow 00:29:24.855$  you can then go and look in your next

NOTE Confidence: 0.903440462333334

 $00{:}29{:}24.855 \dashrightarrow 00{:}29{:}26.405$  favorite transcript and say it does

NOTE Confidence: 0.903440462333334

 $00:29:26.405 \longrightarrow 00:29:28.042$  it also apply here and essentially

NOTE Confidence: 0.903440462333334

 $00{:}29{:}28.042 \dashrightarrow 00{:}29{:}30.016$  build out the network from there.

NOTE Confidence: 0.903440462333334

 $00:29:30.020 \longrightarrow 00:29:32.207$  So the idea is to sort of not limit

NOTE Confidence: 0.903440462333334

 $00:29:32.207 \longrightarrow 00:29:33.526$  ourselves necessarily to these

NOTE Confidence: 0.903440462333334

 $00:29:33.526 \longrightarrow 00:29:35.216$  RNA that we're interested in,

NOTE Confidence: 0.903440462333334

 $00:29:35.220 \longrightarrow 00:29:37.096$  but to use them to identify rules

NOTE Confidence: 0.903440462333334

 $00:29:37.096 \longrightarrow 00:29:39.266$  and then try to figure out if

00:29:39.266 --> 00:29:40.574 those rules apply elsewhere.

NOTE Confidence: 0.903440462333334

 $00{:}29{:}40.580 \rightarrow 00{:}29{:}42.652$  And so I'm going to drive describe

NOTE Confidence: 0.903440462333334

00:29:42.652 --> 00:29:44.608 sort of the two approaches we're

NOTE Confidence: 0.903440462333334

00:29:44.608 --> 00:29:47.340 using to sort of make maps like this.

NOTE Confidence: 0.903440462333334

 $00:29:47.340 \longrightarrow 00:29:50.182$  The first one is a mass spectrometry

NOTE Confidence: 0.903440462333334

 $00:29:50.182 \longrightarrow 00:29:50.994$  based approach,

NOTE Confidence: 0.903440462333334

 $00:29:51.000 \longrightarrow 00:29:52.519$  and this has really been pioneered in

NOTE Confidence: 0.903440462333334

 $00{:}29{:}52.519 \rightarrow 00{:}29{:}54.470$  my lab by a student, Lauren Wilson,

NOTE Confidence: 0.903440462333334

 $00{:}29{:}54.470 \dashrightarrow 00{:}29{:}57.235$  aided by many other people in the

NOTE Confidence: 0.903440462333334

 $00{:}29{:}57.235 \dashrightarrow 00{:}30{:}00.218$  lab including Josh and undergraduate.

NOTE Confidence: 0.903440462333334

 $00:30:00.220 \longrightarrow 00:30:02.324$  But the essence essentially the idea is this.

NOTE Confidence: 0.903440462333334

 $00:30:02.330 \longrightarrow 00:30:04.418$  So what if we just took our favorite

NOTE Confidence: 0.903440462333334

 $00{:}30{:}04.418 \dashrightarrow 00{:}30{:}06.176$  transcript and we designed a whole

NOTE Confidence: 0.903440462333334

 $00:30:06.176 \longrightarrow 00:30:07.952$  bunch of probes that are complementary

NOTE Confidence: 0.903440462333334

 $00:30:08.012 \longrightarrow 00:30:09.512$  to that transcript and we just

00:30:09.512 --> 00:30:10.964 purified it out of cells?

NOTE Confidence: 0.903440462333334

00:30:10.964 --> 00:30:12.296 This sounds crazy,

NOTE Confidence: 0.903440462333334

00:30:12.296 --> 00:30:15.619 but Lauren has actually gotten this to work,

NOTE Confidence: 0.903440462333334

 $00:30:15.620 \longrightarrow 00:30:17.460$  arguably for more abundant transcripts.

NOTE Confidence: 0.903440462333334

00:30:17.460 --> 00:30:18.640 But nevertheless, you know,

NOTE Confidence: 0.903440462333334

00:30:18.640 --> 00:30:20.115 it's actually working quite well,

NOTE Confidence: 0.903440462333334

 $00:30:20.120 \longrightarrow 00:30:21.527$  as I'll show you in a second.

NOTE Confidence: 0.903440462333334

 $00:30:21.530 \longrightarrow 00:30:22.550$  And the idea here is,

NOTE Confidence: 0.903440462333334

 $00:30:22.550 \longrightarrow 00:30:22.872$  OK,

NOTE Confidence: 0.903440462333334

00:30:22.872 --> 00:30:24.482 let's just hypothetically say that

NOTE Confidence: 0.903440462333334

 $00{:}30{:}24.482 \dashrightarrow 00{:}30{:}26.263$  we can purify the transcripts

NOTE Confidence: 0.903440462333334

 $00:30:26.263 \longrightarrow 00:30:27.967$  that we're interested in.

NOTE Confidence: 0.903440462333334

 $00:30:27.970 \longrightarrow 00:30:30.508$  And then digest them into individual

NOTE Confidence: 0.903440462333334

 $00{:}30{:}30{:}508 \dashrightarrow 00{:}30{:}32.659$  nucleosides down to sort of

NOTE Confidence: 0.903440462333334

 $00:30:32.659 \longrightarrow 00:30:34.599$  the individual module level and

NOTE Confidence: 0.903440462333334

 $00:30:34.599 \longrightarrow 00:30:37.017$  then analyzed by mass spec sort

 $00:30:37.017 \longrightarrow 00:30:38.997$  of everything that's in there.

NOTE Confidence: 0.903440462333334

 $00:30:39.000 \longrightarrow 00:30:40.883$  And so I'm happy to discuss the

NOTE Confidence: 0.903440462333334

 $00:30:40.883 \longrightarrow 00:30:42.897$  details of the mass spec with

NOTE Confidence: 0.903440462333334

 $00:30:42.897 \longrightarrow 00:30:44.040$  anyone who's interested.

NOTE Confidence: 0.903440462333334

 $00:30:44.040 \longrightarrow 00:30:46.301$  But the crux of it is that

NOTE Confidence: 0.903440462333334

 $00:30:46.301 \longrightarrow 00:30:47.270$  essentially between the

NOTE Confidence: 0.861260623333333

 $00:30:47.336 \longrightarrow 00:30:49.778$  the fragmentation patterns and the retention

NOTE Confidence: 0.861260623333333

 $00:30:49.778 \longrightarrow 00:30:52.700$  time on a specific column that we use,

NOTE Confidence: 0.861260623333333

 $00:30:52.700 \dashrightarrow 00:30:55.172$  we can distinguish between even very

NOTE Confidence: 0.861260623333333

 $00{:}30{:}55.172 \dashrightarrow 00{:}30{:}56.820$  closely related chemical species.

NOTE Confidence: 0.861260623333333

 $00:30:56.820 \longrightarrow 00:30:59.263$  So that we can distinguish even two

NOTE Confidence: 0.861260623333333

 $00:30:59.263 \longrightarrow 00:31:00.679$  different singly methylated species

NOTE Confidence: 0.861260623333333

 $00{:}31{:}00.679 \dashrightarrow 00{:}31{:}02.849$  like and one methyl adenosine and and

NOTE Confidence: 0.861260623333333

 $00{:}31{:}02.849 \dashrightarrow 00{:}31{:}04.804$  six methyl adenosine and we can go

NOTE Confidence: 0.861260623333333

 $00:31:04.804 \longrightarrow 00:31:07.492$  down the line and look at sort of any

 $00:31:07.492 \longrightarrow 00:31:09.610$  modifications we might be interested in.

NOTE Confidence: 0.861260623333333

00:31:09.610 --> 00:31:11.970 And so this has turned out to be

NOTE Confidence: 0.861260623333333

 $00:31:11.970 \longrightarrow 00:31:13.808$  relatively fruitful as I just alluded to.

NOTE Confidence: 0.861260623333333

 $00:31:13.810 \longrightarrow 00:31:15.679$  And so we're starting to do this

NOTE Confidence: 0.861260623333333

 $00:31:15.679 \longrightarrow 00:31:17.590$  admittedly with very abundant transcripts.

NOTE Confidence: 0.861260623333333

 $00:31:17.590 \longrightarrow 00:31:19.270$  And so the data I'll show you

NOTE Confidence: 0.861260623333333

00:31:19.270 --> 00:31:21.508 is for a very abundant but very,

NOTE Confidence: 0.861260623333333

00:31:21.510 --> 00:31:24.948 very big long non coding RNA called neat one.

NOTE Confidence: 0.861260623333333

00:31:24.950 --> 00:31:27.368 It's got some very interesting biology

NOTE Confidence: 0.861260623333333

 $00:31:27.368 \longrightarrow 00:31:30.588$  that I won't really go into at the moment.

NOTE Confidence: 0.861260623333333

 $00{:}31{:}30.590 \dashrightarrow 00{:}31{:}33.971$  But essentially we can purify neat 1

NOTE Confidence: 0.861260623333333

 $00:31:33.971 \longrightarrow 00:31:36.551$  transcripts to really high enrichment

NOTE Confidence: 0.861260623333333

 $00:31:36.551 \longrightarrow 00:31:39.796$  relative to sort of baseline total RNA.

NOTE Confidence: 0.8612606233333333

 $00:31:39.796 \longrightarrow 00:31:42.300$  So the exact numbers that you get for

NOTE Confidence: 0.861260623333333

 $00:31:42.366 \longrightarrow 00:31:44.634$  enrichment depend a little bit on

NOTE Confidence: 0.861260623333333

00:31:44.634 --> 00:31:46.696 what you're comparing it to, right?

00:31:46.696 --> 00:31:48.984 So are you comparing to an M RNA

NOTE Confidence: 0.861260623333333

 $00:31:48.984 \longrightarrow 00:31:51.388$  or a very abundant ribosomal RNA?

NOTE Confidence: 0.861260623333333

 $00:31:51.390 \longrightarrow 00:31:52.083$  But for instance,

NOTE Confidence: 0.861260623333333

 $00:31:52.083 \longrightarrow 00:31:54.162$  if we look at sort of a favorite

NOTE Confidence: 0.861260623333333

00:31:54.162 --> 00:31:55.350 housekeeping M RNA.

NOTE Confidence: 0.861260623333333

 $00:31:55.350 \longrightarrow 00:31:58.535$  We can enrich this long non coding

NOTE Confidence: 0.861260623333333

00:31:58.535 --> 00:32:01.123 RNA many thousand fold over what

NOTE Confidence: 0.861260623333333

00:32:01.123 --> 00:32:03.867 we would have in just sort of the

NOTE Confidence: 0.861260623333333

 $00:32:03.867 \longrightarrow 00:32:05.160$  baseline pool of RNA.

NOTE Confidence: 0.861260623333333

 $00:32:05.160 \longrightarrow 00:32:05.824$  And importantly,

NOTE Confidence: 0.861260623333333

 $00:32:05.824 \longrightarrow 00:32:08.897$  Lauren can now do this to sort of a

NOTE Confidence: 0.861260623333333

00:32:08.897 --> 00:32:11.333 level of abundance that we can actually,

NOTE Confidence: 0.861260623333333 00:32:11.340 --> 00:32:11.896 you know, NOTE Confidence: 0.861260623333333

 $00{:}32{:}11.896 --> 00{:}32{:}13.842$  get enough RNA out of this to

NOTE Confidence: 0.861260623333333

 $00:32:13.842 \longrightarrow 00:32:15.756$  digest and do mass spec analysis.

 $00:32:15.760 \longrightarrow 00:32:19.480$  And so the idea here is that we take this,

NOTE Confidence: 0.861260623333333 00:32:19.480 --> 00:32:19.968 you know, NOTE Confidence: 0.861260623333333

 $00:32:19.968 \longrightarrow 00:32:21.676$  RNA of interest and we just look

NOTE Confidence: 0.861260623333333

00:32:21.676 --> 00:32:23.419 for our favorite modifications.

NOTE Confidence: 0.861260623333333

 $00:32:23.420 \longrightarrow 00:32:25.715$  I'm just showing you a few of them here.

NOTE Confidence: 0.861260623333333

00:32:25.720 --> 00:32:27.274 You can look at different cell lines,

NOTE Confidence: 0.861260623333333 00:32:27.280 --> 00:32:27.940 you know, NOTE Confidence: 0.861260623333333

 $00:32:27.940 \longrightarrow 00:32:29.920$  whatever cell lines you might be

NOTE Confidence: 0.861260623333333

 $00:32:29.920 \longrightarrow 00:32:32.007$  interested in and then basically

NOTE Confidence: 0.861260623333333

 $00:32:32.007 \longrightarrow 00:32:33.823$  profile the relative abundance

NOTE Confidence: 0.8612606233333333

 $00{:}32{:}33.823 \dashrightarrow 00{:}32{:}35.185$  of different modifications.

NOTE Confidence: 0.861260623333333

00:32:35.190 --> 00:32:38.928 In this sample. In different cell lines.

NOTE Confidence: 0.861260623333333

 $00:32:38.928 \longrightarrow 00:32:41.900$  And so for instance here we have a 549

NOTE Confidence: 0.8612606233333333

 $00:32:41.900 \longrightarrow 00:32:45.260$  and HeLa cells and you can see that

NOTE Confidence: 0.861260623333333

00:32:45.260 --> 00:32:48.200 the M1A levels are a little bit different,

NOTE Confidence: 0.861260623333333

 $00:32:48.200 \longrightarrow 00:32:49.300$  which maybe it's interesting,

 $00:32:49.300 \longrightarrow 00:32:50.125$  maybe it's not.

NOTE Confidence: 0.861260623333333

 $00:32:50.130 \longrightarrow 00:32:52.040$  We'll have to find out.

NOTE Confidence: 0.861260623333333

 $00:32:52.040 \longrightarrow 00:32:53.965$  The M6A levels are relatively

NOTE Confidence: 0.861260623333333

00:32:53.965 --> 00:32:56.659 stable and so on and so forth.

NOTE Confidence: 0.861260623333333

 $00:32:56.660 \longrightarrow 00:32:59.026$  And so this is just a snapshot,

NOTE Confidence: 0.861260623333333

 $00:32:59.030 \longrightarrow 00:33:00.812$  but I hope you can sort of appreciate that,

NOTE Confidence: 0.861260623333333 00:33:00.820 --> 00:33:01.292 you know, NOTE Confidence: 0.861260623333333

 $00:33:01.292 \longrightarrow 00:33:03.567$  this is one way to get a much more

NOTE Confidence: 0.861260623333333

 $00{:}33{:}03.567 \dashrightarrow 00{:}33{:}05.523$  unbiased picture of what might be

NOTE Confidence: 0.861260623333333

 $00:33:05.523 \longrightarrow 00:33:07.659$  present in your long and encoding.

NOTE Confidence: 0.861260623333333

 $00{:}33{:}07.660 \dashrightarrow 00{:}33{:}09.501$  RNA of interest I will say in

NOTE Confidence: 0.861260623333333

 $00:33:09.501 \longrightarrow 00:33:10.957$  the interest of Full disclosure

NOTE Confidence: 0.8612606233333333

 $00{:}33{:}10.957 \dashrightarrow 00{:}33{:}13.065$  we cannot do this yet for MRA's.

NOTE Confidence: 0.861260623333333

00:33:13.065 --> 00:33:14.590 MRI's are much less abundant.

NOTE Confidence: 0.861260623333333

00:33:14.590 --> 00:33:16.870 Maybe someday we will get there,

 $00:33:16.870 \longrightarrow 00:33:18.398$  but at the moment we can at least

NOTE Confidence: 0.861260623333333

 $00{:}33{:}18.398 \dashrightarrow 00{:}33{:}20.093$  take a stab at taking our favorite

NOTE Confidence: 0.861260623333333

 $00:33:20.093 \longrightarrow 00:33:21.951$  long non coding our names of interest

NOTE Confidence: 0.861260623333333

 $00:33:21.951 \longrightarrow 00:33:23.583$  and trying to see what modifications

NOTE Confidence: 0.861260623333333

 $00:33:23.583 \longrightarrow 00:33:24.943$  are sort of sprinkled throughout.

NOTE Confidence: 0.861260623333333

 $00:33:24.943 \longrightarrow 00:33:26.840$  And it will say another RNA we

NOTE Confidence: 0.861260623333333

 $00:33:26.898 \longrightarrow 00:33:28.428$  have applied this to is Merlot,

NOTE Confidence: 0.861260623333333

 $00:33:28.430 \longrightarrow 00:33:31.166$  one which many of you might be familiar with.

NOTE Confidence: 0.8612606233333333

00:33:31.170 --> 00:33:32.565 It's another sort of abundant

NOTE Confidence: 0.861260623333333

 $00:33:32.565 \longrightarrow 00:33:33.960$  long non coding RNA that's

NOTE Confidence: 0.816570879

 $00:33:34.010 \longrightarrow 00:33:36.002$  been of interest in in a few different

NOTE Confidence: 0.816570879

 $00{:}33{:}36.002 \dashrightarrow 00{:}33{:}37.920$  cancers and so we're taking a stab

NOTE Confidence: 0.816570879

 $00:33:37.920 \longrightarrow 00:33:39.290$  at looking at the modifications.

NOTE Confidence: 0.816570879

 $00:33:39.290 \longrightarrow 00:33:41.830$  From that arena as well.

NOTE Confidence: 0.816570879

 $00:33:41.830 \longrightarrow 00:33:43.168$  But again, I told you I

NOTE Confidence: 0.816570879

 $00{:}33{:}43.168 \dashrightarrow 00{:}33{:}44.060$  would tell you limitations.

00:33:44.060 --> 00:33:48.004 So mass spec is a very powerful tool,

NOTE Confidence: 0.816570879

 $00{:}33{:}48.010 \dashrightarrow 00{:}33{:}50.745$  particularly to get really specific

NOTE Confidence: 0.816570879

 $00:33:50.745 \longrightarrow 00:33:52.386$  chemical identity information.

NOTE Confidence: 0.816570879

 $00:33:52.390 \longrightarrow 00:33:54.035$  But you lose location information

NOTE Confidence: 0.816570879

 $00{:}33{:}54.035 \dashrightarrow 00{:}33{:}55.680$  because we're digesting all of

NOTE Confidence: 0.816570879

00:33:55.738 --> 00:33:57.154 this up into tiny little pieces

NOTE Confidence: 0.816570879

 $00:33:57.154 \longrightarrow 00:33:59.200$  so that we can really identify the

NOTE Confidence: 0.816570879

 $00:33:59.200 \longrightarrow 00:34:00.935$  chemical species that are present.

NOTE Confidence: 0.816570879

 $00:34:00.940 \longrightarrow 00:34:02.508$  So that's a bit of a problem

NOTE Confidence: 0.816570879

 $00:34:02.508 \longrightarrow 00:34:04.399$  and as I already alluded to,

NOTE Confidence: 0.816570879

 $00:34:04.400 \longrightarrow 00:34:06.560$  it's also limited at the moment

NOTE Confidence: 0.816570879

 $00{:}34{:}06.560 \dashrightarrow 00{:}34{:}08.000$  much more abundant transcript.

NOTE Confidence: 0.816570879

 $00:34:08.000 \longrightarrow 00:34:09.374$  So things that we can actually

NOTE Confidence: 0.816570879

 $00:34:09.374 \longrightarrow 00:34:11.238$  purify to a degree to where we can

NOTE Confidence: 0.816570879

 $00:34:11.238 \longrightarrow 00:34:12.582$  actually do Mass Effect on them.

 $00:34:12.590 \longrightarrow 00:34:15.326$  It is also limited in the sense that,

NOTE Confidence: 0.816570879

00:34:15.330 --> 00:34:15.746 you know,

NOTE Confidence: 0.816570879

 $00:34:15.746 \longrightarrow 00:34:16.786$  we certainly wouldn't be able

NOTE Confidence: 0.816570879

 $00:34:16.786 \longrightarrow 00:34:18.130$  to do this from something like

NOTE Confidence: 0.816570879

00:34:18.130 --> 00:34:19.486 a biopsy or a patient sample,

NOTE Confidence: 0.816570879

 $00:34:19.490 \longrightarrow 00:34:21.290$  which I'll get to later.

NOTE Confidence: 0.816570879

00:34:21.290 --> 00:34:22.388 But that's sort of, you know,

NOTE Confidence: 0.816570879

 $00:34:22.390 \longrightarrow 00:34:24.390$  the dream down the line.

NOTE Confidence: 0.816570879

 $00:34:24.390 \longrightarrow 00:34:27.324$  So what do we do to complement this approach?

NOTE Confidence: 0.816570879

 $00:34:27.330 \longrightarrow 00:34:29.370$  So this is where we turn to a

NOTE Confidence: 0.816570879

 $00{:}34{:}29.370 \dashrightarrow 00{:}34{:}30.886$  sequencing based method and this

NOTE Confidence: 0.816570879

 $00:34:30.886 \longrightarrow 00:34:32.782$  is actually where I've had the

NOTE Confidence: 0.816570879

 $00:34:32.782 \longrightarrow 00:34:34.791$  tremendous good for tune to work with

NOTE Confidence: 0.816570879

 $00:34:34.791 \longrightarrow 00:34:36.426$  another member of the department.

NOTE Confidence: 0.816570879

00:34:36.430 --> 00:34:37.566 And Anna Marie Pyle,

NOTE Confidence: 0.816570879

 $00:34:37.566 \longrightarrow 00:34:39.630$  her lab is just down the hall

 $00:34:39.630 \longrightarrow 00:34:41.406$  and we've got a fantastic sort

NOTE Confidence: 0.816570879

 $00{:}34{:}41.406 \dashrightarrow 00{:}34{:}44.028$  of RNA wing in the Yale Science

NOTE Confidence: 0.816570879

 $00:34:44.028 \longrightarrow 00:34:46.108$  Building and they discovered and

NOTE Confidence: 0.816570879

 $00:34:46.108 \longrightarrow 00:34:48.333$  characterized this interesting reverse

NOTE Confidence: 0.816570879

 $00:34:48.333 \longrightarrow 00:34:50.737$  transcriptase enzyme called marathon.

NOTE Confidence: 0.816570879

00:34:50.740 --> 00:34:54.044 And Marathon is sort of interesting

NOTE Confidence: 0.816570879

 $00:34:54.044 \longrightarrow 00:34:55.284$  from a few different aspects.

NOTE Confidence: 0.816570879

 $00:34:55.290 \longrightarrow 00:34:57.198$  So first, as the name suggests,

NOTE Confidence: 0.816570879

 $00:34:57.200 \longrightarrow 00:34:58.688$  it can reverse transcribe

NOTE Confidence: 0.816570879

 $00:34:58.688 \longrightarrow 00:34:59.804$  really long transcripts.

NOTE Confidence: 0.816570879

 $00:34:59.810 \longrightarrow 00:35:00.520 I \text{ mean}$ 

NOTE Confidence: 0.816570879

 $00:35:00.520 \longrightarrow 00:35:03.005$  I actually have never seen anything quite

NOTE Confidence: 0.816570879

 $00{:}35{:}03.005 \dashrightarrow 00{:}35{:}05.957$  as processive as this particular enzyme.

NOTE Confidence: 0.816570879

 $00:35:05.960 \longrightarrow 00:35:07.106$  The other thing that it does,

NOTE Confidence: 0.816570879

00:35:07.110 --> 00:35:08.820 though that's particularly useful for us,

 $00:35:08.820 \longrightarrow 00:35:10.698$  is it tends to install mutations

NOTE Confidence: 0.816570879

 $00{:}35{:}10.698 {\:\raisebox{--}{\text{--}}}{\:\raisebox{--}{\text{--}}}{\:\raisebox{--}{\text{--}}} 00{:}35{:}12.400$  when it encounters a modified

NOTE Confidence: 0.816570879

 $00:35:12.400 \longrightarrow 00:35:13.960$  modification in the RNA.

NOTE Confidence: 0.816570879

00:35:13.960 --> 00:35:16.074 That's not to say every single modification,

NOTE Confidence: 0.816570879

 $00:35:16.080 \longrightarrow 00:35:17.104$  but many of them,

NOTE Confidence: 0.816570879

 $00:35:17.104 \longrightarrow 00:35:19.679$  and even some that are a bit more subtle.

NOTE Confidence: 0.816570879

 $00:35:19.680 \longrightarrow 00:35:21.493$  So you might already be starting to

NOTE Confidence: 0.816570879

 $00:35:21.493 \longrightarrow 00:35:23.112$  piece together that this would be

NOTE Confidence: 0.816570879

 $00{:}35{:}23.112 \dashrightarrow 00{:}35{:}24.696$  relatively useful if we could just

NOTE Confidence: 0.816570879

 $00{:}35{:}24.696 \dashrightarrow 00{:}35{:}26.302$  reverse transcribe an RNA and use

NOTE Confidence: 0.816570879

 $00{:}35{:}26.302 \dashrightarrow 00{:}35{:}28.230$  mutations to sort of identify where

NOTE Confidence: 0.816570879

 $00:35:28.230 \longrightarrow 00:35:31.380$  possible modification sites might be.

NOTE Confidence: 0.816570879

 $00{:}35{:}31.380 \dashrightarrow 00{:}35{:}33.207$  Now the one caveat here is that

NOTE Confidence: 0.816570879

 $00:35:33.207 \longrightarrow 00:35:35.015$  we can't always tell the specific

NOTE Confidence: 0.816570879

 $00:35:35.015 \longrightarrow 00:35:36.625$  modification just based on the

NOTE Confidence: 0.816570879

 $00:35:36.625 \longrightarrow 00:35:38.718$  fact that there's a mutation there.

 $00{:}35{:}38.720 \dashrightarrow 00{:}35{:}40.676$  There's a lot of different ways

NOTE Confidence: 0.816570879

00:35:40.676 --> 00:35:41.980 you can get mutations,

NOTE Confidence: 0.816570879

 $00:35:41.980 \longrightarrow 00:35:43.486$  but the massive benefit of this

NOTE Confidence: 0.816570879

 $00:35:43.486 \longrightarrow 00:35:45.135$  type of approach is that you can

NOTE Confidence: 0.816570879

 $00{:}35{:}45.135 \dashrightarrow 00{:}35{:}46.896$  do it even for M RNA's that are

NOTE Confidence: 0.816570879

 $00:35:46.896 \longrightarrow 00:35:48.876$  not very abundant because for a

NOTE Confidence: 0.816570879

 $00:35:48.876 \longrightarrow 00:35:49.866$  reverse transcription reaction.

NOTE Confidence: 0.816570879

 $00{:}35{:}49.870 \dashrightarrow 00{:}35{:}51.950$  Need much less than something

NOTE Confidence: 0.816570879

 $00:35:51.950 \longrightarrow 00:35:53.198$  like from aspec.

NOTE Confidence: 0.816570879

 $00:35:53.200 \longrightarrow 00:35:55.152$  So Dorothy in the lab has been the

NOTE Confidence: 0.816570879

 $00{:}35{:}55.152 \dashrightarrow 00{:}35{:}57.060$  one really pioneering this approach.

NOTE Confidence: 0.816570879

 $00:35:57.060 \longrightarrow 00:35:58.740$  And as you can see here,

NOTE Confidence: 0.816570879

00:35:58.740 --> 00:36:01.107 so this time I'm using BRCA 2 as sort

NOTE Confidence: 0.816570879

 $00:36:01.107 \dashrightarrow 00:36:03.614$  of an example of an MRA of interest.

NOTE Confidence: 0.816570879

 $00:36:03.620 \longrightarrow 00:36:05.629$  And you can see that as you

00:36:05.629 --> 00:36:07.060 reverse transcribe with marathon,

NOTE Confidence: 0.816570879

 $00{:}36{:}07.060 \dashrightarrow 00{:}36{:}10.546$  you see some specific peaks where

NOTE Confidence: 0.816570879

 $00:36:10.546 \longrightarrow 00:36:12.870$  you get mutation signatures.

NOTE Confidence: 0.816570879

 $00:36:12.870 \longrightarrow 00:36:14.334$  We thought we knew what these

NOTE Confidence: 0.816570879

 $00:36:14.334 \longrightarrow 00:36:15.310$  mutation sites represented were

NOTE Confidence: 0.776843212941176

00:36:15.350 --> 00:36:16.827 actually a little bit less short now,

NOTE Confidence: 0.776843212941176

00:36:16.830 --> 00:36:18.214 which is why I'm not telling you the

NOTE Confidence: 0.776843212941176

00:36:18.214 --> 00:36:19.800 identity, the identity of the modification,

NOTE Confidence: 0.776843212941176

 $00:36:19.800 \longrightarrow 00:36:22.024$  because we're still trying to work that out.

NOTE Confidence: 0.776843212941176

 $00:36:22.030 \longrightarrow 00:36:24.830$  But what's interesting is that you can see

NOTE Confidence: 0.776843212941176

 $00{:}36{:}24.830 \dashrightarrow 00{:}36{:}27.357$  that there's actually different levels of

NOTE Confidence: 0.776843212941176

 $00{:}36{:}27.357 \dashrightarrow 00{:}36{:}29.991$  mutation depending on the specific site.

NOTE Confidence: 0.776843212941176

 $00:36:30.000 \longrightarrow 00:36:31.212$  As I said though, an important

NOTE Confidence: 0.776843212941176

00:36:31.212 --> 00:36:32.707 caveat here is you can get mutations

NOTE Confidence: 0.776843212941176

 $00:36:32.707 \longrightarrow 00:36:33.997$  by a lot of different routes,

NOTE Confidence: 0.776843212941176

 $00{:}36{:}34.000 \dashrightarrow 00{:}36{:}35.190$  including of course because the

 $00:36:35.190 \longrightarrow 00:36:37.031$  genomic DNA might be a little bit

NOTE Confidence: 0.776843212941176

 $00:36:37.031 \longrightarrow 00:36:38.235$  different than your reference.

NOTE Confidence: 0.776843212941176

 $00:36:38.240 \longrightarrow 00:36:40.896$  And so here you can see that we've

NOTE Confidence: 0.776843212941176

 $00:36:40.896 \longrightarrow 00:36:42.809$  actually just picked up a snip.

NOTE Confidence: 0.776843212941176

 $00{:}36{:}42.810 \dashrightarrow 00{:}36{:}44.903$  You can tell that actually you can

NOTE Confidence: 0.776843212941176

 $00:36:44.903 \longrightarrow 00:36:46.729$  almost predict that based on the

NOTE Confidence: 0.776843212941176

 $00:36:46.729 \longrightarrow 00:36:48.463$  fact that it's so highly modified.

NOTE Confidence: 0.776843212941176

 $00:36:48.470 \longrightarrow 00:36:50.451$  But then these others you can see

NOTE Confidence: 0.776843212941176

 $00{:}36{:}50.451 \dashrightarrow 00{:}36{:}52.257$  there aren't really sort of concordant

NOTE Confidence: 0.776843212941176

00:36:52.257 --> 00:36:54.051 DNA based mutations and so we're

NOTE Confidence: 0.776843212941176

 $00:36:54.051 \longrightarrow 00:36:56.240$  sort of trying to follow up what

NOTE Confidence: 0.776843212941176

 $00{:}36{:}56.240 \dashrightarrow 00{:}36{:}57.460$  those modifications might be.

NOTE Confidence: 0.776843212941176

 $00{:}36{:}57.460 \dashrightarrow 00{:}36{:}59.252$  And so you can see that there's sort

NOTE Confidence: 0.776843212941176

 $00:36:59.252 \longrightarrow 00:37:01.567$  of an iterative process where you

NOTE Confidence: 0.776843212941176

00:37:01.567 --> 00:37:03.379 could essentially either identify

 $00:37:03.379 \longrightarrow 00:37:04.638$  potentially interesting modifications

NOTE Confidence: 0.776843212941176

 $00:37:04.638 \dashrightarrow 00:37:06.982$  by mass spec in the favorite RNA and

NOTE Confidence: 0.776843212941176

 $00:37:06.982 \longrightarrow 00:37:09.569$  then try to use sequencing based on that

NOTE Confidence: 0.776843212941176

 $00:37:09.569 \longrightarrow 00:37:11.478$  knowledge to identify where they are.

NOTE Confidence: 0.776843212941176

00:37:11.480 --> 00:37:13.616 Or you could start with sequencing,

NOTE Confidence: 0.776843212941176

 $00:37:13.620 \longrightarrow 00:37:15.180$  identify specific sites on

NOTE Confidence: 0.776843212941176

 $00:37:15.180 \longrightarrow 00:37:16.740$  a transcript of interest,

NOTE Confidence: 0.776843212941176

 $00:37:16.740 \longrightarrow 00:37:18.266$  and then try to work out what

NOTE Confidence: 0.776843212941176

 $00:37:18.266 \longrightarrow 00:37:19.397$  the modification is either by

NOTE Confidence: 0.776843212941176

 $00:37:19.397 \longrightarrow 00:37:20.693$  mass spec or sort of another,

NOTE Confidence: 0.776843212941176

 $00{:}37{:}20.700 \dashrightarrow 00{:}37{:}22.572$  you know, orthogonal method.

NOTE Confidence: 0.776843212941176

00:37:22.572 --> 00:37:24.912 But by iterating this process,

NOTE Confidence: 0.776843212941176

 $00:37:24.920 \longrightarrow 00:37:25.995$  the idea is that basically

NOTE Confidence: 0.776843212941176

 $00:37:25.995 \longrightarrow 00:37:27.539$  you can get sort of a map of.

NOTE Confidence: 0.776843212941176

 $00:37:27.540 \longrightarrow 00:37:29.310$  And RNA of interests and really

NOTE Confidence: 0.776843212941176

 $00:37:29.310 \longrightarrow 00:37:31.100$  that RNA could be anything.

00:37:31.100 --> 00:37:31.976 I'll tell you a little bit

NOTE Confidence: 0.776843212941176

 $00:37:31.976 \longrightarrow 00:37:32.880$  about the ones that you know,

NOTE Confidence: 0.776843212941176

 $00:37:32.880 \longrightarrow 00:37:34.428$  we're working on at the moment.

NOTE Confidence: 0.776843212941176

 $00:37:34.430 \longrightarrow 00:37:36.182$  But the idea is that if you can

NOTE Confidence: 0.776843212941176

 $00:37:36.182 \longrightarrow 00:37:37.955$  get this sort of more complete

NOTE Confidence: 0.776843212941176

00:37:37.955 --> 00:37:39.863 picture of what's actually on there,

NOTE Confidence: 0.776843212941176

 $00:37:39.870 \longrightarrow 00:37:41.206$  you can then go in and look at,

NOTE Confidence: 0.776843212941176

00:37:41.210 --> 00:37:42.988 OK, if I do perturbation X or

NOTE Confidence: 0.776843212941176

 $00:37:42.988 \longrightarrow 00:37:44.670$  if I look in disease Y,

NOTE Confidence: 0.776843212941176

 $00{:}37{:}44.670 \dashrightarrow 00{:}37{:}47.782$  you can actually start to look at specific

NOTE Confidence: 0.776843212941176

 $00:37:47.782 \longrightarrow 00:37:50.468$  changes in those specific locations.

NOTE Confidence: 0.776843212941176

 $00:37:50.470 \longrightarrow 00:37:53.207$  And So what are we actually trying?

NOTE Confidence: 0.776843212941176 00:37:53.210 --> 00:37:53.690 Whoops, NOTE Confidence: 0.776843212941176

 $00{:}37{:}53.690 \dashrightarrow 00{:}37{:}56.570$  trying to do with this so.

NOTE Confidence: 0.776843212941176

 $00:37:56.570 \longrightarrow 00:37:58.388$  There's a lot of different applications

 $00:37:58.388 \longrightarrow 00:38:00.741$  I envision and this is where I probably

NOTE Confidence: 0.776843212941176

 $00:38:00.741 \dashrightarrow 00:38:02.373$  should have put disclosure at the

NOTE Confidence: 0.776843212941176

00:38:02.427 --> 00:38:04.583 beginning that says you know I would

NOTE Confidence: 0.776843212941176

 $00:38:04.583 \longrightarrow 00:38:06.278$  love always perspective from clinicians

NOTE Confidence: 0.776843212941176

 $00:38:06.278 \longrightarrow 00:38:07.814$  and more translational researchers

NOTE Confidence: 0.776843212941176

 $00{:}38{:}07.814 \dashrightarrow 00{:}38{:}09.950$  sort of interesting targets to look at.

NOTE Confidence: 0.776843212941176

 $00:38:09.950 \longrightarrow 00:38:11.470$  But I'll tell you a little bit about

NOTE Confidence: 0.776843212941176

 $00:38:11.470 \longrightarrow 00:38:13.090$  the ones that that we are looking at.

NOTE Confidence: 0.776843212941176

 $00:38:13.090 \longrightarrow 00:38:16.065$  And so I've mentioned the long non

NOTE Confidence: 0.776843212941176

00:38:16.065 --> 00:38:18.530 coding RNA's neat one and maillot one.

NOTE Confidence: 0.776843212941176

 $00{:}38{:}18.530 \dashrightarrow 00{:}38{:}21.934$  These are sort of our first model

NOTE Confidence: 0.776843212941176

00:38:21.934 --> 00:38:23.922 transcripts let's say for the mass spec

NOTE Confidence: 0.776843212941176

 $00:38:23.922 \longrightarrow 00:38:25.358$  approach because they are abundant,

NOTE Confidence: 0.776843212941176

 $00{:}38{:}25.360 \to 00{:}38{:}26.740$  they are big and there's

NOTE Confidence: 0.776843212941176

 $00:38:26.740 \longrightarrow 00:38:27.568$  some interesting biology.

NOTE Confidence: 0.776843212941176

 $00:38:27.570 \longrightarrow 00:38:28.551$  Associated with them,

 $00:38:28.551 \longrightarrow 00:38:30.513$  which means that once we have

NOTE Confidence: 0.776843212941176

 $00:38:30.513 \longrightarrow 00:38:31.499$  modifications of interest,

NOTE Confidence: 0.776843212941176

 $00:38:31.500 \longrightarrow 00:38:33.435$  we can go in and try to perturb them.

NOTE Confidence: 0.776843212941176

 $00:38:33.440 \longrightarrow 00:38:36.554$  We can go look in hopefully either

NOTE Confidence: 0.776843212941176

 $00{:}38{:}36.554 \dashrightarrow 00{:}38{:}39.116$  sort of more disease relevant samples

NOTE Confidence: 0.776843212941176

 $00:38:39.116 \longrightarrow 00:38:41.482$  than just cell culture lines and

NOTE Confidence: 0.776843212941176

 $00:38:41.482 \longrightarrow 00:38:43.642$  actually go and look at whether

NOTE Confidence: 0.776843212941176

 $00:38:43.715 \longrightarrow 00:38:46.120$  these changes actually translate to,

NOTE Confidence: 0.776843212941176 00:38:46.120 --> 00:38:46.874 you know, NOTE Confidence: 0.776843212941176

 $00:38:46.874 \longrightarrow 00:38:49.136$  samples that are a bit more

NOTE Confidence: 0.776843212941176

 $00:38:49.136 \longrightarrow 00:38:49.890$  directly translationally

NOTE Confidence: 0.807776348181818

 $00{:}38{:}49.953 \dashrightarrow 00{:}38{:}51.376$  relevant. We're also interested

NOTE Confidence: 0.807776348181818

 $00{:}38{:}51.376 \dashrightarrow 00{:}38{:}53.600$  in sort of M RNA's like Braca 2,

NOTE Confidence: 0.807776348181818

 $00:38:53.600 \longrightarrow 00:38:55.625$  but many others that we can use to sort

NOTE Confidence: 0.807776348181818

 $00:38:55.625 \longrightarrow 00:38:57.306$  of highlight the sequencing approach

00:38:57.306 --> 00:38:59.794 and essentially again go in and find

NOTE Confidence: 0.807776348181818

 $00:38:59.794 \longrightarrow 00:39:01.484$  some interesting modifications and try

NOTE Confidence: 0.807776348181818

 $00:39:01.484 \longrightarrow 00:39:04.331$  to perturb them and monitor how they

NOTE Confidence: 0.807776348181818

 $00:39:04.331 \longrightarrow 00:39:06.816$  change under under different conditions.

NOTE Confidence: 0.807776348181818

00:39:06.820 --> 00:39:08.636 But I think thinking sort of bigger picture,

NOTE Confidence: 0.807776348181818

 $00:39:08.640 \longrightarrow 00:39:10.383$  what these approaches sort of allow us

NOTE Confidence: 0.807776348181818

 $00:39:10.383 \longrightarrow 00:39:12.346$  to think about is to actually monitor

NOTE Confidence: 0.807776348181818

 $00:39:12.346 \longrightarrow 00:39:14.092$  changes and modifications in real time.

NOTE Confidence: 0.807776348181818

 $00{:}39{:}14.100 \dashrightarrow 00{:}39{:}16.548$  And so a problem that we're,

NOTE Confidence: 0.807776348181818

 $00:39:16.550 \longrightarrow 00:39:18.454$  we're sort of starting to think a little

NOTE Confidence: 0.807776348181818

 $00:39:18.454 \longrightarrow 00:39:20.458$  bit about this is driven really by Emily.

NOTE Confidence: 0.807776348181818

00:39:20.460 --> 00:39:23.408 In our lab is can we actually, you know,

NOTE Confidence: 0.807776348181818

 $00:39:23.408 \longrightarrow 00:39:25.431$  look at instances of things like drug

NOTE Confidence: 0.807776348181818

00:39:25.431 --> 00:39:27.065 resistance where we're sort of used

NOTE Confidence: 0.807776348181818

00:39:27.065 --> 00:39:28.694 to thinking about DNA based mutations

NOTE Confidence: 0.807776348181818

 $00{:}39{:}28.694 \dashrightarrow 00{:}39{:}30.398$  that are making a protein resistant

 $00:39:30.398 \longrightarrow 00:39:32.288$  to the drug that's targeting it.

NOTE Confidence: 0.807776348181818

 $00{:}39{:}32.288 \dashrightarrow 00{:}39{:}34.364$  But are there other changes beyond

NOTE Confidence: 0.807776348181818

 $00:39:34.364 \longrightarrow 00:39:36.611$  that that we're missing that we could

NOTE Confidence: 0.807776348181818

 $00:39:36.611 \longrightarrow 00:39:38.951$  actually sort of use either as biomarkers

NOTE Confidence: 0.807776348181818

 $00:39:38.951 \longrightarrow 00:39:41.063$  or diagnostics or something else that

NOTE Confidence: 0.807776348181818

 $00:39:41.063 \longrightarrow 00:39:44.170$  we could actually either you know,

NOTE Confidence: 0.807776348181818

00:39:44.170 --> 00:39:46.599 target or at least use to monitor

NOTE Confidence: 0.807776348181818

 $00{:}39{:}46.599 \dashrightarrow 00{:}39{:}48.344$  the development of disease sort

NOTE Confidence: 0.807776348181818

 $00:39:48.344 \longrightarrow 00:39:49.919$  of at the RNA level?

NOTE Confidence: 0.807776348181818

 $00{:}39{:}49.920 \dashrightarrow 00{:}39{:}52.260$  The consequences of IH1 status are

NOTE Confidence: 0.807776348181818

 $00:39:52.260 \longrightarrow 00:39:54.522$  really unknown here and this is

NOTE Confidence: 0.807776348181818

 $00:39:54.522 \dashrightarrow 00:39:56.342$  really where I think where we've

NOTE Confidence: 0.807776348181818

 $00{:}39{:}56.342 \dashrightarrow 00{:}39{:}58.028$  become sort of really interested in

NOTE Confidence: 0.807776348181818

 $00:39:58.028 \dashrightarrow 00:39:59.699$  glioblastoma for a few different reasons.

NOTE Confidence: 0.807776348181818

 $00:39:59.700 \longrightarrow 00:40:02.492$  One of them is the sort of huge

 $00:40:02.492 \longrightarrow 00:40:04.178$  dichotomy with with DH one.

NOTE Confidence: 0.807776348181818

 $00{:}40{:}04.180 --> 00{:}40{:}06.100$  But another is that, you know,

NOTE Confidence: 0.807776348181818

 $00:40:06.100 \longrightarrow 00:40:07.260$  it's a disease in which,

NOTE Confidence: 0.807776348181818

 $00:40:07.260 \longrightarrow 00:40:08.639$  at least based on what I've read

NOTE Confidence: 0.807776348181818

 $00:40:08.639 \longrightarrow 00:40:09.958$  and I'm happy to be corrected,

NOTE Confidence: 0.807776348181818

00:40:09.960 --> 00:40:11.466 there's actually a fair amount of

NOTE Confidence: 0.807776348181818

 $00:40:11.466 \longrightarrow 00:40:13.411$  evidence that a lot of drug resistance

NOTE Confidence: 0.807776348181818

00:40:13.411 --> 00:40:14.901 isn't really happening based on

NOTE Confidence: 0.807776348181818

 $00{:}40{:}14.901 \dashrightarrow 00{:}40{:}16.608$  mutations at the DNA level suggesting

NOTE Confidence: 0.807776348181818

 $00:40:16.608 \longrightarrow 00:40:18.198$  that there might be some really

NOTE Confidence: 0.807776348181818

 $00{:}40{:}18.200 \dashrightarrow 00{:}40{:}20.080$  interesting things we can look at at the.

NOTE Confidence: 0.807776348181818

 $00:40:20.080 \longrightarrow 00:40:22.780$  RNA level including things like modifications

NOTE Confidence: 0.807776348181818

00:40:22.780 --> 00:40:25.408 that aren't really driven by you know,

NOTE Confidence: 0.807776348181818

00:40:25.410 --> 00:40:26.610 DNA mutations specifically.

NOTE Confidence: 0.807776348181818

00:40:26.610 --> 00:40:29.410 And so hopefully I've convinced you that

NOTE Confidence: 0.807776348181818

 $00:40:29.474 \longrightarrow 00:40:31.826$  that you know what we're doing is sort

 $00:40:31.826 \longrightarrow 00:40:33.948$  of somewhat feasible and interesting.

NOTE Confidence: 0.807776348181818

 $00:40:33.950 \longrightarrow 00:40:35.110$  I think moving forward,

NOTE Confidence: 0.807776348181818 00:40:35.110 --> 00:40:35.690 you know, NOTE Confidence: 0.807776348181818

 $00:40:35.690 \longrightarrow 00:40:38.096$  we've definitely have a really strong

NOTE Confidence: 0.807776348181818

 $00:40:38.096 \longrightarrow 00:40:40.190$  interest in glioblastoma and this is

NOTE Confidence: 0.807776348181818

 $00:40:40.190 \longrightarrow 00:40:42.731$  sort of what the Sontag Foundation has

NOTE Confidence: 0.807776348181818

00:40:42.731 --> 00:40:45.267 sort of funded us to look into Umm,

NOTE Confidence: 0.807776348181818

 $00:40:45.270 \longrightarrow 00:40:47.280$  thankfully with the brain tumor

NOTE Confidence: 0.807776348181818

 $00{:}40{:}47.280 \to 00{:}40{:}49.290$  centers as support and guidance,

NOTE Confidence: 0.807776348181818

 $00:40:49.290 \dashrightarrow 00:40:51.089$  but we're really interested in sort of.

NOTE Confidence: 0.807776348181818

00:40:51.090 --> 00:40:52.675 Applying this across all different

NOTE Confidence: 0.807776348181818

 $00:40:52.675 \longrightarrow 00:40:54.642$  types of disease and other cancers

NOTE Confidence: 0.807776348181818

 $00{:}40{:}54.642 {\:{\circ}{\circ}{\circ}}>00{:}40{:}56.604$  in particular because I don't think

NOTE Confidence: 0.807776348181818

 $00:40:56.604 \longrightarrow 00:40:58.197$  that our approaches are necessarily

NOTE Confidence: 0.807776348181818

00:40:58.197 --> 00:41:00.136 going to be limited to you know,

 $00:41:00.140 \longrightarrow 00:41:01.460$  glioblastoma specifically.

NOTE Confidence: 0.807776348181818

 $00:41:01.460 \longrightarrow 00:41:03.440$  But you know,

NOTE Confidence: 0.807776348181818

00:41:03.440 --> 00:41:05.264 I'm hoping that with a little bit of

NOTE Confidence: 0.807776348181818

 $00:41:05.264 \longrightarrow 00:41:06.697$  discussion or maybe I've peaked some

NOTE Confidence: 0.807776348181818

00:41:06.697 --> 00:41:08.572 interest in some of you here that maybe

NOTE Confidence: 0.807776348181818

00:41:08.572 --> 00:41:10.284 you can give us some great new ideas

NOTE Confidence: 0.807776348181818

00:41:10.290 --> 00:41:12.618 and spark some new collaborations to,

NOTE Confidence: 0.807776348181818

 $00:41:12.620 \longrightarrow 00:41:15.800$  to work on this moving forward.

NOTE Confidence: 0.807776348181818

00:41:15.800 --> 00:41:17.800 And so with that I would just like

NOTE Confidence: 0.807776348181818

 $00:41:17.800 \longrightarrow 00:41:19.377$  to acknowledge the people that are

NOTE Confidence: 0.807776348181818

 $00{:}41{:}19.377 \dashrightarrow 00{:}41{:}21.170$  actually doing the work in our lab.

NOTE Confidence: 0.807776348181818

00:41:21.170 --> 00:41:23.528 And so I think this is a up to

NOTE Confidence: 0.807776348181818

 $00:41:23.528 \longrightarrow 00:41:25.820$  date picture for the most part.

NOTE Confidence: 0.807776348181818

 $00{:}41{:}25.820 \to 00{:}41{:}28.060$  So we are mostly graduate student lab,

NOTE Confidence: 0.807776348181818

 $00:41:28.060 \longrightarrow 00:41:30.400$  but we have undergraduates and

NOTE Confidence: 0.807776348181818

 $00:41:30.400 \longrightarrow 00:41:32.740$  postgraduate researchers working with us

 $00:41:32.812 \longrightarrow 00:41:35.650$  as well. We're supported by a tremendous

NOTE Confidence: 0.866562550833333

 $00:41:35.650 \longrightarrow 00:41:39.558$  team of collaborators both in in a piles lab

NOTE Confidence: 0.866562550833333

00:41:39.558 --> 00:41:42.440 but also Brent gravely and Emmanuel Saliba.

NOTE Confidence: 0.866562550833333

00:41:42.440 --> 00:41:45.580 We have a joint NHR I grant to sort of study.

NOTE Confidence: 0.866562550833333

00:41:45.580 --> 00:41:48.380 Um, you know, develop methods to sort

NOTE Confidence: 0.866562550833333

 $00:41:48.380 \longrightarrow 00:41:50.479$  of sequence modifications more broadly.

NOTE Confidence: 0.866562550833333

 $00:41:50.480 \longrightarrow 00:41:53.049$  We're also very grateful to our mass

NOTE Confidence: 0.866562550833333

 $00:41:53.049 \longrightarrow 00:41:55.921$  spec support and the Yale Chemical

NOTE Confidence: 0.866562550833333

 $00:41:55.921 \longrightarrow 00:41:57.619$  Biology Instrumentation Center.

NOTE Confidence: 0.866562550833333

 $00:41:57.620 \longrightarrow 00:42:00.882$  And of course our funding sources through

NOTE Confidence: 0.866562550833333

 $00{:}42{:}00.882 \dashrightarrow 00{:}42{:}04.022$  the NIH, the Hood Foundation and the Sontag

NOTE Confidence: 0.866562550833333

 $00:42:04.022 \longrightarrow 00:42:06.170$  Foundation that I already mentioned.

NOTE Confidence: 0.866562550833333

 $00{:}42{:}06.170 \dashrightarrow 00{:}42{:}07.875$  We've got also great support

NOTE Confidence: 0.866562550833333

 $00:42:07.875 \longrightarrow 00:42:09.990$  from the RNA center at Yale,

NOTE Confidence: 0.866562550833333

 $00:42:09.990 \longrightarrow 00:42:11.670$  which is a great community.

00:42:11.670 --> 00:42:13.008 But of course I would definitely

NOTE Confidence: 0.866562550833333

00:42:13.008 --> 00:42:14.569 like to thank the Cancer Center,

NOTE Confidence: 0.866562550833333

00:42:14.570 --> 00:42:16.082 not only for the invitation to actually

NOTE Confidence: 0.866562550833333

00:42:16.082 --> 00:42:18.084 come in and talk to you a little bit today,

NOTE Confidence: 0.866562550833333

 $00:42:18.090 \longrightarrow 00:42:19.118$  but I was truly,

NOTE Confidence: 0.866562550833333

00:42:19.118 --> 00:42:20.660 it was the most pleasant surprise

NOTE Confidence: 0.866562550833333

 $00:42:20.712 \longrightarrow 00:42:22.284$  when I emailed Doctor Amura about

NOTE Confidence: 0.866562550833333

00:42:22.284 --> 00:42:23.949 this sort of like random hey,

NOTE Confidence: 0.866562550833333

 $00:42:23.950 \longrightarrow 00:42:25.567$  I'm writing a grant about brain cancer.

NOTE Confidence: 0.866562550833333

00:42:25.570 --> 00:42:28.054 Like, would you be willing to chat and and

NOTE Confidence: 0.866562550833333

 $00:42:28.054 \longrightarrow 00:42:30.286$  maybe talk through some of these ideas?

NOTE Confidence: 0.866562550833333

 $00:42:30.290 \longrightarrow 00:42:32.090$  It was a fantastic interaction

NOTE Confidence: 0.866562550833333

 $00:42:32.090 \longrightarrow 00:42:33.170$  and great conversation.

NOTE Confidence: 0.866562550833333

 $00:42:33.170 \longrightarrow 00:42:35.434$  I hope this is sort of a productive

NOTE Confidence: 0.866562550833333

 $00:42:35.434 \longrightarrow 00:42:36.660$  collaboration in the future.

NOTE Confidence: 0.866562550833333

00:42:36.660 --> 00:42:37.383 And with that,

 $00:42:37.383 \longrightarrow 00:42:39.070$  I'll just leave it there and I'll

NOTE Confidence: 0.866562550833333

 $00:42:39.129 \longrightarrow 00:42:40.750$  take any questions you might have.

NOTE Confidence: 0.761150663333333

 $00:42:50.230 \longrightarrow 00:42:51.028$  Well, let's check.

NOTE Confidence: 0.8888614675

 $00:42:53.290 \longrightarrow 00:42:53.918$  I don't think so.

NOTE Confidence: 0.865788147

 $00:42:53.930 \longrightarrow 00:42:55.406$  In the meantime, let's get some

NOTE Confidence: 0.865788147

 $00{:}42{:}55.406 \dashrightarrow 00{:}42{:}56.390$  questions from the audience.

NOTE Confidence: 0.73228536625

00:43:02.690 --> 00:43:04.378 I have two questions though kind of like.

NOTE Confidence: 0.726515603529412

00:43:07.830 --> 00:43:09.811 The first one being I was wondering

NOTE Confidence: 0.726515603529412

 $00:43:09.811 \longrightarrow 00:43:11.882$  if you if your studies especially

NOTE Confidence: 0.726515603529412

 $00:43:11.882 \longrightarrow 00:43:14.202$  when they looked at like locations

NOTE Confidence: 0.726515603529412

 $00:43:14.202 \longrightarrow 00:43:16.132$  which does obviously cause an

NOTE Confidence: 0.726515603529412

00:43:16.132 --> 00:43:18.030 increase in strain escalation,

NOTE Confidence: 0.726515603529412

 $00{:}43{:}18.030 \to 00{:}43{:}20.295$  seeing whether using methylation can

NOTE Confidence: 0.726515603529412

00:43:20.295 --> 00:43:22.560 change body affects or potentially

NOTE Confidence: 0.726515603529412

 $00:43:22.631 \longrightarrow 00:43:24.956$  changes the amount of modifications

 $00:43:24.956 \longrightarrow 00:43:26.649$  tomorrow night, I'm not saying.

NOTE Confidence: 0.862024616

 $00:43:28.230 \longrightarrow 00:43:29.410$  It's a really great question.

NOTE Confidence: 0.862024616

00:43:29.410 --> 00:43:32.530 That's actually a PhD project in our lab

NOTE Confidence: 0.862024616

00:43:32.530 --> 00:43:34.390 essentially not exactly that but yes,

NOTE Confidence: 0.862024616

 $00:43:34.390 \longrightarrow 00:43:35.920$  so that's a fantastic question.

NOTE Confidence: 0.862024616

 $00:43:35.920 \longrightarrow 00:43:36.900$  So for the people on zoom that

NOTE Confidence: 0.862024616

 $00:43:36.900 \longrightarrow 00:43:38.008$  may not have caught the question,

NOTE Confidence: 0.862024616

00:43:38.010 --> 00:43:40.008 the question is essentially about the

NOTE Confidence: 0.862024616

 $00:43:40.008 \longrightarrow 00:43:42.370$  sort of effects of methylation status of

NOTE Confidence: 0.862024616

00:43:42.370 --> 00:43:45.460 DNA on sort of RNA modification status.

NOTE Confidence: 0.862024616

 $00{:}43{:}45.460 \dashrightarrow 00{:}43{:}48.188$  So at the moment there's a lot of

NOTE Confidence: 0.862024616

 $00:43:48.188 \longrightarrow 00:43:49.846$  correlative evidence suggesting that

NOTE Confidence: 0.862024616

 $00:43:49.846 \longrightarrow 00:43:52.582$  either DNA methylation and or histone

NOTE Confidence: 0.862024616

00:43:52.582 --> 00:43:54.220 methylation could impact sort of

NOTE Confidence: 0.862024616

 $00:43:54.220 \longrightarrow 00:43:55.990$  the presence or absence of specific

NOTE Confidence: 0.862024616

 $00:43:56.050 \longrightarrow 00:43:58.318$  modifications and then that will of course.

00:43:58.320 --> 00:44:00.336 Relate with sort of gene expression,

NOTE Confidence: 0.862024616

 $00:44:00.340 \longrightarrow 00:44:01.940$  but we have a bit of a chicken

NOTE Confidence: 0.862024616

 $00:44:01.940 \longrightarrow 00:44:02.820$  and egg problem.

NOTE Confidence: 0.862024616

00:44:02.820 --> 00:44:04.780 I think intuitively you would assume that

NOTE Confidence: 0.862024616

 $00{:}44{:}04.780 \dashrightarrow 00{:}44{:}06.946$  the DNA level stuff would impact the RNA

NOTE Confidence: 0.862024616

00:44:06.946 --> 00:44:08.990 level stuff and only in One Direction.

NOTE Confidence: 0.862024616

00:44:08.990 --> 00:44:11.279 But it turns out that that's actually

NOTE Confidence: 0.862024616

 $00:44:11.279 \longrightarrow 00:44:14.347$  maybe not true and that there's sort of

NOTE Confidence: 0.862024616

 $00:44:14.347 \longrightarrow 00:44:16.525$  interactions between sort of chromatin

NOTE Confidence: 0.862024616

 $00:44:16.525 \longrightarrow 00:44:17.890$  transcription machinery modification

NOTE Confidence: 0.862024616

00:44:17.890 --> 00:44:20.143 machinery that maybe actually going

NOTE Confidence: 0.862024616

 $00{:}44{:}20.143 \rightarrow 00{:}44{:}21.659$  back and impacting chromatin.

NOTE Confidence: 0.862024616

 $00:44:21.660 \longrightarrow 00:44:23.796$  So the short answer is yes,

NOTE Confidence: 0.862024616

00:44:23.800 --> 00:44:25.360 it likely is impacting it.

NOTE Confidence: 0.862024616

 $00:44:25.360 \longrightarrow 00:44:27.320$  We don't exactly know how,

 $00:44:27.320 \longrightarrow 00:44:29.680$  but one way that we're trying to study.

NOTE Confidence: 0.862024616

 $00{:}44{:}29.680 \dashrightarrow 00{:}44{:}31.185$  Just to look at the code transcriptional

NOTE Confidence: 0.862024616

 $00:44:31.185 \longrightarrow 00:44:32.046$  regulation of different modifications

NOTE Confidence: 0.862024616

 $00:44:32.046 \longrightarrow 00:44:33.494$  and if we can figure out kind of

NOTE Confidence: 0.862024616

00:44:33.494 --> 00:44:34.418 exactly where they're put on,

NOTE Confidence: 0.862024616

 $00:44:34.420 \longrightarrow 00:44:36.140$  then we can go and tinker with the

NOTE Confidence: 0.862024616

00:44:36.140 --> 00:44:38.000 DNA and then figure out if it's

NOTE Confidence: 0.862024616

00:44:38.000 --> 00:44:41.180 still happening or. Yeah, yeah.

NOTE Confidence: 0.862024616

 $00:44:41.180 \longrightarrow 00:44:44.060$  Question is.

NOTE Confidence: 0.862024616

 $00:44:44.060 \longrightarrow 00:44:44.710$  Retaliating.

NOTE Confidence: 0.7547894

 $00:44:47.050 \longrightarrow 00:44:48.170$  It's like I don't know.

NOTE Confidence: 0.89287934

 $00:44:55.830 \longrightarrow 00:44:57.822$  Yes. So we we always try to validate

NOTE Confidence: 0.89287934

00:44:57.822 --> 00:44:59.908 sort of in multiple different ways,

NOTE Confidence: 0.89287934

 $00:44:59.910 \longrightarrow 00:45:01.809$  not only sort of loss of the enzyme but

NOTE Confidence: 0.89287934

 $00:45:01.809 \longrightarrow 00:45:03.888$  also loss of the modification it turns out.

NOTE Confidence: 0.89287934

 $00:45:03.890 \longrightarrow 00:45:05.842$  So the shorter answer is yes, we do.

 $00:45:05.842 \longrightarrow 00:45:07.809$  The tricky part is that oftentimes we're

NOTE Confidence: 0.89287934

 $00:45:07.809 \longrightarrow 00:45:09.441$  dealing with very small changes and

NOTE Confidence: 0.89287934

 $00:45:09.441 \longrightarrow 00:45:11.409$  actually in the case of metal three,

NOTE Confidence: 0.89287934

 $00:45:11.410 \longrightarrow 00:45:13.230$  it's even worse because it's an essential

NOTE Confidence: 0.89287934

 $00:45:13.230 \longrightarrow 00:45:15.286$  gene and if you lose it for too long,

NOTE Confidence: 0.89287934

 $00:45:15.290 \longrightarrow 00:45:16.610$  cells are dead.

NOTE Confidence: 0.89287934

 $00:45:16.610 \longrightarrow 00:45:20.120$  So we do our best to sort of.

NOTE Confidence: 0.89287934

 $00{:}45{:}20.120 \to 00{:}45{:}21.709$  Tune the perturbation so we can get

NOTE Confidence: 0.89287934

 $00:45:21.709 \longrightarrow 00:45:23.460$  a change in modification but not,

NOTE Confidence: 0.89287934

 $00:45:23.460 \longrightarrow 00:45:24.544$  you know, lose everything.

NOTE Confidence: 0.89287934

00:45:24.544 --> 00:45:26.474 But I will say that actually one

NOTE Confidence: 0.89287934

 $00:45:26.474 \longrightarrow 00:45:27.980$  thing that we've been trying to

NOTE Confidence: 0.89287934

 $00{:}45{:}27.980 \dashrightarrow 00{:}45{:}29.676$  work out though it's been very,

NOTE Confidence: 0.89287934

 $00:45:29.676 \longrightarrow 00:45:31.548$  very difficult is to use these

NOTE Confidence: 0.89287934

 $00:45:31.548 \longrightarrow 00:45:33.604$  sort of crisper cast based systems

 $00:45:33.604 \longrightarrow 00:45:35.826$  to sort of target enzymes to

NOTE Confidence: 0.89287934

 $00{:}45{:}35.826 \dashrightarrow 00{:}45{:}37.248$  specific modification sites.

NOTE Confidence: 0.89287934

 $00:45:37.250 \longrightarrow 00:45:39.239$  So the idea would be you take a dead

NOTE Confidence: 0.89287934

 $00:45:39.239 \longrightarrow 00:45:40.915$  cast 9 or a dead cast whatever.

NOTE Confidence: 0.89287934

 $00:45:40.920 \longrightarrow 00:45:42.696$  There's like 10 of them now I think

NOTE Confidence: 0.89287934

 $00:45:42.696 \longrightarrow 00:45:44.508$  that are essentially trying to tether

NOTE Confidence: 0.89287934

 $00:45:44.508 \longrightarrow 00:45:46.770$  enzymes using this this machinery to a

NOTE Confidence: 0.89287934

00:45:46.770 --> 00:45:48.429 specific place using a guide RNA and

NOTE Confidence: 0.89287934

 $00:45:48.429 \longrightarrow 00:45:50.290$  then the enzyme is around and should be.

NOTE Confidence: 0.89287934

 $00:45:50.290 \longrightarrow 00:45:52.415$  Essentially just be removing a

NOTE Confidence: 0.89287934

 $00:45:52.415 \longrightarrow 00:45:54.540$  modification at that specific site.

NOTE Confidence: 0.89287934

 $00:45:54.540 \longrightarrow 00:45:56.640$  We're trying some of these systems.

NOTE Confidence: 0.89287934

00:45:56.640 --> 00:45:58.524 We haven't gotten all of them

NOTE Confidence: 0.89287934

 $00:45:58.524 \longrightarrow 00:46:00.120$  to work very well yet,

NOTE Confidence: 0.89287934

 $00:46:00.120 \longrightarrow 00:46:02.433$  but that would be sort of a much more

NOTE Confidence: 0.89287934

 $00:46:02.433 \longrightarrow 00:46:04.430$  targeted and much better way to look at

 $00:46:04.430 \longrightarrow 00:46:06.499$  sort of very specific modifications.

NOTE Confidence: 0.89287934 00:46:06.500 --> 00:46:06.920 So, NOTE Confidence: 0.75333511

 $00:46:07.240 \longrightarrow 00:46:09.810$  yeah, good questions. Yeah.

NOTE Confidence: 0.748746281923077

 $00:46:15.420 \longrightarrow 00:46:17.796$  Yes. So yes, so the question is have

NOTE Confidence: 0.748746281923077

00:46:17.796 --> 00:46:20.600 we looked at IMIDAZOLINE and LH3? Yes,

NOTE Confidence: 0.748746281923077

 $00:46:20.600 \longrightarrow 00:46:24.520$  I actually didn't talk about the M1A work.

NOTE Confidence: 0.748746281923077

 $00:46:24.520 \longrightarrow 00:46:26.032$  I have a long history with that

NOTE Confidence: 0.748746281923077

 $00:46:26.032 \longrightarrow 00:46:28.840$  modification from my postdoc. Actually,

NOTE Confidence: 0.748746281923077

 $00{:}46{:}28.840 \dashrightarrow 00{:}46{:}30.976$  it's been a very tricky one to study.

NOTE Confidence: 0.748746281923077

00:46:30.980 --> 00:46:32.646 And if you're familiar with that literature,

NOTE Confidence: 0.748746281923077

 $00:46:32.650 \longrightarrow 00:46:34.282$  you might know there's been a lot of

NOTE Confidence: 0.748746281923077

 $00:46:34.282 \longrightarrow 00:46:35.480$  arguments about sort of prevalence,

NOTE Confidence: 0.748746281923077

 $00{:}46{:}35.480 \dashrightarrow 00{:}46{:}36.647$  presence, location, etcetera.

NOTE Confidence: 0.748746281923077

 $00:46:36.647 \longrightarrow 00:46:39.370$  And so I think are a lot

NOTE Confidence: 0.748746281923077

 $00:46:39.449 \longrightarrow 00:46:41.465$  without the H3 as a postdoc.

 $00:46:41.470 \longrightarrow 00:46:43.798$  And and the sort of odd thing that

NOTE Confidence: 0.748746281923077

 $00{:}46{:}43.798 \dashrightarrow 00{:}46{:}46.035$  I stumbled on and I think this is

NOTE Confidence: 0.748746281923077

00:46:46.035 --> 00:46:47.595 like buried in the supplementary

NOTE Confidence: 0.748746281923077

 $00:46:47.595 \longrightarrow 00:46:50.199$  figure whatever of that paper is.

NOTE Confidence: 0.748746281923077

 $00{:}46{:}50.200 \dashrightarrow 00{:}46{:}52.762$  It was strange because I when I

NOTE Confidence: 0.748746281923077

00:46:52.762 --> 00:46:54.385 overexpressed out PH3IN cell lines,

NOTE Confidence: 0.748746281923077

 $00:46:54.385 \longrightarrow 00:46:55.860$  you can see an ink.

NOTE Confidence: 0.748746281923077

 $00:46:55.860 \longrightarrow 00:46:57.358$  So you see an increase in LH3,

NOTE Confidence: 0.748746281923077

 $00:46:57.360 \longrightarrow 00:46:59.664$  you would expect a decrease in M1A and

NOTE Confidence: 0.748746281923077

 $00:46:59.664 \longrightarrow 00:47:02.420$  we did see that but when we knocked down

NOTE Confidence: 0.748746281923077

 $00{:}47{:}02.420 \dashrightarrow 00{:}47{:}05.714$  LH3 we did not see the sort of reverse.

NOTE Confidence: 0.748746281923077

00:47:05.720 --> 00:47:07.060 But interestingly other labs have

NOTE Confidence: 0.748746281923077

 $00:47:07.060 \longrightarrow 00:47:09.105$  and so I don't know if this is

NOTE Confidence: 0.748746281923077

 $00:47:09.105 \longrightarrow 00:47:10.624$  sort of a methods based thing or

NOTE Confidence: 0.748746281923077

 $00:47:10.681 \longrightarrow 00:47:12.193$  not I will say in an in vitro.

NOTE Confidence: 0.748746281923077 00:47:12.200 --> 00:47:12.758 Experiment,

00:47:12.758 --> 00:47:15.548 it absolutely will demethylated M1A.

NOTE Confidence: 0.748746281923077

 $00{:}47{:}15.550 \dashrightarrow 00{:}47{:}17.863$  It will do that probably on RNA and DNA.

NOTE Confidence: 0.748746281923077

 $00:47:17.870 \longrightarrow 00:47:20.142$  The question is more just if in the

NOTE Confidence: 0.748746281923077

00:47:20.142 --> 00:47:21.504 cell itself they're encountering

NOTE Confidence: 0.748746281923077

 $00:47:21.504 \longrightarrow 00:47:24.045$  each other to the extent that you

NOTE Confidence: 0.748746281923077

 $00:47:24.045 \longrightarrow 00:47:26.286$  would need for it to regulate M RNA.

NOTE Confidence: 0.748746281923077

00:47:26.290 --> 00:47:28.180 So we're not sure we're we're sort

NOTE Confidence: 0.748746281923077

 $00:47:28.180 \longrightarrow 00:47:30.369$  of going to still try to work that

NOTE Confidence: 0.748746281923077

 $00{:}47{:}30.369 \dashrightarrow 00{:}47{:}32.568$  out in a more targeted way if we can.

NOTE Confidence: 0.748746281923077

 $00:47:32.570 \longrightarrow 00:47:34.327$  We actually would love to target LPH

NOTE Confidence: 0.748746281923077

 $00:47:34.327 \longrightarrow 00:47:37.186$  3 with a cast system and sort of

NOTE Confidence: 0.748746281923077

 $00:47:37.186 \longrightarrow 00:47:38.822$  specifically demethylated specific places,

NOTE Confidence: 0.748746281923077

 $00{:}47{:}38.830 \dashrightarrow 00{:}47{:}42.208$  specific sites but that's been a tricky 1.

NOTE Confidence: 0.748746281923077

 $00:47:42.210 \longrightarrow 00:47:46.090$  For a lot of reasons, yeah.

NOTE Confidence: 0.748746281923077

00:47:46.090 --> 00:47:47.140 So NOTE Confidence: 0.884536414  $00:47:47.140 \longrightarrow 00:47:49.140$  I was fascinated by the use

NOTE Confidence: 0.884536414

 $00:47:49.140 \longrightarrow 00:47:52.350$  of antibodies for enrichment.

NOTE Confidence: 0.644027781428572

 $00:47:52.350 \longrightarrow 00:47:54.044$  Have those antibodies ever been used inside

NOTE Confidence: 0.756750996

 $00:47:54.060 \longrightarrow 00:47:56.160$  to try to identify location

NOTE Confidence: 0.756750996

 $00:47:56.160 \longrightarrow 00:47:57.810$  of the marks or any kind of?

NOTE Confidence: 0.890784386

 $00:47:58.820 \longrightarrow 00:48:00.040$  Yeah, that's a great question.

NOTE Confidence: 0.890784386

 $00:48:00.040 \longrightarrow 00:48:04.216$  So I don't know about Umm.

NOTE Confidence: 0.890784386

 $00:48:04.220 \longrightarrow 00:48:07.694$  So yes, a little bit in sort

NOTE Confidence: 0.890784386

 $00:48:07.694 \longrightarrow 00:48:09.954$  of cell culture based systems,

NOTE Confidence: 0.890784386

 $00:48:09.960 \longrightarrow 00:48:12.216$  it's often a little bit tricky unless you

NOTE Confidence: 0.890784386

 $00:48:12.216 \longrightarrow 00:48:14.478$  can get a very specific concentration of

NOTE Confidence: 0.890784386

 $00:48:14.478 \longrightarrow 00:48:17.039$  a modification in a very specific place.

NOTE Confidence: 0.890784386

 $00:48:17.040 \longrightarrow 00:48:18.732$  For something like M6A that's sort

NOTE Confidence: 0.890784386

00:48:18.732 --> 00:48:20.659 of diffuse on many different RNA,

NOTE Confidence: 0.890784386

 $00:48:20.660 \longrightarrow 00:48:21.860$  it can be a little tricky.

NOTE Confidence: 0.890784386

 $00:48:21.860 \longrightarrow 00:48:24.380$  That being said, for some things,

 $00:48:24.380 \longrightarrow 00:48:26.880$  you know particularly if you

NOTE Confidence: 0.890784386

 $00:48:26.880 \longrightarrow 00:48:28.732$  have very concentrated sort of.

NOTE Confidence: 0.890784386

 $00:48:28.732 \longrightarrow 00:48:30.358$  You know, a nuclear body or

NOTE Confidence: 0.890784386

 $00:48:30.358 \longrightarrow 00:48:31.069$  a cytoplasmic body.

NOTE Confidence: 0.890784386

 $00:48:31.070 \longrightarrow 00:48:32.127$  You might be able to detect them,

NOTE Confidence: 0.890784386

 $00:48:32.130 \longrightarrow 00:48:33.204$  I don't know.

NOTE Confidence: 0.890784386

00:48:33.204 --> 00:48:34.994 Various people have tried and

NOTE Confidence: 0.890784386

 $00:48:34.994 \longrightarrow 00:48:37.120$  to sort of varying success.

NOTE Confidence: 0.890784386

 $00{:}48{:}37.120 \dashrightarrow 00{:}48{:}38.026$  I think it's something we need

NOTE Confidence: 0.890784386

 $00:48:38.026 \longrightarrow 00:48:39.239$  to look at a little bit more.

NOTE Confidence: 0.890784386

 $00:48:39.240 \longrightarrow 00:48:40.854$  The the other tricky thing with

NOTE Confidence: 0.890784386

 $00:48:40.854 \longrightarrow 00:48:42.498$  these antibodies is it turns out

NOTE Confidence: 0.890784386

 $00{:}48{:}42.498 \dashrightarrow 00{:}48{:}44.052$  they're not all super specific and

NOTE Confidence: 0.890784386

 $00{:}48{:}44.052 \dashrightarrow 00{:}48{:}45.873$  so then we can't interpret whether

NOTE Confidence: 0.890784386

 $00:48:45.873 \longrightarrow 00:48:47.751$  the signal we're getting is actually

00:48:47.760 --> 00:48:50.352 because of that modification or just

NOTE Confidence: 0.890784386

 $00:48:50.352 \longrightarrow 00:48:53.279$  it's binding to a lot of things.

NOTE Confidence: 0.890784386

 $00{:}48{:}53.280 \dashrightarrow 00{:}48{:}55.176$  So something we still need to work out

NOTE Confidence: 0.890784386

 $00:48:55.176 \longrightarrow 00:48:57.456$  but I there's people there have been

NOTE Confidence: 0.890784386

 $00:48:57.456 \longrightarrow 00:48:59.206$  some interesting methods trying to

NOTE Confidence: 0.890784386

00:48:59.265 --> 00:49:01.260 sort of use proximity based you know,

NOTE Confidence: 0.890784386

 $00:49:01.260 \longrightarrow 00:49:02.605$  akin to a proximity ligation

NOTE Confidence: 0.890784386

 $00:49:02.605 \longrightarrow 00:49:03.950$  based strategy where you know

NOTE Confidence: 0.890784386

 $00:49:04.002 \longrightarrow 00:49:05.346$  if you can bridge two things.

NOTE Confidence: 0.890784386

00:49:05.350 --> 00:49:07.618 Together to kind of combine an antibody

NOTE Confidence: 0.890784386

 $00{:}49{:}07.618 \dashrightarrow 00{:}49{:}09.638$  with something else to tell you that

NOTE Confidence: 0.890784386

 $00:49:09.638 \longrightarrow 00:49:11.620$  that Mark is there with some success.

NOTE Confidence: 0.890784386

 $00:49:11.620 \longrightarrow 00:49:13.378$  But the imaging based methods are

NOTE Confidence: 0.890784386

00:49:13.378 --> 00:49:15.278 a little bit behind I would say,

NOTE Confidence: 0.890784386

 $00{:}49{:}15.280 --> 00{:}49{:}15.540 \ \mathrm{yeah}.$ 

NOTE Confidence: 0.834696256666667

 $00:49:18.810 \longrightarrow 00:49:19.518$  At the beginning.

 $00:49:23.630 \longrightarrow 00:49:26.252$  I was wondering if that's drastic

NOTE Confidence: 0.573482131666667

 $00{:}49{:}26.252 \rightarrow 00{:}49{:}29.539$  enough to affect the RNA confrontation,

NOTE Confidence: 0.573482131666667

00:49:29.540 --> 00:49:31.488 but you could essentially have proteins

NOTE Confidence: 0.573482131666667

00:49:31.488 --> 00:49:33.364 that couldn't or wouldn't be picked up.

NOTE Confidence: 0.85666396

 $00:49:34.740 \longrightarrow 00:49:35.760$  Yeah, that's a great question.

NOTE Confidence: 0.85666396

00:49:35.760 --> 00:49:38.300 So the question is for those of you on zoom,

NOTE Confidence: 0.85666396

 $00:49:38.300 \longrightarrow 00:49:40.064$  whether the impact of modifications on

NOTE Confidence: 0.85666396

 $00:49:40.064 \longrightarrow 00:49:41.915$  base pairing would be sufficient to

NOTE Confidence: 0.85666396

 $00:49:41.915 \longrightarrow 00:49:43.769$  maybe even impact essentially decoding I

NOTE Confidence: 0.85666396

00:49:43.769 --> 00:49:46.175 guess is what you're asking and and sort

NOTE Confidence: 0.85666396

 $00{:}49{:}46.175 \dashrightarrow 00{:}49{:}47.930$  of introduce mutations into proteins.

NOTE Confidence: 0.85666396

 $00:49:47.930 \longrightarrow 00:49:51.300$  There is certainly evidence that the

NOTE Confidence: 0.85666396

 $00{:}49{:}51.300 \dashrightarrow 00{:}49{:}53.400$  presence or absence of modifications

NOTE Confidence: 0.85666396

 $00:49:53.400 \longrightarrow 00:49:56.010$  can impact at least at the very least

NOTE Confidence: 0.85666396

00:49:56.010 --> 00:49:58.388 sort of start code on usage and to

00:49:58.388 --> 00:50:00.740 some extent a little bit of decoding.

NOTE Confidence: 0.85666396

 $00:50:00.740 \longrightarrow 00:50:02.065$  Not as familiar with the

NOTE Confidence: 0.85666396

00:50:02.065 --> 00:50:02.595 translation literature.

NOTE Confidence: 0.85666396

 $00:50:02.600 \longrightarrow 00:50:04.287$  There's certainly evidence for it in sort

NOTE Confidence: 0.85666396

 $00:50:04.287 \longrightarrow 00:50:06.532$  of in vitro translation systems in vivo.

NOTE Confidence: 0.85666396

00:50:06.532 --> 00:50:08.674 It's a bit harder to tease apart,

NOTE Confidence: 0.85666396

 $00:50:08.680 \longrightarrow 00:50:09.656$  but if you're interested

NOTE Confidence: 0.85666396

 $00:50:09.656 \longrightarrow 00:50:10.876$  in that literature at all,

NOTE Confidence: 0.85666396

 $00:50:10.880 \dashrightarrow 00:50:12.944$ actually Shalini Oberdorfer's lab

NOTE Confidence: 0.85666396

 $00:50:12.944 \longrightarrow 00:50:15.192$  has done some really amazing work

NOTE Confidence: 0.85666396

 $00{:}50{:}15.192 \dashrightarrow 00{:}50{:}18.180$  on a C4C and how it sort of dictates

NOTE Confidence: 0.85666396

 $00:50:18.180 \longrightarrow 00:50:20.580$  start code on usage through sort

NOTE Confidence: 0.85666396

 $00:50:20.580 \longrightarrow 00:50:22.420$  of base pairing interactions.

NOTE Confidence: 0.85666396

 $00:50:22.420 \longrightarrow 00:50:23.540$  So that's not our work,

NOTE Confidence: 0.85666396

 $00{:}50{:}23.540 \dashrightarrow 00{:}50{:}24.698$  but it's beautiful and I would

NOTE Confidence: 0.85666396

 $00{:}50{:}24.698 \dashrightarrow 00{:}50{:}26.054$  encourage you to take a look at

 $00:50:26.054 \longrightarrow 00:50:26.774$  it if you're interested,

NOTE Confidence: 0.85666396

 $00:50:26.780 \longrightarrow 00:50:27.354$  because yes,

NOTE Confidence: 0.85666396

 $00:50:27.354 \longrightarrow 00:50:28.789$  there there's certainly some evidence

NOTE Confidence: 0.85666396

 $00:50:28.790 \longrightarrow 00:50:29.110$  for that. NOTE Confidence: 0.851628805833333

 $00:50:38.830 \longrightarrow 00:50:40.937$  So the question is the time scale

NOTE Confidence: 0.851628805833333

 $00:50:40.937 \longrightarrow 00:50:42.289$  of our modifications and the

NOTE Confidence: 0.851628805833333

 $00:50:42.290 \longrightarrow 00:50:44.145$  and how that sort of relates to

NOTE Confidence: 0.851628805833333

 $00{:}50{:}44.145 \to 00{:}50{:}45.509$  chromatin and things like that.

NOTE Confidence: 0.851628805833333

 $00{:}50{:}45.510 \dashrightarrow 00{:}50{:}48.012$  So this is something that we're

NOTE Confidence: 0.851628805833333

 $00:50:48.012 \longrightarrow 00:50:50.330$  still trying to work out so.

NOTE Confidence: 0.851628805833333

 $00:50:50.330 \longrightarrow 00:50:52.052$  We've been working on actually a totally

NOTE Confidence: 0.851628805833333

 $00:50:52.052 \longrightarrow 00:50:53.678$  different strategy I haven't talked about.

NOTE Confidence: 0.851628805833333

 $00{:}50{:}53.680 \dashrightarrow 00{:}50{:}55.353$  We're trying to work out a dual

NOTE Confidence: 0.851628805833333

 $00{:}50{:}55.353 \dashrightarrow 00{:}50{:}56.530$  labeling strategy in our labs.

NOTE Confidence: 0.851628805833333

 $00:50:56.530 \longrightarrow 00:50:57.946$  This is a different graduate student,

 $00:50:57.950 \longrightarrow 00:50:59.720$  Luke, who is working on this

NOTE Confidence: 0.851628805833333

 $00{:}50{:}59.720 \dashrightarrow 00{:}51{:}00.900$  where we're essentially trying

NOTE Confidence: 0.851628805833333

00:51:00.950 --> 00:51:02.550 to combine nascent RNA labeling,

NOTE Confidence: 0.851628805833333

 $00:51:02.550 \longrightarrow 00:51:05.160$  something like an EU approach or

NOTE Confidence: 0.851628805833333

00:51:05.160 --> 00:51:07.270 a fourth European labeling with

NOTE Confidence: 0.851628805833333

00:51:07.270 --> 00:51:09.365 essentially trying to both Mark

NOTE Confidence: 0.851628805833333

 $00{:}51{:}09.365 \dashrightarrow 00{:}51{:}11.460$  naison RNA and nascent methylation

NOTE Confidence: 0.851628805833333

00:51:11.529 --> 00:51:13.374 with a deuterated Sam analog.

NOTE Confidence: 0.851628805833333

 $00{:}51{:}13.374 --> 00{:}51{:}15.666$  We haven't been able to pin

NOTE Confidence: 0.851628805833333

 $00:51:15.666 \longrightarrow 00:51:17.230$  down the kinetics.

NOTE Confidence: 0.851628805833333

00:51:17.230 --> 00:51:18.325 I have some very preliminary

NOTE Confidence: 0.851628805833333

00:51:18.325 --> 00:51:19.884 data from like way back in my

NOTE Confidence: 0.851628805833333

 $00:51:19.884 \longrightarrow 00:51:20.934$  postdoc that this can happen.

NOTE Confidence: 0.851628805833333

 $00:51:20.940 \longrightarrow 00:51:21.698$  Within minutes.

NOTE Confidence: 0.851628805833333

00:51:21.698 --> 00:51:23.972 But it's very hard to catch

NOTE Confidence: 0.851628805833333

 $00:51:23.972 \longrightarrow 00:51:25.828$  the dual sort of label.

00:51:25.830 --> 00:51:27.365 And so that's something that

NOTE Confidence: 0.851628805833333

 $00:51:27.365 \longrightarrow 00:51:28.593$  we're still working out.

NOTE Confidence: 0.851628805833333

00:51:28.600 --> 00:51:30.864 We're hoping that that will be working soon,

NOTE Confidence: 0.851628805833333

 $00:51:30.870 \longrightarrow 00:51:32.538$  but that's exactly the question we

NOTE Confidence: 0.851628805833333

00:51:32.538 --> 00:51:34.524 want to answer because we don't know

NOTE Confidence: 0.851628805833333

 $00:51:34.524 \longrightarrow 00:51:36.162$  if the timescales are relevant yet

NOTE Confidence: 0.851628805833333

00:51:36.162 --> 00:51:37.810 because we can't pin them down yet,

NOTE Confidence: 0.851628805833333

 $00:51:37.810 \longrightarrow 00:51:38.960$  if that makes any sense.

NOTE Confidence: 0.10927865

00:51:45.690 --> 00:51:46.290 Hmm.

NOTE Confidence: 0.21503004

 $00:51:50.710 \longrightarrow 00:51:51.150$  The.

NOTE Confidence: 0.861928434285714

00:51:56.790 --> 00:51:58.267 Yeah. So the question is whether the,

NOTE Confidence: 0.861928434285714

 $00:51:58.270 \longrightarrow 00:52:00.392$  the mutation rate sort of essentially

NOTE Confidence: 0.861928434285714

 $00{:}52{:}00.392 \dashrightarrow 00{:}52{:}01.680$  correlates with what's actually

NOTE Confidence: 0.861928434285714

 $00{:}52{:}01.680 \dashrightarrow 00{:}52{:}03.290$  happening at the modification level.

NOTE Confidence: 0.861928434285714

00:52:03.290 --> 00:52:04.650 So we're literally working with

 $00:52:04.650 \longrightarrow 00:52:06.628$  Anna Kyle's lab to try to generate

NOTE Confidence: 0.861928434285714

 $00:52:06.628 \longrightarrow 00:52:08.326$  the standards to figure that out.

NOTE Confidence: 0.861928434285714

 $00:52:08.330 \longrightarrow 00:52:10.941$  So what we essentially need to make

NOTE Confidence: 0.861928434285714

 $00:52:10.941 \longrightarrow 00:52:13.367$  is a calibration curve with known

NOTE Confidence: 0.861928434285714

 $00:52:13.367 \longrightarrow 00:52:15.373$  sort of modified oligos because

NOTE Confidence: 0.861928434285714

00.52:15.373 -> 00.52:17.914 based on some previous work with a

NOTE Confidence: 0.861928434285714

 $00:52:17.914 \longrightarrow 00:52:19.550$  different reverse transcriptase,

NOTE Confidence: 0.861928434285714

 $00:52:19.550 \longrightarrow 00:52:21.468$  we know that there is some correlation

NOTE Confidence: 0.861928434285714

00:52:21.468 --> 00:52:23.129 between the level of modification.

NOTE Confidence: 0.861928434285714

 $00:52:23.130 \longrightarrow 00:52:25.706$  And sort of the mutation rate in terms

NOTE Confidence: 0.861928434285714

 $00{:}52{:}25.706 \dashrightarrow 00{:}52{:}28.379$  of it's somewhat accurate reflection

NOTE Confidence: 0.861928434285714

 $00:52:28.380 \longrightarrow 00:52:29.695$  because you know it's reverse

NOTE Confidence: 0.861928434285714

 $00:52:29.695 \longrightarrow 00:52:31.010$  transcribing not just the modified

NOTE Confidence: 0.861928434285714

 $00:52:31.059 \longrightarrow 00:52:32.457$  pool but also the unmodified pool.

NOTE Confidence: 0.861928434285714

 $00:52:32.460 \longrightarrow 00:52:34.218$  So there should be some concordance.

NOTE Confidence: 0.861928434285714

 $00:52:34.220 \longrightarrow 00:52:36.040$  It is however probably not perfect and

 $00:52:36.040 \longrightarrow 00:52:38.752$  so we kind of need to make a calibration

NOTE Confidence: 0.861928434285714

 $00:52:38.752 \longrightarrow 00:52:40.384$  curve essentially getting you know

NOTE Confidence: 0.861928434285714

00:52:40.384 --> 00:52:42.340 known modified oligos at zero percent,

NOTE Confidence: 0.861928434285714 00:52:42.340 --> 00:52:42.944 25 percent, NOTE Confidence: 0.861928434285714

 $00:52:42.944 \longrightarrow 00:52:45.360$  50% and generating a curve to try to

NOTE Confidence: 0.861928434285714

00:52:45.428 --> 00:52:47.253 correlate where those where those

NOTE Confidence: 0.861928434285714

 $00:52:47.253 \longrightarrow 00:52:49.743$  are based on some really early work

NOTE Confidence: 0.861928434285714

 $00:52:49.743 \longrightarrow 00:52:51.990$  in our first M1A paper that for

NOTE Confidence: 0.861928434285714

 $00:52:51.990 \longrightarrow 00:52:54.240$  M1A we know that mutations.

NOTE Confidence: 0.861928434285714

 $00:52:54.240 \longrightarrow 00:52:56.970$  Um are relatively usually relatively strong.

NOTE Confidence: 0.861928434285714

 $00:52:56.970 \longrightarrow 00:52:59.607$  And in that case M1A tended to occur at

NOTE Confidence: 0.861928434285714

 $00{:}52{:}59.607 \dashrightarrow 00{:}53{:}02.310$  about 20% of its given transcript pool.

NOTE Confidence: 0.861928434285714

00:53:02.310 --> 00:53:03.941 So like if you had a favorite

NOTE Confidence: 0.861928434285714

 $00:53:03.941 \longrightarrow 00:53:05.418$  transcript that was 1A methylated on

NOTE Confidence: 0.861928434285714

00:53:05.418 --> 00:53:06.938 average it was about 20% methylated.

 $00:53:06.938 \longrightarrow 00:53:09.322$  We never figured out what that means though.

NOTE Confidence: 0.861928434285714

 $00:53:09.330 \longrightarrow 00:53:10.646$  We don't know if that means most

NOTE Confidence: 0.861928434285714

00:53:10.646 --> 00:53:12.068 of it's being decayed or you know,

NOTE Confidence: 0.861928434285714

 $00:53:12.070 \longrightarrow 00:53:12.904$  anything like that,

NOTE Confidence: 0.861928434285714

00:53:12.904 --> 00:53:14.572 but we're still working that out.

NOTE Confidence: 0.763393186666667

 $00:53:20.400 \longrightarrow 00:53:22.140$  Thank you very much.

NOTE Confidence: 0.763393186666667

 $00:53:22.140 \longrightarrow 00:53:24.315$  Sacred support is amazing talk.

NOTE Confidence: 0.763393186666667

00:53:24.320 --> 00:53:26.648 It's really very rewarding to see

NOTE Confidence: 0.763393186666667

 $00{:}53{:}26.648 \dashrightarrow 00{:}53{:}28.954$  this high end science coming to

NOTE Confidence: 0.763393186666667

 $00:53:28.954 \longrightarrow 00:53:31.313$  visit her here on the other side.

NOTE Confidence: 0.763393186666667

 $00:53:31.320 \longrightarrow 00:53:33.448$  Let's hope that this will be the

NOTE Confidence: 0.763393186666667

 $00:53:33.448 \longrightarrow 00:53:35.639$  beginning of many more collaborations.

NOTE Confidence: 0.763393186666667

00:53:35.640 --> 00:53:37.196 And on that note,

NOTE Confidence: 0.763393186666667

00:53:37.196 --> 00:53:39.994 I would like to remind you all

NOTE Confidence: 0.763393186666667

 $00:53:39.994 \longrightarrow 00:53:42.962$  that we do have an RFA out for

NOTE Confidence: 0.763393186666667

00:53:42.962 --> 00:53:44.088 funding laboratory research.

 $00{:}53{:}44.088 \dashrightarrow 00{:}53{:}46.706$  There has more of a translational character.

NOTE Confidence: 0.763393186666667

 $00{:}53{:}46.710 \dashrightarrow 00{:}53{:}48.110$  So you might want to check it out.

NOTE Confidence: 0.763393186666667

00:53:48.110 --> 00:53:48.898 Thank you very much.